Issue 01 dated 25 November 2009

# European Aviation Safety Agency

### **EASA**

# SPECIFIC AIRWORTHINESS SPECIFICATION

for

Cessna 182R OE-DON

as specified in Section I

. This Specific Airworthiness Specification is issued in accordance with Regulation (EC) 216/2008 Article 20(1)(b) and Regulation (EC) 1702/2003 Part 21, paragraph 21A.184 for the purposes of the issue of a restricted category certificate of airworthiness.

#### List of effective Pages:

Page	1	2	3							
Issue	01	01	01							

# CONTENT

# **SECTION 1:** Aircraft Design Definition

The certification basis of this aircraft is:

- (1) Type Certificate Data Sheet: FAA 3A13 (http://www.airweb.faa.gov/Regulatory\_and\_Guidance\_Library/rgMakeModel.nsf/0/084b56751 82d8714862575f6006d1bf4/\$FILE/3A13%20Rev%2069.pdf)
- (2) National Austrian approval for hail prevention system:
  Initial approval Nr. OE-DON/03-6/00 dated 29. December 2000
  Change to the initial approval Nr. OE-DON/05-6/01 dated 9. November 2001
  Those approvals are grandfathered by EASA under Population (EC) 1702/2003 Article 2

These approvals are grandfathered by EASA under Regulation (EC) 1702/2003 Article 2 Paragraph 3(a).

## **SECTION 2: Airworthiness Directives**

All Airworthiness Directives applicable to Cessna 182R model apply to this aircraft.

# **SECTION 3**: Occurrence Reporting

The Specific Airworthiness Specification may be used as a basis for the issue of a Restricted Certificate of Airworthiness in accordance with 21A.173 (b)(2) under the following conditions:

- a) The holder of a Restricted Certificate of Airworthiness based on this Specific Airworthiness Specification shall report to the State of Registry all information related to occurrences associated with the operation of the aircraft which affects or could affect the safety of operation<sup>1</sup>.
- b) Such reports shall be despatched within 72 hours of the time when the occurrence was identified unless exceptional circumstances prevent this.
- c) The State of Registry shall forward the information received under (a) to the Agency when it relates to failures, malfunctions, defects or other occurrences which cause or might cause adverse effects on the continuing airworthiness of the aircraft.

#### **SECTION 4: Other Limitations**

- 1. With hail prevention equipment fitted, this aircraft is limited to aerial work operations.
- 2. The applicability of this SAS is limited to Cessna 182R S/N 182-67887
- 3. AFM Supplement "Anhang zum POH & FAA approved AFM Cessna Model 182R OE-DON, Ausgabe Mai 2001, Rev. 1 vom 6.11.2001 ACG Anerkannt" applies.

<sup>&</sup>lt;sup>1</sup> AMC 20-8 contains guidance describing the occurrences which are to be reported

#### Reims Cessna 182R OE-DON

Issue 01 dated 25 November 2009

- 4. Maintenance Instruction "Wartungshandbuch AGJ-Anlage für Cessna 182 Serie Ausgabe 1 vom 7.5.2001, ACG Anerkannt" applies.
- 5. Transport of persons other than those required for the purpose of hail prevention or positioning is not permitted.