European Aviation Safety Agency

EASA

SPECIFIC AIRWORTHINESS SPECIFICATION

for

Reims Cessna F182Q, OE-DND

as specified in Section I

This Specific Airworthiness Specification is issued in accordance with Regulation (EC) 216/2008 Article 20(1)(b) and Regulation (EC) 1702/2003 Part 21, paragraph 21A.184 for the purposes of the issue of a restricted category certificate of airworthiness.

List of effective Pages:

Page	1	2	3							
Issue	01	01	01							

CONTENT

SECTION 1: Aircraft Design Definition

The certification basis of this aircraft is:

- (1) Type Certificate Data Sheet: FAA A42EU

 (http://www.airweb.faa.gov/Regulatory_and_Guidance_Library/rgMakeModel.nsf/0/a39b8e9
 d858dd0dc862579eb0071211a/\$FILE/A42EU%20Rev%204.pdf)
- (2) National Austrian approval for hail prevention system:
 Initial approval Nr. OE-KGO/4-6/87 Dated 30 April 1987
 This approval is grandfathered by EASA under Regulation (EC) 1702/2003 Article 2
 Paragraph 3(a).
- (3) The essential requirements for airworthiness according to Annex I of the basic regulation (EC) 216/2008 can not be fulfilled due to the fact that the environment this installation is intended to be used in, is not envisioned by the existing certification specifications (e.g. lightning strike, hail, turbulence in the vicinity of active thunderstorm clouds, use of pyrotechnical equipment, et.al.).

Thus this installation will require a restricted certificate of airworthiness.

SECTION 2: Airworthiness Directives

All Airworthiness Directives applicable to Cessna F182Q model apply to this aircraft.

SECTION 3: Occurrence Reporting

The Specific Airworthiness Specification may be used as a basis for the issue of a Restricted Certificate of Airworthiness in accordance with 21A.173 (b)(2) under the following conditions:

- a) The holder of a Restricted Certificate of Airworthiness based on this Specific Airworthiness Specification shall report to the State of Registry all information related to occurrences associated with the operation of the aircraft which affects or could affect the safety of operation¹.
- b) Such reports shall be despatched within 72 hours of the time when the occurrence was identified unless exceptional circumstances prevent this.
- c) The State of Registry shall forward the information received under (a) to the Agency when it relates to failures, malfunctions, defects or other occurrences which cause or might cause adverse effects on the continuing airworthiness of the aircraft.

¹ AMC 20-8 contains guidance describing the occurrences which are to be reported

Reims Cessna F182Q OE-DND

Issue 01 dated 07 June 2013

SECTION 4: Other Limitations

- 1. With hail prevention equipment fitted, this aircraft is limited to aerial work operations.
- 2. The applicability of this SAS is limited to Reims Cessna F182Q S/N: F182-0083.
- 3. AFM Supplement "Anhang zum Flughandbuch zur Durchführung von Hagelabwehrflügen für OE-DND Reims Cessna F182Q S/N: F182-0083 vom 15.5.2013" and MM Supplement "Wartungshandbuch AgJ-Anlage Mod. Reinisch April 2002 Rev.1 Juni 2003" including the Supplement "Supplement für die steirische Hagelabwehr" apply.
 - These supplements include maintenance, installation an operating instructions.
- 6. Transport of persons other than those required for the purpose of hail prevention or positioning is not permitted.