

TC Holder		State of Design		Type	Model	TCDS	Applicable Fees & Charges Category	EASA certification date
NEW PRODUCT	HARBIN HAFEI AVIATION INDUSTRY	China	Y12F	Y12F	Y12F	EASA.IM.A.679	HTOL > 5 700 kg ≤ 22 000 kg	13/07/2023
NEW PRODUCT	DAHER AIRCRAFT DESIGN	USA	Kodiak 100 Series	Kodiak 200	Kodiak 200	EASA.IM.A.632	HTOL > 2 730 kg ≤ 5 700 kg	03/04/2023

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/15	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/15-1	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/18A	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/18A1	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/18A2	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/18A3	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	ACC COLUMBIA Jet Service GmbH	Germany	AS202	AS202/18A4	EASA.A.591	HTOL ≤ 1 200 kg	CS-23	
	AD HOLDINGS INC.	USA	THORP	T-211	US A-791	HTOL ≤ 1 200 kg	CS-VLA	
	AERO AT SP. Z.O.O.	Poland	AT-3 Series	AT-3R100	EASA.A.021	HTOL ≤ 1 200 kg	CS-VLA	
	AEROCUBUL ROMANIEI	Romania	IAR-46(S)	IAR-46	EASA.A.113	HTOL ≤ 1 200 kg	CS-VLA	
	AEROCUBUL ROMANIEI	Romania	IAR-46(S)	IAR-46S	EASA.A.113	HTOL ≤ 1 200 kg	CS-VLA	
	AEROSPOOL, SPOL. S.R.O.	Slovakia	WT9 Dynamic LSA	Club	EASA.A.644	HTOL ≤ 1 200 kg	CS-LSA	
	AEROSTAR AIRCRAFT CORPORATION	USA	PA-60 (Aerostar)	PA-60-600 (Aerostar 600)	US A17WE	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	AEROSTAR AIRCRAFT CORPORATION	USA	PA-60 (Aerostar)	PA-60-601 (Aerostar 601)	US A17WE	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	AEROSTAR AIRCRAFT CORPORATION	USA	PA-60 (Aerostar)	PA-60-601P (Aerostar 601P)	US A17WE	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	AEROSTAR AIRCRAFT CORPORATION	USA	PA-60 (Aerostar)	PA-60-602P (Aerostar 602P)	US A17WE	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	AEROSTAR AIRCRAFT CORPORATION	USA	PA-60 (Aerostar)	PA-60-700P (Aerostar 700P)	US A17WE	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 207	Bölkow 207	EASA.A.553	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 207	Bölkow 207T	EASA.A.553	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 208	Bölkow BO 208 C Junior	EASA.A.358	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 208	Bölkow Junior	EASA.A.358	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 209	Bölkow BO 209 MONSUN	EASA.A.357	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	Bölkow BO 209	Bölkow BO 209 S	EASA.A.357	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	SIAT 223	SIAT 223 A1	EASA.A.554	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	SIAT 223	SIAT 223 K1	EASA.A.554	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS DEFENCE AND SPACE GmbH	Germany	SIAT 223	SIAT 223 V	EASA.A.554	HTOL ≤ 1 200 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104MA Wilga 2000	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104MF Wilga 2000	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104MN Wilga 2000	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104M Wilga 2000	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104 Wilga 32	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104 Wilga 32A	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104 Wilga 35	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104 Wilga 35A	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-104 WILGA Series	PZL-104 Wilga 80	EASA.A.061	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-106 BT TURBO KRUK Series	PZL-106 BT-601 TURBO KRUK	EASA.A.444	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-106 BT TURBO KRUK Series	PZL-106 BTU-34 TURBO KRUK	EASA.A.444	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-KOLIBER Series	PZL-110 KOLIBER	EASA.A.091	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-KOLIBER Series	PZL-KOLIBER 150	EASA.A.091	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-KOLIBER Series	PZL-KOLIBER 150A	EASA.A.091	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRBUS POLAND SPOLKA AKCYJNA	Poland	PZL-KOLIBER Series	PZL-KOLIBER 160A	EASA.A.091	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT DESIGN CERTIF GMBH	Germany	D4 Fascination	D4 Fascination	EASA.A.019	HTOL ≤ 1 200 kg	CS-VLA	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-200	L-200 A	EASA.A.043	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-200	L-200 D	EASA.A.043	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L-410 M Turbolet	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 NG	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L-410 UVP-E	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 UVP-E20	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 UVP-E20 Cargo	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 UVP-E9	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 UVP-E-LW	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L 410 UVP-LW	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L-410 UVP - Turbolet	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	L-410	L-420	EASA.A.026	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	Z-37 - Series	Z-37-2	EASA.A.445	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	Z-37 - Series	Z-37A	EASA.A.445	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT INDUSTRIES, A.S.	Czech Republic	Z-37 - Series	Z-37A-2	EASA.A.445	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIRCRAFT INTEGRATED SOLUTIONS	Ireland	Ae 270	Ae 270	EASA.A.060	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	transferred from AERO VODOCHODY AEROSPACE
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-250	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-300	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-301	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-302	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-400	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-200, -300, -400 Series	AT-400A	US A9SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-401	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-401A	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-401B	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-402	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-402A	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-402B	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-501	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-502	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-502A	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-502B	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-503	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-401, -402, -500 Series	AT-503A	US A17SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-600, -800 Series	AT-602	US A19SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-600, -800 Series	AT-802	EASA.IM.A.274	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	AIR TRACTOR, INC.	USA	AT-600, -800 Series	AT-802A	EASA.IM.A.274	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17-30A Series	17-30A	US A18CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17-30A Series	17-31A	US A18CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17-30A Series	17-31ATC	US A18CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17 Series	17-30	US 1A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17 Series	17-31	US 1A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALEXANDRIA AIRCRAFT, LLC	USA	Bellanca 17 Series	17-31TC	US 1A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164A	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164B	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164B-15T	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164B-20T	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164B-34T	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164B with 73"	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164C	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164D	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALLIED AG CAT PRODUCTIONS	USA	G-164 Series	G-164D with 73" wing gap	US 1A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	HR200-100	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	HR200-100S	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	HR200-120	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	HR200-120B	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	HR200-160	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2100	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2100A	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2112	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2120U	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2160	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
	ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2160D	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
ALPHA AVIATION CONCEPT LIMITED	New Zealand	HR200 and R2000 Series	R2160I	EASA.IM.A.086	HTOL ≤ 1 200 kg	CS-23	
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca and Champion	8GCBC	US A21CE	HTOL ≤ 1 200 kg	CS-23	
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca and Champion	8KCAB	US A21CE	HTOL ≤ 1 200 kg	CS-23	
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca, Champion and Aeronca	7ECA	US A-759	HTOL ≤ 1 200 kg	CS-23	Engine Lycoming 160 HP & Propeller Sensenich
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca, Champion and Aeronca	7GCAA	US A-759	HTOL ≤ 1 200 kg	CS-23	Engine Lycoming 160HP/180HP Superior & Prop Sensenich/MT
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca, Champion and Aeronca	7GCBC (160HP)	US A-759	HTOL ≤ 1 200 kg	CS-23	equipped with engines iaw. US TCDS A-759, notes 125 - 127
AMERICAN CHAMPION AIRCRAFT	USA	Bellanca, Champion and Aeronca	7GCBC (180HP)	US A-759	HTOL ≤ 1 200 kg	CS-23	equipped with engines iaw. US TCDS A-759, notes 125 - 127
 AQUILA AVIATION INTERNATIONAL	Germany	AQUILA AT01	AT01	EASA.A.527	HTOL ≤ 1 200 kg	CS-VLA	Former TC Holder Aquila Aviation GmbH
 AQUILA AVIATION INTERNATIONAL	Germany	AQUILA AT01	AT01-100	EASA.A.527	HTOL ≤ 1 200 kg	CS-VLA	Former TC Holder Aquila Aviation GmbH
 AQUILA AVIATION INTERNATIONAL	Germany	AQUILA AT01	AT01-200	EASA.A.527	HTOL ≤ 1 200 kg	CS-VLA	
 ASI AVIATION	France	F 406	F 406	EASA.A.109	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
AUGUSTAIR, INC.	USA	Varga (Morrisey)	2150	US 4A19	HTOL ≤ 1 200 kg	CS-23	
AUGUSTAIR, INC.	USA	Varga (Morrisey)	2150A	US 4A19	HTOL ≤ 1 200 kg	CS-23	
AUGUSTAIR, INC.	USA	Varga (Morrisey)	2180	US 4A19	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Husky A-1	A-1	EASA.IM.A.294	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Husky A-1	A-1A	EASA.IM.A.294	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Husky A-1	A-1B	EASA.IM.A.294	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Husky A-1	A-1C-180	EASA.IM.A.294	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Pitts S-1/-2	S-1S	US A8SO	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Pitts S-1/-2	S-2A	US A8SO	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Pitts S-1/-2	S-2B	US A8SO	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Pitts S-1/-2	S-2C	US A8SO	HTOL ≤ 1 200 kg	CS-23	
AVIAT AIRCRAFT INC	USA	Pitts S-1/-2	S-2S	US A8SO	HTOL ≤ 1 200 kg	CS-23	
BAE SYSTEMS (OPERATIONS) LTD.	United Kingdom	Jetstream 3100/3200 Series	Jetstream 3100 Series	EASA.A.191	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
BAE SYSTEMS (OPERATIONS) LTD.	United Kingdom	Jetstream 3100/3200 Series	Jetstream 3200 Series	EASA.A.191	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	B50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	C50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50A	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50B	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50C	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50E	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	D50E-5990	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	E50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	F50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	G50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	H50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	50 (Twin Bonanza)	J50	US 5A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	58	58P	US A23CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	58	58PA	US A23CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	58	58TC	US A23CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	58	58TCA	US A23CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	60	60	US A12CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	60	A60	US A12CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	60	B60	US A12CE	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BEECHCRAFT CORPORATION	USA	76 (Duchess)	76	US A29CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	77 (Skipper)	77	US A30CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	100	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	99	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	99A	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	A100	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	A100A	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	



TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
BEECHCRAFT CORPORATION	USA	99 and 100 Series	A99	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	A99A	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	B100	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	B99	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	99 and 100 Series	C99	US A14CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	F90 (King Air)	F90	US A31CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	19A	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	23	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A23	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A23-19	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A23-24	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A23A	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A24	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	A24R	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	B19	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	B23	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	B24R	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	C23	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	C24R	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BEECHCRAFT CORPORATION	USA	Hawker Beechcraft 19, 23, 24	M19A	US A1CE	HTOL ≤ 1 200 kg	CS-23	
BERIEV AIRCRAFT COMPANY	Russian Fed.	Be-103	Be-103	EASA.IM.A.341	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Suspended based on Council Regulation (EU) 2022/328 of 25 February 2022
 BERND HAGER	Germany	Ruschmeyer R 90	R 90-230RG	EASA.A.539	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 BLACKSHAPE S.p.A.	Italy	BS 115	BK 160	EASA.A.607	HTOL ≤ 1 200 kg	CS-VLA	
 BLACKSHAPE S.p.A.	Italy	BS 115	BK 160-200	EASA.A.607	HTOL ≤ 1 200 kg	CS-VLA	
 BLACKSHAPE S.p.A.	Italy	BS 115	BK 160TR	EASA.A.607	HTOL ≤ 1 200 kg	CS-VLA	
 BLACKSHAPE S.p.A.	Italy	BS 115	BS 115	EASA.A.607	HTOL ≤ 1 200 kg	CS-VLA	
 BREEZER AIRCRAFT GmbH & Co. KG	Germany	BREEZER	B600	EASA.A.598	HTOL ≤ 1 200 kg	CS-LSA	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2A Mark III Trislander	BN.2A MARK III	EASA.A.389	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2A Mark III Trislander	BN.2A MARK III-1	EASA.A.389	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2A Mark III Trislander	BN.2A MARK III-2	EASA.A.389	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2A Mark III Trislander	BN.2A MARK III-3	EASA.A.389	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-2	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-20	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-21	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-26	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-27	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-3	AAN 11105	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-6	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-8	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2A-9	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2B-20	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2B-21	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2B-26	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2B-27	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2T	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2T-2	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2T-2R	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2T-4R	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
BRITTEN-NORMAN AIRCRAFT LTD.	United Kingdom	BN2 Islander Series Aircraft	BN2T-4S	EASA.A.388	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 BRM AERO s.r.o.	Czech Republic	Bristell B23	Bristell B23	EASA.A.642	HTOL ≤ 1 200 kg	CS-VLA	
 BRM AERO s.r.o.	Czech Republic	Bristell B23	Bristell B23-915	EASA.A.642	HTOL ≤ 1 200 kg	CS-VLA	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design		Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	CEAPR	France		ATL	ATL	EASA.A.374	HTOL ≤ 1 200 kg	CS-VLA	
	CEAPR	France		ATL	ATL "L"	EASA.A.374	HTOL ≤ 1 200 kg	CS-VLA	
	CEAPR	France		ATL	ATL "S"	EASA.A.374	HTOL ≤ 1 200 kg	CS-VLA	
	CEAPR	France		CAP10	CAP10	EASA.A.370	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP10	CAP10B	EASA.A.370	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP20	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP20L/S200	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP21	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP230	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP231	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP231EX	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		CAP 20 and 230 Series	CAP232	EASA.A.369	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 200	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 220	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 220 A	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 220 AB	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 220 B	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 221	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 221 B	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 250	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 250-160	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 250 B	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 250 B-160	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 253	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 253 B	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 300/108	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 300/120	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 300/125	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 300/140	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 300/180 R	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 315	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 340	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 360	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 380	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/100	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/120	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/120 A	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/120 D	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/125	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/125i	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/140	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/140 B	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/160	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/160 D	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/180	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/180 R	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/180 S	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/200 I	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/200 R	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/2+2	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400/500	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400 NGL	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France		DR 200, DR 300, DR 400 SERIES	DR 400 RP	EASA.A.367	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	CEAPR	France	HR 100 and R 1000 Series	HR 100-200	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-200 B	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-210	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-210 D	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-250 TR	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-285 C	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	HR 100-285 TIARA	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	R 1180 T	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	HR 100 and R 1000 Series	R 1180 TD	EASA.A.368	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CEAPR	France	R 3000	R 3000/100	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/120	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/120 D	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/140	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/160	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/160 S	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CEAPR	France	R 3000	R 3000/180	EASA.A.372	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150F	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150G	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150H	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150J	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150K	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150L	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F150M	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	F152	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FA150K	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FA150L	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FA150M	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FA152	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FRA150L	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F150/F152 Series	FRA150M	US A13EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172D	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172E	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172F	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172G	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172H	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172K	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172L	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172M	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172N	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	F172P	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F172 Series	FP172D	US A4EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F177RG	F177RG	US A26EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	F337E	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	F337F	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	F337G	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	F337H	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	FT337E	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	FT337F	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	FT337GP	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna F337 Series	FT337HP	US A23EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172E	US A18EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172F	US A18EU	HTOL ≤ 1 200 kg	CS-23	
	CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172G	US A18EU	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172H	US A18EU	HTOL ≤ 1 200 kg	CS-23	
CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172J	US A18EU	HTOL ≤ 1 200 kg	CS-23	
CESSNA AIRCRAFT COMPANY	USA	Cessna FR172 Series	FR172K	US A18EU	HTOL ≤ 1 200 kg	CS-23	
CIRRUS DESIGN CORPORATION	USA	Cirrus SR-20, SR-22	SR20	EASA.IM.A.007	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
CIRRUS DESIGN CORPORATION	USA	Cirrus SR-20, SR-22	SR22	EASA.IM.A.007	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
CIRRUS DESIGN CORPORATION	USA	Cirrus SR-20, SR-22	SR22T	EASA.IM.A.007	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
CIRRUS DESIGN CORPORATION	USA	SF50	SF50	EASA.IM.A.615	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	112	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	112B	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	112TC	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	112TCA	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	114	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	114A	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	114B	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
COMMANDER AIRCRAFT CORPORATION	USA	Commander 112/114 Series	114TC	US A12SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	transfer from CPAC, Inc. to Commander Aircraft Corporation
 COSTRUZIONI AERO. TECNAM	Italy	P2002	P2002-JF	EASA.A.006	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	P2002	P2002-JF-Mentor	EASA.A.006	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	P2002	P2002-JR	EASA.A.006	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	P2002	P-Mentor	EASA.A.006	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	P2006T	P2006T	EASA.A.185	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 COSTRUZIONI AERO. TECNAM	Italy	P2008 JC	P2008 JC	EASA.A.583	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	P2010	P2010	EASA.A.576	HTOL ≤ 1 200 kg	CS-23	
 COSTRUZIONI AERO. TECNAM	Italy	P2010	P2010 TDI	EASA.A.576	HTOL ≤ 1 200 kg	CS-23	
 COSTRUZIONI AERO. TECNAM	Italy	P2012	P2012 Traveller	EASA.A.637	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 COSTRUZIONI AERO. TECNAM	Italy	Tecnam P92	P92-J	EASA.A.412	HTOL ≤ 1 200 kg	CS-VLA	
 COSTRUZIONI AERO. TECNAM	Italy	Tecnam P92	P92-JS	EASA.A.412	HTOL ≤ 1 200 kg	CS-VLA	
COUGAR AIRCRAFT CORPORATION	USA	GA7	GA7	EASA.IM.A.381	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
CUB CRAFTERS, Inc.	USA	CC19-180	CC19-180	EASA.IM.A.638	HTOL ≤ 1 200 kg	Not assigned	
 CZECH AIRCRAFT GROUP s.r.o.	Czech Republic	PS-28 Cruiser	PS-28 Cruiser	EASA.A.546	HTOL ≤ 1 200 kg	CS-LSA	
 CZECH AIRCRAFT GROUP s.r.o.	Czech Republic	PS-28 Cruiser	PS-28 N Cruiser	EASA.A.546	HTOL ≤ 1 200 kg	CS-LSA	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 880 B	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 880 B-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 881	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 883	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 884	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 885	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 886	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	MS 887	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 100 S	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 100 S-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 100 ST	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 100 ST-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 110 ST	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 ST	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 ST-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 SV	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 SVS	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 T	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 150 T-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 180 T	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 180 T-D	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 880 and Rallye 100 Series	Rallye 180 TS	EASA.A.377	HTOL ≤ 1 200 kg	CS-23	
 DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 890 A	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 890 B	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 892 A.150	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 892 B.150	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 892 E.150	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 892 E-D.150	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 893 A	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 893 B	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 893 E	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 893 E-D	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 894 A	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 894 C	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	MS 894 E	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	RALLYE 235 A	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	RALLYE 235 C	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	RALLYE 235 E	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	RALLYE 235 E-D	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	MS 890 and Rallye 235 Series	RALLYE 235 F	EASA.A.379	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	TBM700	TBM700 A	EASA.A.010	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	DAHER AEROSPACE	France	TBM700	TBM700 B	EASA.A.010	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	DAHER AEROSPACE	France	TBM700	TBM700 C1	EASA.A.010	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	DAHER AEROSPACE	France	TBM700	TBM700 C2	EASA.A.010	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	DAHER AEROSPACE	France	TBM700	TBM700 N	EASA.A.010	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	DAHER AEROSPACE	France	TB Series	TB 10	EASA.A.378	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	TB Series	TB 20	EASA.A.378	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	TB Series	TB 200	EASA.A.378	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	TB Series	TB 21	EASA.A.378	HTOL ≤ 1 200 kg	CS-23	
	DAHER AEROSPACE	France	TB Series	TB 9	EASA.A.378	HTOL ≤ 1 200 kg	CS-23	
	DAHER AIRCRAFT DESIGN	USA	Kodiak 100 Series	Kodiak 100	EASA.IM.A.632	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	DAHER AIRCRAFT DESIGN	USA	Kodiak 100 Series	Kodiak 200	EASA.IM.A.632	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	DIAMOND AIRCRAFT IND. INC	Canada	DA 20	DA 20-A1	EASA.IM.A.223	HTOL ≤ 1 200 kg	CS-VLA	
	DIAMOND AIRCRAFT IND. INC	Canada	DA 20	DA 20-C1	EASA.IM.A.223	HTOL ≤ 1 200 kg	CS-VLA	
	DIAMOND AIRCRAFT IND. INC	Canada	DA 40	DA 40	EASA.IM.A.022	HTOL ≤ 1 200 kg	CS-23	TC transferred from Diamond (Austria)
	DIAMOND AIRCRAFT IND. INC	Canada	DA 40	DA 40 D	EASA.IM.A.022	HTOL ≤ 1 200 kg	CS-23	TC transferred from Diamond (Austria)
	DIAMOND AIRCRAFT IND. INC	Canada	DA 40	DA 40 F	EASA.IM.A.022	HTOL ≤ 1 200 kg	CS-23	TC transferred from Diamond (Austria)
	DIAMOND AIRCRAFT IND. INC	Canada	DA 40	DA 40 NG	EASA.IM.A.022	HTOL ≤ 1 200 kg	CS-23	TC transferred from Diamond (Austria)
	DIAMOND AIRCRAFT IND. INC	Canada	DA 62	DA 62	EASA.IM.A.629	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	TC transferred from Diamond (Austria)
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42	DA 42	EASA.A.005	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42	DA 42 M	EASA.A.005	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42	DA 42 M-NG	EASA.A.005	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42	DA 42 NG	EASA.A.005	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42 M (Restricted)	DA 42 M-NG (Restricted)	EASA.A.513	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 42 M (Restricted)	DA 42 M (Restricted)	EASA.A.513	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DA 50	DA 50 C	EASA.A.639	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DV 20	DV 20	EASA.A.439	HTOL ≤ 1 200 kg	CS-VLA	
	DIAMOND AIRCRAFT INDUSTRIES	Austria	DV 20	DV 20 E	EASA.A.439	HTOL ≤ 1 200 kg	CS-VLA	
	DIPL.-ING. WOLF D. HOFFMANN	Germany	H 40	H 40	EASA.A.541	HTOL ≤ 1 200 kg	CS-VLA	
	DORNIER SEAWINGS GmbH	Germany	SEASTAR	CD 2	EASA.A.640	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	ECLIPSE AEROSPACE INCORPORATED	USA	EA500	EA500	EASA.IM.A.171	HTOL > 1 200 kg ≤ 2 730 kg HPA	CS-23	
	ELIXIR AIRCRAFT	France	ELIXIR	ELIXIR	EASA.A.633	HTOL ≤ 1 200 kg	CS-LSA	
	EMBRAER S.A.	Brazil	EMB-110	EMB-110K1	EASA.IM.A.229	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	EMBRAER S.A.	Brazil	EMB-110	EMB-110P1	EASA.IM.A.229	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	EMBRAER S.A.	Brazil	EMB-110	EMB-110P2	EASA.IM.A.229	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	EMBRAER S.A.	Brazil	EMB-121	EMB-121A	BR EA-7905	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
EMBRAER S.A.	Brazil	EMB-121	EMB-121A1	BR EA-7905	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
EMBRAER S.A.	Brazil	Embraer EMB-500	EMB-500	EASA.IM.A.157	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
EMBRAER S.A.	Brazil	Embraer EMB-505	EMB-505	EASA.IM.A.158	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 EVEKTOR, SPOL. S R.O.	Czech Republic	EV-97 VLA	EV-97 VLA	EASA.A.029	HTOL ≤ 1 200 kg	CS-VLA	
 EVEKTOR, SPOL. S R.O.	Czech Republic	SportStar RTC	SportStar RTC	EASA.A.592	HTOL ≤ 1 200 kg	CS-LSA	
 EXTRA	Germany	EA 300	EA 300	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/200	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/L	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/LC	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/LT	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/S	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA	Germany	EA 300	EA 300/SC	EASA.A.362	HTOL ≤ 1 200 kg	CS-23	
 EXTRA AEROBATIC AIRCRAFT GmbH	Germany	EXTRA NG	EXTRA NG	EASA.A.620	HTOL ≤ 1 200 kg	CS-23	
 FLIGHT DESIGN general aviation	Germany	CT	CTLS-ELA	EASA.A.537	HTOL ≤ 1 200 kg	CS-LSA	Flight Design GmbH -> Flight Design general aviation GmbH
 FLIGHT DESIGN general aviation	Germany	F2	F2-CS23	EASA.A.647	HTOL ≤ 1 200 kg	CS-23	
FUJI HEAVY INDUSTRIES LTD.	Japan	FA-200	FA-200-160	JP 20-10	HTOL ≤ 1 200 kg	CS-23	
FUJI HEAVY INDUSTRIES LTD.	Japan	FA-200	FA-200-180	JP 22-2	HTOL ≤ 1 200 kg	CS-23	
FUJI HEAVY INDUSTRIES LTD.	Japan	FA-200	FA-200-180AO	JP 22-6	HTOL ≤ 1 200 kg	CS-23	
GA8 AIRVAN PTY. LTD.	Australia	GA8-Series	GA8	EASA.IM.A.042	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
GA8 AIRVAN PTY. LTD.	Australia	GA8-Series	GA8-TC 320	EASA.IM.A.042	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
GAME COMPOSITES LLC	USA	GB1 GameBird	GB1 GameBird	EASA.IM.A.610	HTOL ≤ 1 200 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 A-1	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 A-1[R]	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 B-1	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 D	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 D-2	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Do 28 D-6	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Do 28 Series	Dornier 128-6	EASA.A.360	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-100	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-101	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-200	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-201	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-202	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GENERAL ATOMICS AEROTEC SYSTEMS	Germany	Dornier 228 Series	Dornier 228-212	EASA.A.359	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 GROB AIRCRAFT SE	Germany	G 120	G 120A	EASA.A.075	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 GROB AIRCRAFT SE	Germany	G 120	G 120A-I	EASA.A.075	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 GROB AIRCRAFT SE	Germany	G 120TP	G 120TP-A	EASA.A.565	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 GROB AIRCRAFT SE	Germany	G520	G520	DE 2066	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	EGRETT
 GROB AIRCRAFT SE	Germany	G520	G520T	DE 2066	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115A	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115B	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115C	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115C2	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115D	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115D2	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115E	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115EG	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
 GROB AIRCRAFT SE	Germany	Grob G 115	G 115TA	EASA.A.364	HTOL ≤ 1 200 kg	CS-23	
HARBIN HAFEI AVIATION INDUSTRY	China	Y12F	Y12F	EASA.IM.A.679	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
HONDA AIRCRAFT COMPANY LLC	USA	HA-420	HA-420	EASA.IM.A.352	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 INSTYTUT LOTNICTWA	Poland	I-23	I-23 "Manager"	EASA.A.200	HTOL ≤ 1 200 kg	CS-23	
INTERCEPTOR AVIATION INC.	USA	200	200D	US 3A18	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	ISSOIRE AVIATION	France	APM 20 and APM 30 Series	APM 20	EASA.A.306	HTOL ≤ 1 200 kg	CS-VLA	
	ISSOIRE AVIATION	France	APM 20 and APM 30 Series	APM 30	EASA.A.306	HTOL ≤ 1 200 kg	CS-VLA	
	ISSOIRE AVIATION	France	APM40	APM40 "Simba"	EASA.A.567	HTOL ≤ 1 200 kg	CS-23	
	ISSOIRE AVIATION	France	APM40	APM41	EASA.A.567	HTOL ≤ 1 200 kg	CS-23	
	LAVIA ARGENTINA SA (LAVIASA)	Argentina	PA-25 (Pawnee)	PA-25	US 2A8	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Certified if Piper built/Lavia built not grandfathered
	LAVIA ARGENTINA SA (LAVIASA)	Argentina	PA-25 (Pawnee)	PA-25-235	US 2A8	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Certified if Piper built/Lavia built not grandfathered
	LAVIA ARGENTINA SA (LAVIASA)	Argentina	PA-25 (Pawnee)	PA-25-260	US 2A8	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Certified if Piper built/Lavia built not grandfathered
	LEARJET INC.	USA	23	23	US A5CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260B	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260C	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260D	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260E	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	F260F	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	F260	SF260TP	EASA.A.586	HTOL ≤ 1 200 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S205-18/F	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S205-18/R	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S205-20/F	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S205-20/R	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S205-22/R	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S208	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LEONARDO S.p.A.	Italy	S205/S208	S208A	EASA.A.587	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	LIBERTY AEROSPACE INC.	USA	Liberty XL-2	XL-2	EASA.IM.A.343	HTOL ≤ 1 200 kg	CS-23	
	LIFTIFY UG (HAFTUNGSBESCHRAENKT)	Germany	XA42	XA41	EASA.A.507	HTOL ≤ 1 200 kg	CS-23	
	LIFTIFY UG (HAFTUNGSBESCHRAENKT)	Germany	XA42	XA42	EASA.A.507	HTOL ≤ 1 200 kg	CS-23	
	LIGHT WING AG	Switzerland	LIGHTWING AC4	LightWing AC4	EASA.A.588	HTOL ≤ 1 200 kg	CS-LSA	transferred from Aircraft Design & Certification
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow	Sky Arrow 650 TC	EASA.A.079	HTOL ≤ 1 200 kg	CS-VLA	
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow	Sky Arrow 650 TCN	EASA.A.079	HTOL ≤ 1 200 kg	CS-VLA	
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow	Sky Arrow 650 TCNS	EASA.A.079	HTOL ≤ 1 200 kg	CS-VLA	
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow	Sky Arrow 650 TCS	EASA.A.079	HTOL ≤ 1 200 kg	CS-VLA	
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow	Sky Arrow 710 RG	EASA.A.079	HTOL ≤ 1 200 kg	CS-VLA	
	MAGNAGHI AERONAUTICA S.P.A.	Italy	Sky Arrow 600 Sport	Sky Arrow 600 Sport	EASA.A.670	HTOL ≤ 1 200 kg	CS-LSA	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	Bee Dee M-4	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-180V	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-210	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-210C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-220	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-220C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4-220S	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4S	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-4T	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-5-180C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-5-210C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-5-235C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-6-235	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-7-235	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-7-235B	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	M-7-235C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	MT-7-235	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-160	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
	MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-180	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-180A	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-180B	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-180C	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MX-7-235	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MXT-7-160	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MXT-7-180	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MAULE AEROSPACE TECHNOLOGY	USA	Maule	MXT-7-180A	EASA.IM.A.018	HTOL ≤ 1 200 kg	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 19)	MU-2B	JP 19	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	A2PC
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 19)	MU-2B-20	JP 19	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	A2PC
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 19)	MU-2B-25	JP 19	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Serial Numbers without SA/ TCDS A2PC
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 19)	MU-2B-26	JP 19	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Serial Numbers without SA/TCDS A2PC
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 25)	MU-2B-30	JP 25	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 25)	MU-2B-35	JP 25	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (JP 25)	MU-2B-36	JP 25	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-25	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Serial Numbers including S.A.
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-26	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Serial Numbers including S.A.
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-26A	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-35	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-36A	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-40	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MITSUBISHI HEAVY INDUSTRIES	Japan	MU-2 (US A10SW)	MU-2B-60	US A10SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20A	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20B	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20C	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20D	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20E	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20F	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20G	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20J	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20K	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20L	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20M	EASA.IM.A.266	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20R	EASA.IM.A.266	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M20	M20S	US 2A3	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
MOONEY AVIATION COMPANY, INC.	USA	M22	M22	US A6SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N22	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N22B	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N22C	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N22S	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N24	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NOMAD TC PTY LTD	Australia	N22 AND N24	N24A	AU 73-1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
NZSkydive Ltd	New Zealand	PAC 750XL	750XL	EASA.IM.A.081	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 OMA SUD SKY TECHNOLOGIES SPA	Italy	SKYCAR	SKYCAR	EASA.A.563	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA226, SA227 (A8SW)	SA226-TC	US A8SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA226, SA227 (A8SW)	SA227-AC	US A8SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA226, SA227 (A8SW)	SA227-BC	US A8SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA226, SA227 (A8SW)	SA227-PC	US A8SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA227 (A18SW)	SA227-CC	US A18SW	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA227 (A18SW)	SA227-DC	US A18SW	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC	USA	SA26, SA226/SA227 (A5SW)	SA226-AT	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	



TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA226-T	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA226-T(B)	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA227-AT	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA227-TT	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA26-AT	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
ONTIC ENGINEERING AND MANUFACTURING INC		USA	SA26, SA226/SA227 (A5SW)	SA26-T	US A5SW	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166 B	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166 C	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166 DL3	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166 DP1	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.166	P.166 S	EASA.A.384	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PIAGGIO AVIATION S.p.A.		Italy	P.180	Avanti	EASA.A.059	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Former TC Holder: Piaggio Aero Industries S.p.A.
 PIAGGIO AVIATION S.p.A.		Italy	P.180	Avanti II	EASA.A.059	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	Former TC Holder: Piaggio Aero Industries S.p.A.
 PILATUS AIRCRAFT LTD.		Switzerland	PC-12	PC-12	EASA.A.089	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-12	PC-12/45	EASA.A.089	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-12	PC-12/47	EASA.A.089	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-12	PC-12/47E	EASA.A.089	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-24	PC-24	EASA.A.594	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/350	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/350-H1	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/350-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/A	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/A1-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/A2-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/A-H1	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/A-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/B1-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/B2-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/B2-H4	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/B-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/C1-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6/C-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6-H1	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 PILATUS AIRCRAFT LTD.		Switzerland	PC-6	PC-6-H2	CH F 56-10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-23	PA-23-235	US 1A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-23	PA-23-250	US 1A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-23	PA-E23-250	US 1A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-24 (Comanche)	PA-24	US 1A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-24 (Comanche)	PA-24-250	US 1A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-24 (Comanche)	PA-24-260	US 1A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-24 (Comanche)	PA-24-400	US 1A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-140 (Cherokee Cruiser)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-150 (Cherokee)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-151 (Cherokee Warrior)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-160 (Cherokee)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-161	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-161 (Warrior II)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-161 (Warrior III)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-180 (Archer)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.		USA	PA-28	PA-28-180 (Cherokee)	US 2A13	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28-181 (Archer II)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28-181 (Archer III)	EASA.IM.A.234	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28-201T (Turbo Dakota)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28-235 (Cher.Pathfinder)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28-236 (Dakota)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28R-180 (Arrow)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28R-200 (Arrow)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28R-200 (Arrow II)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28R-201 (Arrow III)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28R-201T (Turbo Arrow III)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28RT-201 (Arrow IV)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28RT-201T (Turbo Arrow IV)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28S-160 (Cherokee)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-28	PA-28S-180 (Cherokee)	US 2A13	HTOL ≤ 1 200 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-30, PA-39, PA-40	PA-30	US A1EA	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-30, PA-39, PA-40	PA-39	US A1EA	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-30, PA-39, PA-40	PA-40	US A1EA	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31 (Navajo)	PA-31	US A20SO	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31 (Navajo)	PA-31-300	US A20SO	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31 (Navajo)	PA-31-325	US A20SO	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31 (Navajo)	PA-31-350 (Chieftain)	US A20SO	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31P-350 (Mojave)	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31P (Pressurized Navajo)	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31T1 (Chey. I/Cheyenne IA)	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31T2 (Cheyenne IIXL)	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31T3	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-31P, PA-31T	PA-31T (Cheyenne/Cheyenne II)	US A8EA	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-260 (Cherokee Six 260)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-300 (Cherokee Six 300)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-301FT (Piper 6X)	EASA.IM.A.239	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-301 (Saratoga)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-301T (Turbo Saratoga)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32-301XTC (Piper 6XT)	EASA.IM.A.239	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32R-300 (Lance)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32R-301 (Saratoga II HP)	EASA.IM.A.239	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32R-301 (Saratoga SP)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32R-301T (Saratoga II TC)	EASA.IM.A.239	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32R-301T (Turbo SaratogaSP)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32RT-300 (Lance II)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32RT-300T (Turbo Lance II)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-32	PA-32S-300 (Cher.Six Seaplane)	US A3SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-34	PA-34-200 (Seneca)	US A7SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-34	PA-34-200T (Seneca II)	US A7SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-34	PA-34-220T (Seneca III)	US A7SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-34	PA-34-220T (Seneca IV)	US A7SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-34	PA-34-220T (Seneca V)	EASA.IM.A.090	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Normal category)	PA-36-285 (Normal category)	US A9SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Normal category)	PA-36-300 (Normal category)	US A9SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Normal category)	PA-36-375 (Normal category)	US A9SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Restricted category)	PA-36-285 (Restricted)	US A10SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Restricted category)	PA-36-300 (Restricted)	US A10SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-36 (Restricted category)	PA-36-375 (Restricted)	US A10SO	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-38	PA-38-112	US A18SO	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
PIPER AIRCRAFT, INC.	USA	PA-42, PA-42R	PA-42-1000 (Cheyenne 400LS)	US A23SO	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-42, PA-42R	PA-42-720 (Cheyenne IIIA)	US A23SO	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-42, PA-42R	PA-42-720R	US A32SO	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-42, PA-42R	PA-42 (Cheyenne III)	US A23SO	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-44	PA-44-180 (Seminole)	EASA.IM.A.232	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-44	PA-44-180T (Turbo Seminole)	EASA.IM.A.232	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-46	PA-46-310P	EASA.IM.A.077	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	PA-46-310P Malibu
PIPER AIRCRAFT, INC.	USA	PA-46	PA-46-350P	EASA.IM.A.077	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	PA-46-350P (Malibu Mirage)
PIPER AIRCRAFT, INC.	USA	PA-46	PA-46-500TP	EASA.IM.A.077	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	PA-46-500TP (Malibu Meridian)
PIPER AIRCRAFT, INC.	USA	PA-46	PA-46-600TP	EASA.IM.A.077	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
PIPER AIRCRAFT, INC.	USA	PA-46	PA-46R-350T	EASA.IM.A.077	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	PA-46R-350T (Malibu Matrix)
 PIPISTREL VERTICAL SOLUTIONS	Slovenia	Virus SW 121	Virus SW 121	EASA.A.573	HTOL ≤ 1 200 kg	CS-LSA	
 PIPISTREL VERTICAL SOLUTIONS	Slovenia	Virus SW 121	Virus SW 121A (Explorer)	EASA.A.573	HTOL ≤ 1 200 kg	CS-LSA	
 PIPISTREL VERTICAL SOLUTIONS	Slovenia	Virus SW 121	Virus SW 121C (Velis Club)	EASA.A.573	HTOL ≤ 1 200 kg	CS-LSA	
 PIPISTREL VERTICAL SOLUTIONS	Slovenia	Virus SW 121	Virus SW 128 (Velis Electro)	EASA.A.573	HTOL ≤ 1 200 kg	CS-LSA	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M18	PZL M18	EASA.A.056	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M18	PZL M18A	EASA.A.056	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M18	PZL M18AS	EASA.A.056	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M18	PZL M18B	EASA.A.056	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M18	PZL M18BS	EASA.A.056	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M26	PZL M26 01	EASA.A.057	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M28	PZL M28 00	EASA.A.058	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M28	PZL M28 02	EASA.A.058	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
 POLSKIE ZAKLADY LOTNICZE SP.	Poland	PZL M28	PZL M28 05	EASA.A.058	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
REVO, INC.	USA	Lake Aircraft	LAKE LA-4-200	US 1A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
REVO, INC.	USA	Lake Aircraft	LAKE LA-4A	US 1A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
REVO, INC.	USA	Lake Aircraft	LAKE LA-4P	US 1A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
REVO, INC.	USA	Lake Aircraft	LAKE MODEL 250	US 1A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 SCHEIBE AIRCRAFT GMBH	Germany	SF 23 "Sperling"	SF 23 A	EASA.A.579	HTOL ≤ 1 200 kg	CS-23	
 SCHEIBE AIRCRAFT GMBH	Germany	SF 23 "Sperling"	SF 23 A1	EASA.A.579	HTOL ≤ 1 200 kg	CS-23	
 SCHEIBE AIRCRAFT GMBH	Germany	SF 23 "Sperling"	SF 23 B	EASA.A.579	HTOL ≤ 1 200 kg	CS-23	
 SCHEIBE AIRCRAFT GMBH	Germany	SF 23 "Sperling"	SF 23 C	EASA.A.579	HTOL ≤ 1 200 kg	CS-23	
SEASTAR CORP.	USA	TSC-1	TSC-1A	US A15EA	HTOL ≤ 1 200 kg	CS-23	
SEASTAR CORP.	USA	TSC-1	TSC-1A1	US A15EA	HTOL ≤ 1 200 kg	CS-23	
SEASTAR CORP.	USA	TSC-1	TSC-1A2	US A15EA	HTOL ≤ 1 200 kg	CS-23	
SKYFOX AVIATION	Australia	CA-25	CA25	AU 154-2	HTOL ≤ 1 200 kg	CS-VLA	
SKYFOX AVIATION	Australia	CA-25	CA25N	AU 154-2	HTOL ≤ 1 200 kg	CS-VLA	
 SONACA AIRCRAFT S.A.	Belgium	S2	S200	EASA.A.626	HTOL ≤ 1 200 kg	CS-VLA	
 SONACA AIRCRAFT S.A.	Belgium	S2	S201	EASA.A.626	HTOL ≤ 1 200 kg	CS-VLA	
 Sportavia-Pützer TC-Services GmbH	Germany	RS 180	RS 180	EASA.A.544	HTOL ≤ 1 200 kg	CS-VLA	
 SST FLUGTECHNIK GmbH	Germany	EA 400	EA 400	EASA.A.011	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 SST FLUGTECHNIK GmbH	Germany	EA 400	EA 400-500	EASA.A.011	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 STEMME GMBH	Germany	ASP	S15-1	EASA.A.612	HTOL ≤ 1 200 kg	CS-23	
SYMPHONY AIRCRAFT INDUSTRIES	Canada	OMF-100	OMF-100-160	EASA.IM.A.031	HTOL ≤ 1 200 kg	CS-VLA	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	19	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F19	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F21	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F21A	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F21B	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F22	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F22A	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F22B	US 1A9	HTOL ≤ 1 200 kg	CS-23	
TAYLORCRAFT 2000 LLC	USA	F19, F21, F22	F22C	US 1A9	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION DEFENSE LLC	USA	Model 3000	Model 3000 (PM Series)	EASA.IM.A.636	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150A	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150B	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150C	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150D	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150E	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150F	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150G	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150H	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150J	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150K	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150L	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	150M	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	152	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	A150K	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	A150L	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	A150M	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	150 Series	A152	US 3A19	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	172RG	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	175	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	175A	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	175B	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	175C	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	P172D	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172E	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172F	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172G	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172H	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172J	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	172RG, R172 AND 175	R172K	US 3A17	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	177 Fixed gear	177	US A13CE	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	177 Fixed gear	177A	US A13CE	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	177 Fixed gear	177B	US A13CE	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	177 RG	177RG	US A20CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180A	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180B	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180C	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180D	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180E	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180F	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180G	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180H	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180J	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	180 Series	180K	US 5A6	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185A	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185B	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185C	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185D	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	185E	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	185 Series	A185E	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	185 Series	A185F	US 3A24	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	188	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	188A	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	188B	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	A188	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	A188A	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	A188B	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	188	T188C	US A9CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	207 Series	207	US A16CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	207 Series	207A	US A16CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	207 Series	T207	US A16CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	207 Series	T207A	US A16CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210-5 (205)	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210-5A (205A)	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210A	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210B	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210C	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210D	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210E	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210F	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210G	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210H	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210J	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210K	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210L	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210M	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210N	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	210R	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	P210N	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	P210R	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210F	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210G	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210H	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210J	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210K	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210L	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210M	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210N	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	210 Series	T210R	US 3A21	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310B	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310C	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310D	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310F	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310G	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310H	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310I	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310J	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310J-1	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310K	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310L	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310N	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	310 Series	310P	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310Q	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	310R	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	E310H	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	E310J	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	T310P	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	T310Q	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	310 Series	T310R	US 3A10	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320-1	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320A	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320B	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320C	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320D	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320E	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	320F	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	335	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	340	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	320-, 340- Series	340A	US 3A25	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	321	321	US 3A11	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	336	336	US A2CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337A	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337B	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337C	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337D	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337E	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337F	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337G	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	337H	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	M337B	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	P337H	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337B	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337C	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337D	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337E	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337F	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337G	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337H	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	337 Series	T337H-SP	US A6CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	401	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	401A	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	401B	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	402	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	402A	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	402B	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	402C	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	411	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	411A	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	414	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	414A	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	421	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	421A	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	400 Series	421B	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	421C	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	400 Series	425	US A7CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	404/406	404	US A25CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	441	441	US A28CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	501/551	501	US A27CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	501/551	551	US A27CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	35-33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	35-A33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	35-B33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	35-C33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	35-C33A	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	36	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	A36	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	A36TC	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	B36TC	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	E33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	E33A	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	E33C	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	F33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	F33A	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	F33C	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	G33	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	G36	EASA.IM.A.279	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	H35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	J35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	K35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	M35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	N35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	P35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	S35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	V35	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	V35A	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 33,35,36 (Bonanza)	V35B	US 3A15	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 390 (Premier 1/1A)	390	EASA.IM.A.073	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	56TC	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	58	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	58A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-A55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-B55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-B55A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-B55B	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-C55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	95-C55A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	A56TC	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	B95	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	B95A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	D55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	D55A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	D95A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	E55	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	E55A	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	E95	US 3A16	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 55, 56, 58, 95	G58	EASA.IM.A.280	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-80	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-88	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A80	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A80-8800	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A90-1	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A90-2	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A90-3	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-A90-4	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	65-B80	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	70	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	A65	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	A-65-8200	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	B90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	C90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	C90A	EASA.IM.A.503	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	C90GT	EASA.IM.A.503	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	C90GTi	EASA.IM.A.503	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	E90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft 65, 70, 90	H90	US 3A20	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	1900	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	1900C	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	1900D	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	200	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	200C	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	200CT	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	200T	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	300	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	300LW	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	A100-1	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	A200	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	A200C	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	A200CT	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200C	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200CGT	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200CT	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200GT	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B200T	US A24CE	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B300	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Beechcraft A100, 200, 300,1900	B300C	EASA.IM.A.277	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172A	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172B	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172C	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172D	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172E	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172F	US 3A12	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172G	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172H	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172I	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172K	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172L	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172M	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172N	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172P	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172Q	US 3A12	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172R	EASA.IM.A.051	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 172 Series (Skyhawk)	172S	EASA.IM.A.051	HTOL ≤ 1 200 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182A	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182B	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182C	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182D	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182E	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182F	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182G	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182H	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182J	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182K	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182L	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182M	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182N	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182P	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182Q	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182R	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182S	EASA.IM.A.052	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	182T	EASA.IM.A.052	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	R182	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	T182	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	T182T	EASA.IM.A.052	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 182 Series (Skylane)	TR182	US 3A13	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	206	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	206H	EASA.IM.A.053	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206A	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206B	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206C	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206D	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	P206E	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	T206H	EASA.IM.A.053	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TP206A	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TP206B	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TP206C	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TP206D	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TP206E	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206A	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206B	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206C	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206D	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206E	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206F	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	TU206G	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206A	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206B	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206C	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206D	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206E	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206F	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 206 Series (Stationair)	U206G	US A4CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 208 (Caravan)	208	EASA.IM.A.226	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 208 (Caravan)	208B	EASA.IM.A.226	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 510 (Mustang)	510	EASA.IM.A.502	HTOL > 2 730 kg ≤ 5 700 kg HPA	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 525 Series (Citation)	525	EASA.IM.A.078	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 525 Series (Citation)	525A	EASA.IM.A.078	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 525 Series (Citation)	525B	EASA.IM.A.078	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna 525 Series (Citation)	525C	EASA.IM.A.078	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna F182 Series	F182P	US A42EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna F182 Series	F182Q	US A42EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna F182 Series	FR182	US A42EU	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna LC Series (T240)	LC41-550FG	EASA.IM.A.516	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna LC Series (T240)	LC42-550FG	EASA.IM.A.516	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	Cessna LC Series (T240)	T240	EASA.IM.A.516	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
TEXTRON AVIATION INC.	USA	T303	T303	US A34CE	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Normal)	600 S-2D	US A3SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Normal)	S-2R	US A3SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Normal)	S2R-R1340	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Normal)	S2R-R3S	US A3SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Normal)	S2R-T11	US A3SW	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2R	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2R-H80	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2RHG-T65	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2R-T15	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2R-T34	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
THRUSH_AIRCRAFT LLC	USA	Thrush S2R Series (Restricted)	S2R-T660	EASA.IM.A.040	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 TOMARK, s.r.o.	Slovakia	VIPER SD-4	Viper SD-4 Night-VFR	EASA.A.606	HTOL ≤ 1 200 kg	CS-LSA	
 TOMARK, s.r.o.	Slovakia	VIPER SD-4	Viper SD-4 RTC	EASA.A.606	HTOL ≤ 1 200 kg	CS-LSA	
TRUE FLIGHT HOLDINGS LLC	USA	AA-1	AA-1	US A11EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-1	AA-1A	US A11EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-1	AA-1B	US A11EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-1	AA-1C	US A11EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-5	AA-5	US A16EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-5	AA-5A	US A16EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-5	AA-5B	US A16EA	HTOL ≤ 1 200 kg	CS-23	
TRUE FLIGHT HOLDINGS LLC	USA	AA-5	AG-5B	US A16EA	HTOL ≤ 1 200 kg	CS-23	
TURKISH AEROSPACE INDUSTRIES	Türkiye	TT32 (HÜRKUŞ)	TT32	EASA.IM.A.500	HTOL ≤ 1 200 kg	CS-23	TURKISH PRIMARY AND BASIC TRAINER AIRCRAFT (TBTEU)
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	500	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	500A	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	500B	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	500S	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	500U	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	520	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	560	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	



TC Holder	State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	560A	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 500 Series	560E	US 6A1	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	560F	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680E	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680F	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680FL	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680FL(P)	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680T	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680V	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	680W	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	681	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	685	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	690	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	690A	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	690B	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	690C	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	690D	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	695	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	695A	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	695B	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 600 Series	720	US 2A4	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
TWIN COMMANDER AIRCRAFT L.L.C.	USA	Twin Commander 700 Series	700	US A12SW	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-2	DHC-2 Mk. III	CA A-22	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Turbo-Beaver
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 1	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 100	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 110	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 200	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 210	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 300	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 310	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 320	CA A-82	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	DHC-6	DHC-6 Series 400	EASA.IM.A.575	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	SC-7	SC-7 Series 2	EASA.IM.A.666	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
VIKING AIR LIMITED	Canada	SC-7	SC-7 Series 3	EASA.IM.A.666	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.64B "Oscar 200"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.64B "Oscar B"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.64B "Oscar B 1155"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.64 "Oscar"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.66B "Oscar 100"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.66B "Oscar 150"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	P.66C "Charlie"	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	Vulcanair V1.0	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	Formerly P.64B "Oscar B 1155"
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	Vulcanair V1.1	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	Formerly P.64B "Oscar 200"
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	Vulcanair V1.100L	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	Formerly P.66B "Oscar 100"
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	Vulcanair V1.150L	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	Formerly P.66B "Oscar 150"
 VULCANAIR S.P.A.	Italy	VULCANAIR P64, P66, V1	Vulcanair V1.CL	EASA.A.613	HTOL ≤ 1 200 kg	CS-23	Formerly P.66C "Charlie"
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	AP68TP-300 "Spartacus"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	AP68TP-600 "Viator"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68B "Victor"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68C	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68C-TC	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
 VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68 "Observer"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68 "Observer 2"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68R "Victor"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68TC "Observer"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	VULCANAIR S.P.A.	Italy	VULCANAIR P.68	P.68 "Victor"	EASA.A.385	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	VULCANAIR S.P.A.	Italy	VULCANAIR SF600	SF600	EASA.A.608	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	VULCANAIR S.P.A.	Italy	VULCANAIR SF600	SF600A	EASA.A.608	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	
	WACO CLASSIC AIRCRAFT CORP.	USA	WACO 2T	2T-1A-1	US A18EA	HTOL ≤ 1 200 kg	CS-23	FAA TCDS A18EA, section I is Annex II
	WACO CLASSIC AIRCRAFT CORP.	USA	WACO 2T	2T-1A-2	US A18EA	HTOL ≤ 1 200 kg	CS-23	
	WACO CLASSIC AIRCRAFT CORP.	USA	YMF Series	YMF F5	EASA.IM.A.055	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Limited to aircraft modified i.a.w. FAA STC SA1000GL
	WACO CLASSIC AIRCRAFT CORP.	USA	YMF Series	YMF F5C	EASA.IM.A.055	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Limited to aircraft modified i.a.w. FAA STC SA1000GL
	WITHOUT TC HOLDER - ORPHANED	N/a	Antonov An-28	An-28	EASA.SAS.A.091	HTOL > 5 700 kg ≤ 22 000 kg	CS-23	Date of issue 08/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	Beagle B121 Pup	B121 Series 1	EASA.SAS.A.082	HTOL ≤ 1 200 kg	CS-23	Date of issue 04/04/2012
	WITHOUT TC HOLDER - ORPHANED	N/a	Beagle B121 Pup	B121 Series 2	EASA.SAS.A.082	HTOL ≤ 1 200 kg	CS-23	Date of issue 04/04/2012
	WITHOUT TC HOLDER - ORPHANED	N/a	Beagle B121 Pup	B121 Series 3	EASA.SAS.A.082	HTOL ≤ 1 200 kg	CS-23	Date of issue 04/04/2012
	WITHOUT TC HOLDER - ORPHANED	N/a	CERVA CE 43	CE 43	EASA.SAS.A.047	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	Decourt DMS 884-1	DMS 884-1	EASA.SAS.A.090	HTOL ≤ 1 200 kg	CS-23	Date of issue 28/09/2009
	WITHOUT TC HOLDER - ORPHANED	N/a	FLS Sprint	Club Sprint	EASA.SAS.A.074	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/01/2009
	WITHOUT TC HOLDER - ORPHANED	N/a	FLS Sprint	Sprint 160	EASA.SAS.A.074	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/01/2009
	WITHOUT TC HOLDER - ORPHANED	N/a	Gardan GY80 "Horizon"	GY80-150	EASA.SAS.A.075	HTOL ≤ 1 200 kg	CS-23	Date of issue 24.01.2014
	WITHOUT TC HOLDER - ORPHANED	N/a	Gardan GY80 "Horizon"	GY80-150D	EASA.SAS.A.075	HTOL ≤ 1 200 kg	CS-23	Date of issue 24.01.2014
	WITHOUT TC HOLDER - ORPHANED	N/a	Gardan GY80 "Horizon"	GY80-160	EASA.SAS.A.075	HTOL ≤ 1 200 kg	CS-23	Date of issue 24.01.2014
	WITHOUT TC HOLDER - ORPHANED	N/a	Gardan GY80 "Horizon"	GY80-160D	EASA.SAS.A.075	HTOL ≤ 1 200 kg	CS-23	Date of issue 24.01.2014
	WITHOUT TC HOLDER - ORPHANED	N/a	Gardan GY80 "Horizon"	GY80-180	EASA.SAS.A.075	HTOL ≤ 1 200 kg	CS-23	Date of issue 24.01.2014
	WITHOUT TC HOLDER - ORPHANED	N/a	General Avia F20	F.20 Pegaso	EASA.SAS.A.052	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 09/02/2009
	WITHOUT TC HOLDER - ORPHANED	N/a	General Avia F22	F22A	EASA.SAS.A.053	HTOL ≤ 1 200 kg	CS-23	Date of issue 20/08/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	General Avia F22	F22B	EASA.SAS.A.053	HTOL ≤ 1 200 kg	CS-23	Date of issue 20/08/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	General Avia F22	F22C	EASA.SAS.A.053	HTOL ≤ 1 200 kg	CS-23	Date of issue 20/08/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	General Avia F22	F22R	EASA.SAS.A.053	HTOL ≤ 1 200 kg	CS-23	Date of issue 20/08/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	OA7 "Optica"	OA7 Series 100	EASA.SAS.A.073	HTOL ≤ 1 200 kg	CS-23	Date of issue 29/05/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	OA7 "Optica"	OA7 Series 200	EASA.SAS.A.073	HTOL ≤ 1 200 kg	CS-23	Date of issue 29/05/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	OA7 "Optica"	OA7 Series 301	EASA.SAS.A.073	HTOL ≤ 1 200 kg	CS-23	Date of issue 29/05/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106A "Kruk"	PZL-106A	EASA.SAS.A.057	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106A "Kruk"	PZL-106A m.B	EASA.SAS.A.057	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106A "Kruk"	PZL-106AR	EASA.SAS.A.057	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106AS "Kruk"	PZL-106AS	EASA.SAS.A.059	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106B "Kruk"	PZL-106BR	EASA.SAS.A.060	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL-106B "Kruk"	PZL-106BS	EASA.SAS.A.060	HTOL > 2 730 kg ≤ 5 700 kg	CS-23	Date of issue 03/11/2008
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL M20	PZL M20 00	EASA.SAS.A.064	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL M20	PZL M20 01	EASA.SAS.A.064	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL M20	PZL M20 03	EASA.SAS.A.064	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL M20	PZL M20 03 (1999 kg)	EASA.SAS.A.064	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	PZL M20	PZL M20 03 (E20.100.00wing)	EASA.SAS.A.064	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/02/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	Rallye 235 CA	Rallye 235 CA	EASA.SAS.A.116	HTOL ≤ 1 200 kg	CS-23	Date of issue 07/01/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	Rallye 235 CA	Rallye 235 CA-M	EASA.SAS.A.116	HTOL ≤ 1 200 kg	CS-23	Date of issue 07/01/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	Reims-Cessna FTB337G	FTB337G	EASA.SAS.A.115	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 07/07/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	Reims-Cessna FTB337G	FTB337GA	EASA.SAS.A.115	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 07/07/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF 3	EASA.SAS.A.376	HTOL ≤ 1 200 kg	CS-VLA	Date of Issue: 30/05/2018
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF 4	EASA.SAS.A.376	HTOL ≤ 1 200 kg	CS-VLA	Date of Issue: 30/05/2018
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF 47	EASA.SAS.A.376	HTOL ≤ 1 200 kg	CS-VLA	Date of Issue: 30/05/2018
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF.6.B. 100	EASA.SAS.A.376	HTOL ≤ 1 200 kg	CS-VLA	Date of Issue: 30/05/2018
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF.6.B. 120	EASA.SAS.A.376	HTOL ≤ 1 200 kg	CS-VLA	Date of Issue: 30/05/2018
	WITHOUT TC HOLDER - ORPHANED	N/a	René FOURNIER RF series	RF.6.B. 90	FR TCDS 149	HTOL ≤ 1 200 kg	CS-VLA	Suspended
	WITHOUT TC HOLDER - ORPHANED	N/a	SC01 Speed Canard	SC01	EASA.SAS.A.050	HTOL ≤ 1 200 kg	CS-23	Date of issue 18/05/2011



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type	Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	WITHOUT TC HOLDER - ORPHANED	N/a	SC01 Speed Canard	SC01 B	EASA.SAS.A.050	HTOL ≤ 1 200 kg	CS-23	Date of issue 18/05/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	SC01 Speed Canard	SC01 B-160	EASA.SAS.A.050	HTOL ≤ 1 200 kg	CS-23	Date of issue 18/05/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	SC01 Speed Canard	SC01 B-160I	EASA.SAS.A.050	HTOL ≤ 1 200 kg	CS-23	Date of issue 18/05/2011
	WITHOUT TC HOLDER - ORPHANED	N/a	SOCATA ST10	ST10 "Diplomate"	EASA.SAS.A.049	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of Issue 01/12/2009
	WITHOUT TC HOLDER - ORPHANED	N/a	Sukhoi Su-29	Su-29	EASA.SAS.A.093	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 01/07/2013
	WITHOUT TC HOLDER - ORPHANED	N/a	Sukhoi Su-31	Su-31	EASA.SAS.A.094	HTOL ≤ 1 200 kg	CS-23	Date of issue 01/07/2013
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67A	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67B Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67C Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67M200 Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67M260 Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67M260-T3A Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67M Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	T67	T67M-MKII Firefly	EASA.SAS.A.390	HTOL ≤ 1 200 kg	CS-23	
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 40 A	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 40 B "Super IV Sancy"	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 40 "SUPER IV"	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 41 "Baladou"	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 4/21	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	WASSMER WA 4	WA 4/21/250 "Super 4/21"	EASA.SAS.A.048	HTOL ≤ 1 200 kg	CS-23	Date of issue 26/03/2010
	WITHOUT TC HOLDER - ORPHANED	N/a	Yakovlev YAK-18T	YAK-18T	EASA.SAS.A.095	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	Date of issue 14/03/2013
	ZAKLADY LOTNICZE	Poland	EM-11 ORKA	EM-11C ORKA	EASA.A.115	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZENAIR LIMITED	Canada	Zenair	CH 2000	CA A-185	HTOL ≤ 1 200 kg	CS-VLA	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 126	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 126 T	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 226 A	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 226 B	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 226 M	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 226 MS	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 226 T	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 326	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 326 A	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 326 M	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 A	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 AFS	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 AFS-V	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 F	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 L	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 526 M	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 726	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 26 Series	Z 726 K	EASA.A.353	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 37 T Series	Z 137 T	EASA.A.443	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 37 T Series	Z 37 T	EASA.A.443	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 42 Series	Z 142	EASA.A.027	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 42 Series	Z 142 C	EASA.A.027	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 42 Series	Z 242 L	EASA.A.027	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 42 Series	Z 42 M	EASA.A.027	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 42 Series	Z 42 MU	EASA.A.027	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 43 Series	Z 143 L	EASA.A.028	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 43 Series	Z 143 LSi	EASA.A.028	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 43 Series	Z 43	EASA.A.028	HTOL > 1 200 kg ≤ 2 730 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 50 Series	Z 50 L	EASA.A.108	HTOL ≤ 1 200 kg	CS-23	



Notes:
The country codes used in this list are according to ISO 3166-1 alpha-2.
This EASA Product List is dated: 2023-09-21

TC Holder		State of Design	Type		Model	TCDS reference	Applicable Fees & Charges Category	Certification Specification	Remarks
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 50 Series		Z 50 LA	EASA.A.108	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 50 Series		Z 50 LS	EASA.A.108	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 50 Series		Z 50 LX	EASA.A.108	HTOL ≤ 1 200 kg	CS-23	
	ZLIN AIRCRAFT A.S.	Czech Republic	ZLIN Z 50 Series		Z 50 M	EASA.A.108	HTOL ≤ 1 200 kg	CS-23	