TCDSN No.: EASA.IM.A.120.1 Boeing 737

Issue: 16



Page 1 of 126

Date: 02 July 2025

TYPE-CERTIFICATE DATA SHEET FOR NOISE

No. EASA.IM.A.120.1

for

Boeing 737

Type Certificate Holder: The Boeing Company 737 Logan Ave N Renton, WA 98057-0000

USA

For models:

737-100

737-200

737-200 (ADV)

737-300

737-400

737-500



TCDSN No.: EASA.IM.A.120.1 Boeing 737 Page 2 of 126 Date: 02 July 2025

Issue: 16

INTENTIONALLY LEFT BLANK

Issue: 16

Page 3 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-100

Engine TC Holder Pratt & Whitney Engine Type Designation JT8D (All applicable models)

Additional modifications essential to meet the requirements or needed to attain the **None**

certificated noise levels1

Noise Certification Basis Edition / Amendment Chapter¹ -

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		500
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16308	-	-	1	-	-	-	-	-	2



Issue: 16

Page 4 of 126 Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-200

Engine TC Holder **Pratt & Whitney** Engine Type Designation¹

JT8D (All applicable models)

Additional modifications essential to meet the requirements or needed to attain the

None

certificated noise levels1

Noise Certification Basis Edition / Amendment Chapter¹

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16309	-	-	-	-	-	-	-	-	2

¹ See Note 1.



Page 5 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-200 (ADV)

Engine TC Holder **Pratt & Whitney** Engine Type Designation¹ JT8D (All applicable models)

Additional modifications essential to meet the requirements or needed to attain the None

certificated noise levels1

Noise Certification Basis Edition / Amendment Chapter¹

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approa	500	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16310	-	-	-	-	-	-	-	-	2



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 6 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	See
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A120674	61,234	51,709	90.2	96.1	86.5	90.4	99.9	99.9	-
A121089	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121159	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121165	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A16462	57,606	52,616	90.4	95.9	84.9	90.0	99.9	99.7	-
A121150	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-
A121181	57,499	52,525	90.4	95.8	84.9	90.0	99.9	99.7	-
A121144	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-

¹ See Note 1.



Page 7 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Hardwall forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	Lateral EPNL		EPNL	Approach EPNL		See	
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A17903	63,276	52,888	89.2	96.2	85.2	90.6	98.6	100.0	3	
A120407	63,276	45,812	89.2	96.2	85.2	90.6	98.2	100.0	3	
A9024	62,822	52,888	89.2	96.2	84.9	90.5	98.6	100.0	3	
A4148	62,142	52,163	89.3	96.1	84.6	90.5	98.6	99.9	3	
A9019	61,234	52,888	89.4	96.1	84.2	90.4	98.6	99.9	3	
A4139	61,234	51,709	89.4	96.1	84.2	90.4	98.6	99.9	3	
A15572	61,000	52,888	89.4	96.1	84.1	90.4	98.6	99.9	3	
A121101	59,999	52,888	89.5	96.0	83.7	90.3	98.6	99.8	3	
A4150	58,967	49,895	89.6	95.9	83.4	90.2	98.5	99.8	3	
A121107	57,499	52,888	89.7	95.8	82.8	90.0	98.6	99.7	3	

¹ See Note 1.



Issue: 16

Page 8 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Hardwall forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soo	
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A122222	57,499	51,709	89.7	95.8	82.8	90.0	98.6	99.7	3	
A4152	56,472	49,895	89.7	95.8	82.4	89.9	98.5	99.6	3	

¹ See Note 1.



Page 9 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120408	63,276	45,812	89.2	96.2	85.2	90.6	97.0	100.0	4
A9018	62,822	52,888	89.2	96.2	84.9	90.5	97.6	100.0	4
A9020	62,822	52,525	89.2	96.2	84.9	90.5	97.6	100.0	4
A4144	62,142	52,163	89.3	96.1	84.6	90.5	97.6	99.9	4
A4140	61,234	51,709	89.4	96.1	84.2	90.4	97.5	99.9	4
A121127	59,999	52,888	89.5	96.0	83.7	90.3	97.6	99.8	4
A4151	58,967	49,895	89.6	95.9	83.4	90.2	97.4	99.8	4
A16461	57,606	52,616	89.7	95.9	82.9	90.0	97.4	99.7	4
A121129	57,499	52,888	89.7	95.8	82.8	90.0	97.6	99.7	4
A16709	56,925	51,709	89.7	95.8	82.6	90.0	97.5	99.6	4

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹ or APU GTCP85-129 with airplane modification to prevent APU surge

bleed valve opening on approach (or production equivalent)

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B

Page 10 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		500
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4156	56,472	49,895	89.7	95.8	82.4	89.9	97.4	99.6	4



Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder Engine Type Designation¹ **CFM International SA** CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B certificated noise levels1 or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis Edition / Amendment **Edition 5 / Amendment 9** ICAO Annex 16, Volume I Chapter¹

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A119437	63,276	52,888	89.0	96.2	87.4	90.6	97.6	100.0	5
A17844	62,822	52,616	89.1	96.2	87.1	90.5	97.6	100.0	6
A16802	61,688	52,888	89.3	96.1	86.2	90.4	97.6	99.9	5
A16803	61,234	52,888	89.5	96.1	86.0	90.4	97.6	99.9	5
A16804	60,327	52,163	89.6	96.0	85.5	90.3	97.6	99.8	5
A16805	59,647	52,163	89.8	96.0	85.2	90.2	97.6	99.8	5
A16806	59,483	51,709	89.8	96.0	85.2	90.2	97.5	99.8	5
A16807	58,967	51,709	89.8	95.9	84.9	90.2	97.5	99.8	5
A17839	57,606	52,616	89.9	95.9	84.3	90.0	97.6	99.7	6

¹ See Note 1.



/continued on next page

Page 11 of 126

Issue: 16

Page 12 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FACA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soc	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A16808	57,606	49,895	89.9	95.9	84.3	90.0	97.3	99.7	5	
A16809	56,472	49,895	90.0	95.8	83.7	89.9	97.3	99.6	5	

¹ See Note 1.



Page 13 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A15610	63,276	52,888	89.9	96.2	87.5	90.6	100.0	100.0	-
A4169	63,276	52,163	89.9	96.2	87.5	90.6	99.9	100.0	-
A4167	63,276	51,709	89.9	96.2	87.5	90.6	99.9	100.0	-
A4178	63,276	49,895	89.9	96.2	87.5	90.6	99.6	100.0	-
A4165	62,822	52,163	90.0	96.2	87.2	90.5	99.9	100.0	-
A4162	62,822	51,709	90.0	96.2	87.2	90.5	99.9	100.0	-
A4161	62,822	49,895	90.0	96.2	87.2	90.5	99.6	100.0	-
A4154	62,142	52,163	90.1	96.1	86.9	90.5	99.9	99.9	-
A4153	62,142	51,709	90.1	96.1	86.9	90.5	99.9	99.9	-
A4145	62,142	49,895	90.1	96.1	86.9	90.5	99.6	99.9	-

¹ See Note 1.



Page 14 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120673	61,234	52,888	90.2	96.1	86.5	90.4	100.0	99.9	-
A4143	61,234	52,163	90.2	96.1	86.5	90.4	99.9	99.9	-
A4142	61,234	51,709	90.2	96.1	86.5	90.4	99.9	99.9	-
A4141	61,234	49,895	90.2	96.1	86.5	90.4	99.6	99.9	-
A121086	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121154	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121160	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A4175	58,967	52,163	90.3	95.9	85.5	90.2	99.9	99.8	-
A4174	58,967	51,709	90.3	95.9	85.5	90.2	99.9	99.8	-
A4163	58,967	49,895	90.3	95.9	85.5	90.2	99.6	99.8	-

¹ See Note 1.



Issue: 16

Page 15 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the **Treated forward acoustic panel**

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approach EPNL		- See	
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A15613	57,606	52,616	90.4	95.9	84.9	90.0	99.9	99.7	-	
A121147	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-	
A121178	57,499	52,525	90.4	95.8	84.9	90.0	99.9	99.7	-	
A121083	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-	
A4176	56,472	52,163	90.4	95.8	84.4	89.9	99.9	99.6	-	
A4164	56,472	51,709	90.4	95.8	84.4	89.9	99.9	99.6	-	
A4157	56,472	49,895	90.4	95.8	84.4	89.9	99.6	99.6	-	



Page 16 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels1

Engine intermix, CFM56-3C1 de-rated to 20,000 lb, Hardwall forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FASA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A10055	61,234	52,888	89.4	96.1	84.2	90.4	98.6	99.9	3	
A9786	58,967	52,888	89.6	95.9	83.4	90.2	98.6	99.8	3	
A121117	56,472	51,709	89.7	95.8	82.4	89.9	98.6	99.6	3	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, both engines de-rated to 20,000 lb, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 17 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Soo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A121090	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121157	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121163	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A121151	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-
A121182	57,499	52,525	90.4	95.8	84.9	90.0	99.9	99.7	-
A121145	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 18 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	I EPNL	Flyove	er EPNL	Approa	ch EPNL	Cara
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A121710	63,276	52,888	91.9	96.2	85.7	90.6	100.0	100.0	-
A121215	62,822	52,888	91.9	96.2	85.5	90.5	100.0	100.0	-
A121196	61,234	52,888	92.0	96.1	84.9	90.4	100.0	99.9	-
A121167	59,999	52,888	92.1	96.0	84.4	90.3	100.0	99.8	-
A121171	59,999	52,525	92.1	96.0	84.4	90.3	99.9	99.8	-
A121175	59,999	51,709	92.1	96.0	84.4	90.3	99.9	99.8	-
A121184	57,499	52,888	92.2	95.8	83.3	90.0	100.0	99.7	-
A121188	57,499	52,525	92.2	95.8	83.3	90.0	99.9	99.7	-
A121192	57,499	51,709	92.2	95.8	83.3	90.0	99.9	99.7	-

¹ See Note 1.



Page 19 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	C
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17904	63,276	52,888	89.2	96.2	85.2	90.6	98.6	100.0	3
A120403	63,276	45,812	89.2	96.2	85.2	90.6	98.2	100.0	3
A4185	62,142	52,163	89.3	96.1	84.6	90.5	98.6	99.9	3
A4183	61,234	51,709	89.4	96.1	84.2	90.4	98.6	99.9	3
A121103	59,999	52,888	89.5	96.0	83.7	90.3	98.6	99.8	3
A4181	58,967	49,895	89.6	95.9	83.4	90.2	98.5	99.8	3
A121109	57,499	52,888	89.7	95.8	82.8	90.0	98.6	99.7	3
A4179	56,472	49,895	89.7	95.8	82.4	89.9	98.5	99.6	3





Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 20 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120404	63,276	45,812	89.2	96.2	85.2	90.6	97.0	100.0	4
A16460	62,822	52,616	89.2	96.2	84.9	90.5	97.6	100.0	4
A4186	62,142	52,163	89.3	96.1	84.6	90.5	97.6	99.9	4
A4184	61,234	51,709	89.4	96.1	84.2	90.4	97.5	99.9	4
A121124	59,999	52,888	89.5	96.0	83.7	90.3	97.6	99.8	4
A4182	58,967	49,895	89.6	95.9	83.4	90.2	97.4	99.8	4
A121132	57,499	52,888	89.7	95.8	82.8	90.0	97.6	99.7	4
A4180	56,472	49,895	89.7	95.8	82.4	89.9	97.4	99.6	4





Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Co.
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A119438	63,276	52,888	89.0	96.2	87.4	90.6	97.6	100.0	5
A17845	62,822	52,616	89.1	96.2	87.1	90.5	97.6	100.0	6
A16814	61,688	52,888	89.3	96.1	86.2	90.4	97.6	99.9	5
A16815	61,234	52,888	89.5	96.1	86.0	90.4	97.6	99.9	5
A16816	60,327	52,163	89.6	96.0	85.5	90.3	97.6	99.8	5
A16817	59,647	52,163	89.8	96.0	85.2	90.2	97.6	99.8	5
A16818	59,483	51,709	89.8	96.0	85.2	90.2	97.5	99.8	5
A16819	58,967	51,709	89.8	95.9	84.9	90.2	97.5	99.8	5
A17840	57,606	52,616	89.9	95.9	84.3	90.0	97.6	99.7	6

¹ See Note 1.



/continued on next page

Page 21 of 126

Date: 02 July 2025

Issue: 16

Page 22 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FASA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soo	
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A16820	57,606	49,895	89.9	95.9	84.3	90.0	97.3	99.7	5	
A16821	56,472	49,895	90.0	95.8	83.7	89.9	97.3	99.6	5	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Treated forward acoustic panel

Chapter¹

3

Page 23 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A15611	63,276	52,888	89.9	96.2	87.5	90.6	100.0	100.0	-
A121087	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121155	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121161	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A121148	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-
A121179	57,499	52,888	90.4	95.8	84.9	90.0	99.9	99.7	=
A121142	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-

¹ See Note 1.



Issue: 16

Page 24 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Hardwall forward acoustic panel

certificated noise levels1

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

TACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A6713	63,276	52,888	90.9	96.2	83.9	90.6	98.6	100.0	3
A120405	63,276	45,812	90.9	96.2	83.9	90.6	98.2	100.0	3
A15571	63,000	52,888	90.9	96.2	83.8	90.6	98.6	100.0	3
A15608	62,822	51,709	90.9	96.2	83.8	90.5	98.6	100.0	3
A4227	62,142	52,163	91.0	96.1	83.5	90.5	98.6	99.9	3
A9017	61,234	52,888	91.0	96.1	83.2	90.4	98.6	99.9	3
A4225	61,234	51,709	91.0	96.1	83.2	90.4	98.6	99.9	3
A121113	59,999	52,888	91.0	96.0	82.7	90.3	98.6	99.8	3
A4223	58,967	49,895	91.1	95.9	82.4	90.2	98.5	99.8	3
A121119	57,499	52,888	91.1	95.8	82.8	90.0	98.6	99.7	3

¹ See Note 1.



Issue: 16

Page 25 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Hardwall forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4221	56,472	49,895	91.2	95.8	81.6	89.9	98.5	99.6	3



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 26 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A119018	63,276	52,888	90.9	96.2	83.9	90.6	97.6	100.0	4
A120406	63,276	45,812	90.9	96.2	83.9	90.6	97.0	100.0	4
A9022	62,822	52,888	90.9	96.2	83.8	90.5	97.6	100.0	4
A9021	62,822	52,525	90.9	96.2	83.8	90.5	97.6	100.0	4
A4228	62,142	52,163	91.0	96.1	83.5	90.5	97.6	99.9	4
A4226	61,234	51,709	91.0	96.1	83.2	90.4	97.5	99.9	4
A121135	59,999	52,888	91.0	96.0	82.7	90.3	97.6	99.8	4
A4224	58,967	49,895	91.1	95.9	82.4	90.2	97.4	99.8	4
A121139	57,499	52,888	91.1	95.8	81.9	90.0	97.6	99.7	4
A4222	56,472	49,895	91.2	95.8	81.6	89.9	97.4	99.6	4





Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B2> (Recertification to Chapter 4)

Page 27 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A119439	63,276	52,888	91.1	96.2	85.4	90.6	97.6	100.0	5	
A17849	62,822	52,616	91.2	96.2	85.2	90.5	97.6	100.0	6	
A16836	62,142	52,888	91.2	96.1	84.9	90.5	97.6	99.9	5	
A16837	61,234	52,163	91.3	96.1	84.5	90.4	97.6	99.9	5	
A16838	60,327	51,709	91.4	96.0	84.2	90.3	97.5	99.8	5	
A16839	58,967	51,709	91.4	95.9	83.6	90.2	97.5	99.8	5	
A17842	57,606	52,616	91.5	95.9	83.0	90.0	97.6	99.7	6	
A16840	57,606	49,895	91.5	95.9	83.0	90.0	97.3	99.7	5	
A16841	56,472	49,895	91.6	95.8	82.5	89.9	97.3	99.6	5	





Issue: 16

Page 28 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels1

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	C 0.0
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A5987	63,276	52,888	91.9	96.2	85.7	90.6	100.0	100.0	-
A4218	63,276	52,163	91.9	96.2	85.7	90.6	99.9	100.0	-
A4217	63,276	51,709	91.9	96.2	85.7	90.6	99.9	100.0	-
A4216	63,276	49,895	91.9	96.2	85.7	90.6	99.6	100.0	-
A15598	62,822	52,888	91.9	96.2	85.5	90.5	100.0	100.0	-
A5988	62,822	52,525	91.9	96.2	85.5	90.5	99.9	100.0	-
A4213	62,822	52,163	91.9	96.2	85.5	90.5	99.9	100.0	-
A4212	62,822	51,709	91.9	96.2	85.5	90.5	99.9	100.0	-
A4211	62,822	49,895	91.9	96.2	85.5	90.5	99.6	100.0	-
A4208	62,142	52,163	91.9	96.1	85.3	90.5	99.9	99.9	-

¹ See Note 1.



Issue: 16

0.1 Page 29 of 126
Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels1

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Co.
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4207	62,142	51,709	91.9	96.1	85.3	90.5	99.9	99.9	-
A4206	62,142	49,895	91.9	96.1	85.3	90.5	99.6	99.9	-
A10647	61,234	52,888	92.0	96.1	84.9	90.4	100.0	99.9	-
A4203	61,234	52,163	92.0	96.1	84.9	90.4	99.9	99.9	-
A4202	61,234	51,709	92.0	96.1	84.9	90.4	99.9	99.9	-
A4201	61,234	49,895	92.0	96.1	84.9	90.4	99.6	99.9	-
A121166	59,999	52,888	92.1	96.0	84.4	90.3	100.0	99.8	-
A121170	59,999	52,525	92.1	96.0	84.4	90.3	99.9	99.8	-
A121174	59,999	51,709	92.1	96.0	84.4	90.3	99.9	99.8	-
A4198	58,967	52,163	92.1	95.9	83.9	90.2	99.9	99.8	-

¹ See Note 1.



Issue: 16

Page 30 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the **Treated forward acoustic panel**

certificated noise levels1

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Maximum Mass Late		EPNL	Flyover	EPNL	Approa	ch EPNL	Co.
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4197	58,967	51,709	92.1	95.9	83.9	90.2	99.9	99.8	-
A4196	58,967	49,895	92.1	95.9	83.9	90.2	99.6	99.8	•
A8992	57,833	51,709	92.1	95.9	83.9	90.1	99.9	99.7	-
A121185	57,499	52,888	92.2	95.8	83.3	90.0	100.0	99.7	-
A121189	57,499	52,525	92.2	95.8	83.3	90.0	99.9	99.7	-
A121193	57,499	51,709	92.2	95.8	83.3	90.0	99.9	99.7	-
A4193	56,472	52,163	92.2	95.8	82.8	89.9	99.9	99.6	-
A4192	56,472	51,709	92.2	95.8	82.8	89.9	99.9	99.6	-
A4191	56,472	49,895	92.2	95.8	82.8	89.9	99.6	99.6	-



Issue: 16

Page 31 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A9787	63,276	52,888	90.9	96.2	83.9	90.6	98.6	100.0	3



Engine intermix, CFM56-3C1 de-rated to 22,000 lb, Hardwall forward

Page 32 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1 acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16162	62,822	51,709	91.9	96.2	85.5	90.5	99.9	100.0	-
A18936	61,688	52,888	91.9	96.1	85.1	90.4	100.0	99.9	-

¹ See Note 1.



Engine intermix, CFM56-3C1 de-rated to 22,000 lb, Treated forward

Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels1

Engine intermix, both engines de-rated to 20,000 lb, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 33 of 126

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	Maximum Mass		Lateral EPNL		r EPNL	Approach EPNL		See
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A121091	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121158	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121164	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A16464	57,606	52,616	90.4	95.9	84.9	90.0	99.9	99.7	-
A121152	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-
A121183	57,499	52,525	90.4	95.8	84.9	90.0	99.9	99.7	-
A121146	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, both engines de-rated to 22,000 lb, one engine withTreated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 34 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	See	
Record No.	Take-off¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A121169	59,999	52,888	92.1	96.0	84.4	90.3	100.0	99.8	-	
A121173	59,999	52,525	92.1	96.0	84.4	90.3	99.9	99.8	-	
A121177	59,999	52,525	92.1	96.0	84.4	90.3	99.9	99.8	-	
A121186	57,499	52,888	92.2	95.8	83.3	90.0	100.0	99.7	-	
A121190	57,499	52,525	92.2	95.8	83.3	90.0	99.9	99.7	-	
A121194	57,499	51,709	92.2	95.8	83.3	90.0	99.9	99.7	-	

¹ See Note 1.



Page 35 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A9013	63,276	52,888	89.2	96.2	85.2	90.6	98.6	100.0	3
A120399	63,276	45,812	89.2	96.2	85.2	90.6	98.2	100.0	3
A15612	62,822	52,616	89.2	96.2	84.9	90.5	98.6	100.0	3
A9014	62,822	51,709	89.2	96.2	84.9	90.5	98.6	100.0	3
A4239	62,142	52,163	89.3	96.1	84.6	90.5	98.6	99.9	3
A8916	61,234	52,888	89.4	96.1	84.2	90.4	98.6	99.9	3
A4237	61,234	51,709	89.4	96.1	84.2	90.4	98.6	99.9	3
A121105	59,999	52,888	89.5	96.0	83.7	90.3	98.6	99.8	3
A120685	59,193	52,888	89.6	96.0	83.5	90.2	98.6	99.8	3
A9785	58,967	52,888	89.6	95.9	83.4	90.2	98.6	99.8	3

¹ See Note 1.



Issue: 16

Page 36 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4235	58,967	49,895	89.6	95.9	83.4	90.2	98.5	99.8	3
A121111	57,499	52,888	89.7	95.8	82.8	90.0	98.6	99.7	3
A4233	56,472	49,895	89.7	95.8	82.4	89.9	98.5	99.6	3



Engine TC Holder

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

CFM International SA

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

CFM56-3C1

Engine Type Designation¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	r EPNL	Approa	ch EPNL	6
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A9010	63,276	52,888	89.2	96.2	85.2	90.6	97.6	100.0	4
A120400	63,276	45,812	89.2	96.2	85.2	90.6	97.0	100.0	4
A8949	62,822	52,525	89.2	96.2	84.9	90.5	97.6	100.0	4
A9138	62,822	51,709	89.2	96.2	84.9	90.5	97.5	100.0	4
A4240	62,142	52,163	89.3	96.1	84.6	90.5	97.6	99.9	4
A4238	61,234	51,709	89.4	96.1	84.2	90.4	97.5	99.9	4
A121126	59,999	52,888	89.5	96.0	83.7	90.3	97.6	99.8	4
A4236	58,967	49,895	89.6	95.9	83.4	90.2	97.4	99.8	4
A15614	57,606	52,616	89.6	95.9	82.9	90.0	97.5	99.7	4

¹ See Note 1.



/continued on next page

Page 37 of 126

Date: 02 July 2025

Issue: 16

Page 38 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

FACA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Soc	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A121133	57,499	52,888	89.7	95.8	82.8	90.0	97.6	99.7	4	
A4234	56,472	49,895	89.7	95.8	82.4	89.9	97.4	99.6	4	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17846	62,822	52,616	89.1	96.2	87.1	90.5	97.6	100.0	6
A16826	61,688	52,888	89.3	96.1	86.2	90.4	97.6	99.9	5
A16827	61,234	52,888	89.5	96.1	86.0	90.4	97.6	99.9	5
A16828	60,327	52,163	89.6	96.0	85.5	90.3	97.6	99.8	5
A16829	59,647	52,163	89.8	96.0	85.2	90.2	97.6	99.8	5
A16830	59,483	51,709	89.8	96.0	85.2	90.2	97.5	99.8	5
A16831	58,967	51,709	89.8	95.9	84.9	90.2	97.5	99.8	5
A17841	57,606	52,616	89.9	95.9	84.3	90.0	97.6	99.7	6
A16832	57,606	49,895	89.9	95.9	84.3	90.0	97.3	99.7	5

¹ See Note 1.



/continued on next page

Page 39 of 126

Date: 02 July 2025

Issue: 16

Page 40 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

EASA	Maximum	Maximum Mass		Lateral EPNL		Flyover EPNL		ch EPNL	Soo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16833	56,472	49,895	90.0	95.8	83.7	89.9	97.3	99.6	5

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 20,000 lb, Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FASA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17878	63,276	52,888	89.9	96.2	87.5	90.6	100.0	100.0	-
A17898	63,276	51,709	89.9	96.2	87.5	90.6	99.9	100.0	-
A18012	62,822	52,888	90.0	96.2	87.2	90.5	100.0	100.0	-
A121088	59,999	52,888	90.3	96.0	86.0	90.3	100.0	99.8	-
A121156	59,999	52,525	90.3	96.0	86.0	90.3	99.9	99.8	-
A121162	59,999	51,709	90.3	96.0	86.0	90.3	99.9	99.8	-
A14201	59,874	51,709	90.3	96.0	85.9	90.3	99.9	99.8	-
A10197	58,967	51,709	90.3	95.9	85.5	90.2	99.9	99.8	-
A16463	57,606	52,616	90.4	95.9	84.9	90.0	99.9	99.7	-
A121149	57,499	52,888	90.4	95.8	84.9	90.0	100.0	99.7	-

¹ See Note 1.



/continued on next page

Page 41 of 126

Date: 02 July 2025

Issue: 16

Page 42 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 20,000 lb, Treated forward acoustic panel

certificated noise levels¹

ΓΛΩ	Maximum Mass		Lateral	EPNL	Flyover	EPNL	Approach EPNL		Soo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A121180	57,499	52,525	90.4	95.8	84.9	90.0	99.9	99.7	-
A121143	57,499	51,709	90.4	95.8	84.9	90.0	99.9	99.7	-



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

CFM International SA

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 22,000 lb, Hardwall forward acoustic panel

certificated noise levels¹

Engine TC Holder

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A9011	63,276	52,888	90.9	96.2	83.9	90.6	98.6	100.0	3
A9008	63,276	51,709	90.9	96.2	83.9	90.6	98.6	100.0	3
A120401	63,276	45,812	90.9	96.2	83.9	90.6	98.2	100.0	3
A15200	63,000	52,888	90.9	96.2	83.9	90.6	98.6	100.0	3
A119009	62,822	52,888	90.9	96.2	83.8	90.5	98.6	100.0	3
A6631	62,822	51,709	90.9	96.2	83.8	90.5	98.6	100.0	3
A4251	62,142	52,163	91.0	96.1	83.5	90.5	98.6	99.9	3
A9015	61,915	51,709	91.0	96.1	83.4	90.5	98.6	99.9	3
A120337	61,688	52,888	91.0	96.1	83.3	90.4	98.6	99.9	3
A9009	61,234	52,888	91.0	96.1	83.2	90.4	98.6	99.9	3

¹ See Note 1.



/continued on next page
All rights reserved, ISO9001 Certi

Page 43 of 126

Date: 02 July 2025

Engine Type Designation¹

CFM56-3C1

Issue: 16

Page 44 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 22,000 lb, Hardwall forward acoustic panel

certificated noise levels1

FASA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4249	61,234	51,709	91.0	96.1	83.2	90.4	98.6	99.9	3
A121115	59,999	52,888	91.0	96.0	82.7	90.3	98.6	99.8	3
A4247	58,967	49,895	91.1	95.9	82.4	90.2	98.5	99.8	3
A121120	57,499	52,888	91.1	95.8	81.9	90.0	98.6	99.7	3
A9007	56,472	51,709	91.2	95.8	81.6	89.9	98.6	99.6	3
A4245	56,472	49,895	91.2	95.8	81.6	89.9	98.5	99.6	3



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

TACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A10168	63,276	51,709	90.9	96.2	83.9	90.6	97.5	100.0	4
A120402	63,276	45,812	90.9	96.2	83.9	90.6	97.0	100.0	4
A4252	62,142	52,163	91.0	96.1	83.5	90.5	97.6	99.9	4
A9012	61,915	51,709	91.0	96.1	83.4	90.5	97.5	99.9	4
A8947	61,461	51,709	91.0	96.1	83.2	90.4	97.5	99.9	4
A4250	61,234	51,709	91.0	96.1	83.2	90.4	97.5	99.9	4
A121137	59,999	52,888	91.0	96.0	82.7	90.3	97.6	99.8	4
A4248	58,967	49,895	91.1	95.9	82.4	90.2	97.4	99.8	4
A121141	57,499	52,888	91.1	95.8	81.9	90.0	97.6	99.7	4

¹ See Note 1.



/continued on next page

Page 45 of 126

Date: 02 July 2025

Issue: 16

Page 46 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

 $\label{lem:conditional} \mbox{ Additional modifications essential to meet the requirements or needed to attain the} \\$

certificated noise levels1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

FACA	Maximum	Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Con
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4246	56,472	49,895	91.2	95.8	81.6	89.9	97.4	99.6	4



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <943B2> (Recertification to Chapter 4)

Page 47 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 5 / Amendment 9 Chapter¹ 4

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17850	62,822	52,616	91.2	96.2	85.2	90.5	97.6	100.0	6
A16844	62,142	52,888	91.2	96.1	84.9	90.5	97.6	99.9	5
A16845	61,234	52,163	91.3	96.1	84.5	90.4	97.6	99.9	5
A16846	60,327	51,709	91.4	96.0	84.2	90.3	97.5	99.8	5
A16847	58,967	51,709	91.4	95.9	83.6	90.2	97.5	99.8	5
A17843	57,606	52,616	91.5	95.9	83.0	90.0	97.6	99.7	6
A16848	57,606	49,895	91.5	95.9	83.0	90.0	97.3	99.7	5
A16849	56,472	49,895	91.6	95.8	82.5	89.9	97.3	99.6	5





TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-300

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹ Engines de-rated to 22,000 lb, Treated forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Co
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A8539	63,276	52,888	91.9	96.2	85.7	90.6	100.0	100.0	-
A14356	63,049	52,888	91.9	96.2	85.6	90.6	100.0	100.0	-
A6679	62,822	52,888	91.9	96.2	85.5	90.5	100.0	100.0	-
A8925	62,822	52,525	91.9	96.2	85.5	90.5	99.9	100.0	-
A15609	62,822	51,709	91.9	96.2	85.5	90.5	99.9	100.0	-
A14249	61,888	52,888	92.0	96.1	85.1	90.5	100.0	99.9	-
A8922	61,234	51,709	92.0	96.1	84.9	90.4	99.9	99.9	-
A121168	59,999	52,888	92.1	96.0	84.4	90.3	100.0	99.8	-
A121172	59,999	52,525	92.1	96.0	84.4	90.3	99.9	99.8	-
A121176	59,999	51,709	92.1	96.0	84.4	90.3	99.9	99.8	-

¹ See Note 1.



/continued on next page

Page 48 of 126

Date: 02 July 2025

EASA

Record No.

A14199

A8973

A121187

A121191

A121195

Issue: 16

Page 49 of 126 Date: 02 July 2025

Type Certificate Holder¹ Aircraft Type Designation¹ The Boeing Company 737-300

Engine Type Designation¹ Engine TC Holder **CFM International SA** CFM56-3C1

Lateral EPNL

Level¹

92.1

92.1

92.2

92.2

92.2

Additional modifications essential to meet the requirements or needed to attain the

Engines de-rated to 22,000 lb, Treated forward acoustic panel certificated noise levels1

Limit

95.9

95.9

95.8

95.8

95.8

Flyover EPNL

Limit

90.1

90.1

90.0

90.0

90.0

Level¹

84.0

83.9

83.3

83.3

83.3

Noise Certification Basis Edition / Amendment ICAO Annex 16, Volume I

Landing¹

(kg)

51,709

51,709

52,888

52,525

51,709

Maximum Mass

Take-off¹

(kg)

58,059

57,833

57,499

57,499

57,499

Chapter¹ 3

Approach EPNL See Note Level1 Limit 99.7 99.9 99.9 99.7 100.0 99.7

99.7

99.7

¹ See Note 1.



99.9

99.9

Issue: 16

Page 50 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel

EASA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4265	64,636	56,245	88.9	96.3	86.9	90.7	98.6	100.1	3
A4263	62,822	54,884	89.3	96.2	85.4	90.5	98.6	100.0	3
A4261	61,234	54,884	89.5	96.1	84.6	90.4	98.6	99.9	3
A4259	58,967	54,884	89.8	95.9	83.8	90.2	98.6	99.8	3
A4257	56,880	54,884	89.8	95.8	82.9	90.0	98.6	99.6	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 51 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	I EPNL	Flyover EPNL		Approach EPNL		Can
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4266	64,636	56,245	88.9	96.3	86.9	90.7	97.7	100.1	4
A4264	62,822	54,884	89.3	96.2	85.4	90.5	97.7	100.0	4
A4262	61,234	54,884	89.5	96.1	84.6	90.4	97.7	99.9	4
A4260	58,967	54,884	89.8	95.9	83.8	90.2	97.7	99.8	4
A4258	56,880	54,884	89.8	95.8	82.9	90.0	97.7	99.6	4

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

TACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16995	64,636	56,245	88.5	96.3	90.1	90.7	97.9	100.1	5
A16994	64,441	56,245	88.5	96.3	90.0	90.7	97.9	100.1	5
A16993	64,319	56,245	88.6	96.3	89.7	90.7	97.9	100.0	5
A16992	64,183	56,245	88.7	96.3	89.3	90.7	97.9	100.0	5
A16991	63,956	56,245	88.8	96.2	88.9	90.7	97.9	100.0	5
A16990	63,729	56,245	88.9	96.2	88.6	90.6	97.9	100.0	5
A16989	63,502	56,245	89.0	96.2	88.3	90.6	97.9	100.0	5
A16988	63,276	56,245	89.0	96.2	88.1	90.6	97.9	100.0	5
A16987	62,822	56,245	89.2	96.2	87.6	90.5	97.9	100.0	5

¹ See Note 1.



/continued on next page

Page 52 of 126

Date: 02 July 2025

Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

Page 53 of 126

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Con
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16986	62,368	54,884	89.3	96.1	87.2	90.5	97.8	99.9	5
A16985	61,234	54,884	89.6	96.1	86.5	90.4	97.8	99.9	5
A16984	60,667	54,884	89.7	96.0	86.2	90.3	97.8	99.8	5
A16983	60,100	54,884	89.8	96.0	85.9	90.3	97.8	99.8	5
A16982	59,420	54,884	90.0	96.0	85.6	90.2	97.8	99.8	5
A16981	58,994	54,884	90.0	95.9	85.5	90.2	97.8	99.8	5
A16980	58,967	54,884	90.0	95.9	85.4	90.2	97.8	99.8	5
A16979	57,969	54,884	90.1	95.9	84.9	90.1	97.8	99.7	5
A16978	56,925	54,884	90.2	95.8	84.4	90.0	97.8	99.6	5



Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

Page 54 of 126

FACA	Maximu	um Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A4275	64,636	56,245	88.9	96.3	86.9	90.7	98.6	100.1	3	
A4273	62,822	54,884	89.3	96.2	85.4	90.5	98.6	100.0	3	
A4271	61,234	54,884	89.5	96.1	84.6	90.4	98.6	99.9	3	
A4269	58,967	54,884	89.8	95.9	83.8	90.2	98.6	99.8	3	
A4267	56,880	54,884	89.8	95.8	82.9	90.0	98.6	99.6	3	

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 55 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4276	64,636	56,245	88.9	96.3	86.9	90.7	97.7	100.1	4
A4274	62,822	54,884	89.3	96.2	85.4	90.5	97.7	100.0	4
A4272	61,234	54,884	89.5	96.1	84.6	90.4	97.7	99.9	4
A4270	58,967	54,884	89.8	95.9	83.8	90.2	97.7	99.8	4
A4268	56,880	54,884	89.8	95.8	82.9	90.0	97.7	99.6	4

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder Engine Type Designation¹ **CFM International SA** CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17013	64,636	56,245	88.5	96.3	90.1	90.7	97.9	100.1	5
A17012	64,441	56,245	88.5	96.3	90.0	90.7	97.9	100.1	5
A17011	64,319	56,245	88.6	96.3	89.7	90.7	97.9	100.0	5
A17010	64,183	56,245	88.7	96.3	89.3	90.7	97.9	100.0	5
A17009	63,956	56,245	88.8	96.2	88.9	90.7	97.9	100.0	5
A17008	63,729	56,245	88.9	96.2	88.6	90.6	97.9	100.0	5
A17007	63,502	56,245	89.0	96.2	88.3	90.6	97.9	100.0	5
A17006	63,276	56,245	89.0	96.2	88.1	90.6	97.9	100.0	5
A17005	62,822	56,245	89.2	96.2	87.6	90.5	97.9	100.0	5

¹ See Note 1.



/continued on next page

Page 56 of 126

Issue: 16

Date: 02 July 2025

Page 57 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

 $\label{lem:conditional} \mbox{ Additional modifications essential to meet the requirements or needed to attain the} \\$

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17004	62,368	54,884	89.3	96.1	87.2	90.5	97.8	99.9	5
A17003	61,234	54,884	89.6	96.1	86.5	90.4	97.8	99.9	5
A17002	60,667	54,884	89.7	96.0	86.2	90.3	97.8	99.8	5
A17001	60,100	54,884	89.8	96.0	85.9	90.3	97.8	99.8	5
A17000	59,420	54,884	90.0	96.0	85.6	90.2	97.8	99.8	5
A16999	58,994	54,884	90.0	95.9	85.5	90.2	97.8	99.8	5
A16998	58,967	54,884	90.0	95.9	85.4	90.2	97.8	99.8	5
A16997	57,969	54,884	90.1	95.9	84.9	90.1	97.8	99.7	5
A16996	56,925	54,884	90.2	95.8	84.4	90.0	97.8	99.6	5



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Treated forward acoustic panel

Page 58 of 126

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4288	64,636	54,884	89.6	96.3	88.9	90.7	100.2	100.1	-
A4285	62,822	54,884	90.0	96.2	87.2	90.5	100.2	100.0	-
A4282	61,234	54,884	90.3	96.1	86.3	90.4	100.2	99.9	-
A4279	58,967	54,884	90.5	95.9	85.4	90.2	100.2	99.8	-

¹ See Note 1.



Issue: 16

Page 59 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

Hardwall forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4301	68,038	56,245	90.7	96.5	86.3	91.0	98.6	100.2	3
A4299	64,636	54,884	91.0	96.3	84.9	90.7	98.6	100.1	3
A4297	62,822	54,884	91.1	96.2	84.2	90.5	98.6	100.0	3
A4295	61,234	54,884	91.1	96.1	83.5	90.4	98.6	99.9	3
A4293	58,967	54,884	91.2	95.9	82.8	90.2	98.6	99.8	3
A4291	56,880	54,884	91.3	95.8	82.0	90.0	98.6	99.6	3

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 60 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	Soo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4302	68,038	56,245	90.7	96.5	86.3	91.0	97.7	100.2	4
A4300	64,636	54,884	91.0	96.3	84.9	90.7	97.7	100.1	4
A4298	62,822	54,884	91.1	96.2	84.2	90.5	97.7	100.0	4
A4296	61,234	54,884	91.1	96.1	83.5	90.4	97.7	99.9	4
A4294	58,967	54,884	91.2	95.9	82.8	90.2	97.7	99.8	4
A4292	56,880	54,884	91.3	95.8	82.0	90.0	97.7	99.6	4

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 61 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder Engine Type Designation¹ **CFM International SA** CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B2> (Recertification to Chapter 4)

Noise Certification Basis Edition / Amendment Chapter¹ ICAO Annex 16, Volume I

FASA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17042	68,038	56,245	90.7	96.5	88.0	91.0	97.9	100.2	5
A17041	67,471	56,245	90.9	96.4	87.7	91.0	97.9	100.2	5
A17040	66,904	56,245	91.0	96.4	87.5	90.9	97.9	100.2	5
A17039	65,997	56,245	91.2	96.4	87.1	90.8	97.9	100.1	5
A17038	65,907	56,245	91.2	96.3	87.0	90.8	97.9	100.1	5
A17037	64,636	54,884	91.3	96.3	86.5	90.7	97.8	100.1	5
A17036	63,729	54,884	91.3	96.2	86.1	90.6	97.8	100.0	5
A17035	62,822	54,884	91.4	96.2	85.7	90.5	97.8	100.0	5
A17034	61,234	54,884	91.5	96.1	85.0	90.4	97.8	99.9	5

¹ See Note 1.



/continued on next page

Issue: 16

Page 62 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

 $\label{lem:conditional} \mbox{ Additional modifications essential to meet the requirements or needed to attain the} \\$

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B2> (Recertification to Chapter 4)

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo	
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A17033	58,967	54,884	91.7	95.9	84.0	90.2	97.8	99.8	5	
A17032	56,925	54,884	91.8	95.8	83.1	90.0	97.8	99.6	5	



Issue: 16

Page 63 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soo	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A4290	68,038	56,245	91.7	96.5	87.7	91.0	100.2	100.2	-	
A4289	68,038	54,884	91.7	96.5	87.7	91.0	100.2	100.2	-	
A16479	65,090	54,884	92.0	96.3	86.6	90.8	100.2	100.1	-	
A4287	64,636	56,245	92.0	96.3	86.4	90.7	100.2	100.1	-	
A4286	64,636	54,884	92.0	96.3	86.4	90.7	100.2	100.1	-	
A4284	62,822	56,245	92.1	96.2	85.7	90.5	100.2	100.0	-	
A4283	62,822	54,884	92.1	96.2	85.7	90.5	100.2	100.0	-	
A4281	61,234	56,245	92.1	96.1	84.9	90.4	100.2	99.9	-	
A4280	61,234	54,884	92.1	96.1	84.9	90.4	100.2	99.9	-	
A4278	58,967	56,245	92.2	95.9	84.0	90.2	100.2	99.8	-	

¹ See Note 1.



/continued on next page

Issue: 16

Page 64 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels1

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4277	58,967	54,884	92.2	95.9	84.0	90.2	100.2	99.8	-



Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder Engine Type Designation¹ CFM56-3B2, CFM56-3C1 **CFM International SA**

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels1

Engine intermix, CFM56-3C1 de-rated to 22,000 lb, both engines with Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)., AFM Option Code <944B2> (Recertification to Chapter 4)

Page 65 of 126

Chapter1 **Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A124036	68,038	56,245	90.7	96.5	88.0	91.0	97.9	100.2	-



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Date: 02 July 2025

Page 66 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, both engines de-rated to 22,000 lb, one engine with Hardwall forward acoustic panel, one engine with Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A122803	62,822	54,884	91.1	96.2	84.2	90.5	98.6	100.0	-



Issue: 16

Page 67 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Engine intermix, both engines de-rated to 22,000 lb, one engine with treated forward acoustic panel, one engine with hardwall forward acoustic panel

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A122821	65,090	54,884	92.0	96.3	86.6	90.8	100.2	100.1	-



Issue: 16

Page 68 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A122046	65,090	54,884	93.2	96.3	85.9	90.8	100.2	100.1	-



Page 69 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See
Record No.	Take-off¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A4311	64,636	56,245	88.9	96.3	86.9	90.7	98.6	100.1	3
A4309	62,822	54,884	89.3	96.2	85.4	90.5	98.6	100.0	3
A4307	61,234	54,884	89.5	96.1	84.6	90.4	98.6	99.9	3
A4305	58,967	54,884	89.8	95.9	83.8	90.2	98.6	99.8	3
A4303	56,880	54,884	89.8	95.8	82.9	90.0	98.6	99.6	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 70 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		See
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A4312	64,636	56,245	88.9	96.3	86.9	90.7	97.7	100.1	4
A4310	62,822	54,884	89.3	96.2	85.4	90.5	97.7	100.0	4
A4308	61,234	54,884	89.5	96.1	84.6	90.4	97.7	99.9	4
A4306	58,967	54,884	89.8	95.9	83.8	90.2	97.7	99.8	4
A4304	56,880	54,884	89.8	95.8	82.9	90.0	97.7	99.6	4

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approach EPNL		500	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A17031	64,636	56,245	88.5	96.3	90.1	90.7	97.9	100.1	5	
A17030	64,441	56,245	88.5	96.3	90.0	90.7	97.9	100.1	5	
A17029	64,319	56,245	88.6	96.3	89.7	90.7	97.9	100.0	5	
A17028	64,183	56,245	88.7	96.3	89.3	90.7	97.9	100.0	5	
A17027	63,956	56,245	88.8	96.2	88.9	90.7	97.9	100.0	5	
A17026	63,729	56,245	88.9	96.2	88.6	90.6	97.9	100.0	5	
A17025	63,502	56,245	89.0	96.2	88.3	90.6	97.9	100.0	5	
A17024	63,276	56,245	89.0	96.2	88.1	90.6	97.9	100.0	5	
A17023	62,822	56,245	89.2	96.2	87.6	90.5	97.9	100.0	5	

¹ See Note 1.



/continued on next page

Page 71 of 126

Date: 02 July 2025

Issue: 16

Page 72 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B1> (Recertification to Chapter 4)

ΓΛςΛ	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approach EPNL		Soc
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17022	62,368	54,884	89.3	96.1	87.2	90.5	97.8	99.9	5
A17021	61,234	54,884	89.6	96.1	86.5	90.4	97.8	99.9	5
A17020	60,667	54,884	89.7	96.0	86.2	90.3	97.8	99.8	5
A17019	60,100	54,884	89.8	96.0	85.9	90.3	97.8	99.8	5
A17018	59,420	54,884	90.0	96.0	85.6	90.2	97.8	99.8	5
A17017	58,994	54,884	90.0	95.9	85.5	90.2	97.8	99.8	5
A17016	58,967	54,884	90.0	95.9	85.4	90.2	97.8	99.8	5
A17015	57,969	54,884	90.1	95.9	84.9	90.1	97.8	99.7	5
A17014	56,925	54,884	90.2	95.8	84.4	90.0	97.8	99.6	5



Page 73 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4323	68,038	56,245	90.7	96.5	86.3	91.0	98.6	100.2	3
A121324	68,038	54,884	90.7	96.5	86.3	91.0	98.6	100.2	3
A122050	68,000	56,200	90.7	96.5	86.3	91.0	98.6	100.2	3
A120653	65,090	54,884	91.0	96.3	85.1	90.8	98.6	100.1	3
A122223	64,999	56,245	91.0	96.3	85.1	90.7	98.6	100.1	3
A17897	64,999	54,884	91.0	96.3	85.1	90.7	98.6	100.1	3
A4321	64,636	54,884	91.0	96.3	84.9	90.7	98.6	100.1	3
A4319	62,822	54,884	91.1	96.2	84.2	90.5	98.6	100.0	3
A120605	61,234	56,245	91.1	96.1	83.5	90.4	98.6	99.9	3
A4317	61,234	54,884	91.1	96.1	83.5	90.4	98.6	99.9	3

¹ See Note 1.



/continued on next page

Issue: 16

Page 74 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 22,000 lb, Hardwall forward acoustic panel

certificated noise levels¹

EACA	Maximum Mass		Lateral	EPNL	Flyover	EPNL	Approach EPNL		See	
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A4315	58,967	54,884	91.2	95.9	82.8	90.2	98.6	99.8	3	
A4313	56,880	54,884	91.3	95.8	82.0	90.0	98.6	99.6	3	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

 $\label{lem:conditional} \mbox{ Additional modifications essential to meet the requirements or needed to attain the} \\$

certificated noise levels¹

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4324	68,038	56,245	90.7	96.5	86.3	91.0	97.7	100.2	4
A122002	68,000	56,200	90.7	96.5	86.3	91.0	97.7	100.2	4
A121233	67,999	56,245	90.7	96.5	86.3	91.0	97.7	100.2	4
A120573	66,904	56,245	90.8	96.4	85.9	90.9	97.7	100.2	4
A118978	65,090	54,884	91.0	96.3	85.1	90.8	97.7	100.1	4
A122225	64,999	54,884	91.0	96.3	85.1	90.7	97.7	100.1	4
A4322	64,636	54,884	91.0	96.3	84.9	90.7	97.7	100.1	4
A9004	62,999	54,884	91.1	96.2	84.3	90.6	97.7	100.0	4
A4320	62,822	54,884	91.1	96.2	84.2	90.5	97.7	100.0	4

¹ See Note 1.



/continued on next page

Page 75 of 126

Date: 02 July 2025

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 76 of 126

Date: 02 July 2025

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approach EPNL		\$00	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A122758	61,234	56,245	91.1	96.1	83.5	90.4	97.7	99.9	4	
A4318	61,234	54,884	91.1	96.1	83.5	90.4	97.7	99.9	4	
A4316	58,967	54,884	91.2	95.9	82.8	90.2	97.7	99.8	4	
A121727	57,969	54,884	91.2	95.9	82.4	90.1	97.7	99.7	4	
A4314	56,880	54,884	91.3	95.8	82.0	90.0	97.7	99.6	4	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B2> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17053	68,038	56,245	90.7	96.5	88.0	91.0	97.9	100.2	5
A17052	67,471	56,245	90.9	96.4	87.7	91.0	97.9	100.2	5
A17051	66,904	56,245	91.0	96.4	87.5	90.9	97.9	100.2	5
A17050	65,997	56,245	91.2	96.4	87.1	90.8	97.9	100.1	5
A17049	65,907	56,245	91.2	96.3	87.0	90.8	97.9	100.1	5
A122719	65,090	54,884	91.3	96.3	86.7	90.8	97.8	100.1	5
A17048	64,636	54,884	91.3	96.3	86.5	90.7	97.8	100.1	5
A17047	63,729	54,884	91.3	96.2	86.1	90.6	97.8	100.0	5
A17046	62,822	54,884	91.4	96.2	85.7	90.5	97.8	100.0	5

¹ See Note 1.



/continued on next page

Page 77 of 126

Date: 02 July 2025

Issue: 16

Date: 02 July 2025

Page 78 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 22,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944B2> (Recertification to Chapter 4)

EASA	Maximum	Mass	Lateral	Lateral EPNL		Flyover EPNL		ch EPNL	Co.
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17045	61,234	54,884	91.5	96.1	85.0	90.4	97.8	99.9	5
A17044	58,967	54,884	91.7	95.9	84.0	90.2	97.8	99.8	5
A121711	57,969	54,884	91.7	95.9	83.6	90.1	97.8	99.7	5
A17043	56,925	54,884	91.8	95.8	83.1	90.0	97.8	99.6	5



Issue: 16

Page 79 of 126 Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 22,000 lb, Treated forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	er EPNL	Approa	See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A8920	68,038	56,245	91.7	96.5	87.7	91.0	100.2	100.2	-
A8540	68,038	54,884	91.7	96.5	87.7	91.0	100.2	100.2	-
A122038	68,000	56,200	91.7	96.5	87.7	91.0	100.2	100.2	-
A119063	67,998	56,245	91.7	96.5	87.7	91.0	100.2	100.2	-
A16477	65,090	54,884	92.0	96.3	86.6	90.8	100.2	100.1	-
A8924	64,636	54,884	92.0	96.3	86.4	90.7	100.2	100.1	-
A16478	62,822	54,884	92.1	96.2	85.7	90.5	100.2	100.0	-



Issue: 16

Page 80 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 22,000 lb, Treated forward acoustic panel

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approa	Ç o o	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A122716	65,090	55,338	92.0	96.3	86.6	90.8	100.2	100.1	-



Page 81 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel

3

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	C
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4337	68,038	56,245	91.8	96.5	85.9	91.0	98.6	100.2	3
A119494	68,000	56,200	91.8	96.5	85.9	91.0	98.6	100.2	3
A9793	65,317	56,245	91.9	96.3	84.7	90.8	98.6	100.1	3
A119352	64,999	54,884	91.9	96.3	84.6	90.7	98.6	100.1	3
A4335	64,636	54,884	91.9	96.3	84.4	90.7	98.6	100.1	3
A4333	62,822	54,884	92.0	96.2	83.7	90.5	98.6	100.0	3
A4331	61,234	54,884	92.0	96.1	83.2	90.4	98.6	99.9	3
A4329	58,967	54,884	92.1	95.9	82.4	90.2	98.6	99.8	3
A4325	56,880	54,884	92.1	95.8	81.7	90.0	98.6	99.6	3





Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 82 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4338	68,038	56,245	91.8	96.5	85.9	91.0	97.7	100.2	4
A120101	64,999	54,884	91.9	96.3	84.6	90.7	97.7	100.1	4
A4336	64,636	54,884	91.9	96.3	84.4	90.7	97.7	100.1	4
A4334	62,822	54,884	92.0	96.2	83.7	90.5	97.7	100.0	4
A4332	61,234	54,884	92.0	96.1	83.2	90.4	97.7	99.9	4
A4330	58,967	54,884	92.1	95.9	82.4	90.2	97.7	99.8	4
A4326	56,880	54,884	92.1	95.8	81.7	90.0	97.7	99.6	4

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <944C> (Recertification to Chapter 4)

Page 83 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A17061	68,038	56,245	92.4	96.5	87.1	91.0	97.9	100.2	5
A17060	66,542	56,245	92.4	96.4	86.5	90.9	97.9	100.2	5
A17059	64,636	56,245	92.6	96.3	85.6	90.7	97.9	100.1	5
A17058	62,822	56,245	92.7	96.2	84.9	90.5	97.9	100.0	5
A17057	61,234	54,884	92.8	96.1	84.3	90.4	97.8	99.9	5
A17056	58,967	54,884	92.9	95.9	83.4	90.2	97.8	99.8	5
A17055	58,513	54,884	93.0	95.9	83.2	90.1	97.8	99.7	5
A17054	56,925	54,884	93.1	95.8	82.5	90.0	97.8	99.6	5

¹ See Note 1.



Issue: 16

Page 84 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Co.
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4348	68,038	56,245	93.1	96.5	87.1	91.0	100.2	100.2	-
A4347	68,038	54,884	93.1	96.5	87.1	91.0	100.2	100.2	-
A5989	68,000	56,200	93.1	96.5	87.1	91.0	100.2	100.2	-
A122731	67,998	56,245	93.1	96.5	87.1	91.0	100.2	100.2	-
A6296	65,997	56,245	93.2	96.4	86.3	90.8	100.2	100.1	-
A15604	65,317	56,245	93.2	96.3	86.3	90.8	100.2	100.1	-
A5991	65,090	55,338	93.2	96.3	85.9	90.8	100.2	100.1	-
A6297	65,090	54,884	93.2	96.3	85.9	90.8	100.2	100.1	-
A5990	65,090	54,844	93.2	96.3	85.9	90.8	100.2	100.1	-
A15591	64,863	56,245	93.2	96.3	85.8	90.7	100.2	100.1	-

¹ See Note 1.



/continued on next page

Issue: 16

Page 85 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-400

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the **Treated forward acoustic panel**

certificated noise levels1

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4346	64,636	56,245	93.2	96.3	85.7	90.7	100.2	100.1	-
A4345	64,636	54,884	93.2	96.3	85.7	90.7	100.2	100.1	-
A4344	62,822	56,245	93.2	96.2	85.0	90.5	100.2	100.0	-
A4343	62,822	54,884	93.2	96.2	85.0	90.5	100.2	100.0	-
A4342	61,234	56,245	93.3	96.1	84.2	90.4	100.2	99.9	-
A4341	61,234	54,884	93.3	96.1	84.2	90.4	100.2	99.9	-
A4340	58,967	56,245	93.3	95.9	83.3	90.2	100.2	99.8	-
A4339	58,967	54,884	93.3	95.9	83.3	90.2	100.2	99.8	-



Issue: 16

Page 86 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

EACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16466	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-



Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel

Page 87 of 126

FACA	Maximu	ım Mass	Latera	I EPNL	Flyove	er EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120417	60,237	43,998	88.2	96.0	85.4	90.3	98.1	99.8	3
A4434	58,740	49,895	88.5	95.9	84.3	90.2	98.6	99.7	3
A4422	56,472	47,627	88.8	95.8	83.3	89.9	98.4	99.6	3
A4410	52,389	47,627	89.1	95.5	82.1	89.5	98.4	99.4	3
A4398	50,802	47,627	89.2	95.4	81.5	89.3	98.4	99.3	3
A4386	48,987	47,627	89.3	95.3	81.0	89.1	98.4	99.1	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 88 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A120418	60,237	43,998	88.2	96.0	85.4	90.3	96.8	99.8	4	
A4437	58,740	49,895	88.5	95.9	84.3	90.2	97.4	99.7	4	
A4425	56,472	47,627	88.8	95.8	83.3	89.9	97.2	99.6	4	
A4413	52,389	47,627	89.1	95.5	82.1	89.5	97.2	99.4	4	
A4401	50,802	47,627	89.2	95.4	81.5	89.3	97.2	99.3	4	
A4389	48,987	47,627	89.3	95.3	81.0	89.1	97.2	99.1	4	

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16859	57,107	49,895	88.7	95.8	85.2	90.0	97.4	99.6	5
A16858	56,789	49,895	88.8	95.8	85.0	90.0	97.4	99.6	5
A16857	56,472	49,895	88.9	95.8	84.9	89.9	97.4	99.6	5
A16856	56,018	49,895	88.9	95.7	84.7	89.9	97.4	99.6	5
A16855	55,111	49,895	89.1	95.7	84.2	89.8	97.4	99.5	5
A16854	54,431	47,627	89.2	95.6	83.9	89.7	97.1	99.5	5
A17854	54,000	49,895	89.2	95.6	83.7	89.7	97.4	99.5	7
A16853	53,750	47,627	89.2	95.6	83.6	89.6	97.1	99.4	5
A16852	52,389	47,627	89.3	95.5	82.9	89.5	97.1	99.4	5

¹ See Note 1.



/continued on next page

Page 89 of 126

Date: 02 July 2025

Issue: 16

Page 90 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

FASA	Maximum Mass EASA		Lateral	EPNL	Flyover EPNL		Approach EPNL		500	
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A16851	50,938	47,627	89.4	95.4	82.2	89.3	97.1	99.3	5	
A16850	48,987	47,627	89.6	95.3	81.3	89.1	97.1	99.1	5	



Page 91 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 18,500 lb, Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	C 0.0
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4371	60,237	49,895	88.9	96.0	87.7	90.3	99.8	99.8	-
A4373	60,237	47,627	88.9	96.0	87.7	90.3	99.4	99.8	-
A4369	58,740	49,895	89.2	95.9	86.4	90.2	99.8	99.7	-
A4368	58,740	47,581	89.2	95.9	86.4	90.2	99.4	99.7	-
A4363	56,472	49,895	89.6	95.8	85.3	89.9	99.8	99.6	-
A4362	56,472	47,627	89.6	95.8	85.3	89.9	99.4	99.6	-
A119450	52,843	49,895	89.9	95.5	83.8	89.5	99.8	99.4	-
A4358	52,389	49,895	89.9	95.5	83.6	89.5	99.8	99.4	-
A4357	52,389	47,627	89.9	95.5	83.6	89.5	99.4	99.4	-
A4354	50,802	49,895	89.9	95.4	82.9	89.3	99.8	99.3	-

¹ See Note 1.



/continued on next page

Issue: 16

Page 92 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Engines de-rated to 18,500 lb, Treated forward acoustic panel

certificated noise levels¹

ΓΛΟΛ	Maximum Mass		Lateral	EPNL	Flyover	EPNL	Approach EPNL		Soo
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4353	50,802	47,627	89.9	95.4	82.9	89.3	99.4	99.3	-
A4350	48,987	47,627	90.0	95.3	82.0	89.1	99.4	99.1	-



Issue: 16

Page 93 of 126
Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4446	60,554	49,895	89.6	96.0	84.2	90.3	98.6	99.8	3
A120419	60,554	43,998	89.6	96.0	84.2	90.3	98.1	99.8	3
A122165	58,967	49,895	89.8	95.9	83.7	90.2	98.6	99.8	3
A4428	58,740	47,627	89.8	95.9	83.6	90.2	98.4	99.7	3
A4416	56,472	47,627	89.9	95.8	82.8	89.9	98.4	99.6	3
A4404	52,389	47,627	90.1	95.5	81.4	89.5	98.4	99.4	3
A4392	50,802	47,627	90.1	95.4	80.9	89.3	98.4	99.3	3
A4380	48,987	47,627	90.2	95.3	80.4	89.1	98.4	99.1	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 94 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	C
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4449	60,554	49,895	89.6	96.0	84.2	90.3	97.4	99.8	4
A120420	60,554	43,998	89.6	96.0	84.2	90.3	96.8	99.8	4
A4431	58,740	47,627	89.8	95.9	83.6	90.2	97.2	99.7	4
A4419	56,472	47,627	89.9	95.8	82.8	89.9	97.2	99.6	4
A16467	54,000	49,895	90.0	95.6	82.0	89.7	97.4	99.5	4
A4407	52,389	47,627	90.1	95.5	81.4	89.5	97.2	99.4	4
A4395	50,802	47,627	90.1	95.4	80.9	89.3	97.2	99.3	4
A4383	48,987	47,627	90.2	95.3	80.4	89.1	97.2	99.1	4

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹ or APU GTCP85-129 with airplane modification to prevent APU surge

bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

TACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Saa
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17836	60,554	49,895	89.7	96.0	85.9	90.3	97.4	99.8	7
A16913	58,740	49,895	89.9	95.9	85.0	90.2	97.4	99.7	5
A16912	58,059	49,895	90.0	95.9	84.7	90.1	97.4	99.7	5
A16911	57,606	49,895	90.0	95.9	84.5	90.0	97.4	99.7	5
A16910	56,472	49,895	90.1	95.8	84.0	89.9	97.4	99.6	5
A16909	55,111	49,895	90.2	95.7	83.4	89.8	97.4	99.5	5
A17851	54,000	49,895	90.2	95.6	82.8	89.7	97.4	99.5	7
A16908	53,750	47,627	90.2	95.6	82.7	89.6	97.1	99.4	5
A16907	52,389	47,627	90.3	95.5	82.1	89.5	97.1	99.4	5

¹ See Note 1.



/continued on next page

Page 95 of 126

Date: 02 July 2025

Issue: 16

Date: 02 July 2025

Page 96 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

FACA	Maximum Mass EASA		Lateral	EPNL	Flyover EPNL		Approach EPNL		Soc
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16906	50,938	47,627	90.4	95.4	81.4	89.3	97.1	99.3	5
A16905	49,963	47,627	90.5	95.3	81.0	89.2	97.1	99.2	5
A16904	48,987	47,627	90.6	95.3	80.6	89.1	97.1	99.1	5



Issue: 16

Page 97 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels¹

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4375	60,554	49,895	90.4	96.0	86.0	90.3	99.8	99.8	-
A4374	60,554	47,627	90.4	96.0	86.0	90.3	99.4	99.8	-
A118977	59,000	49,895	90.5	95.9	85.5	90.2	99.8	99.8	-
A122164	58,967	49,895	90.5	95.9	85.5	90.2	99.8	99.8	-
A4366	58,740	49,895	90.5	95.9	85.4	90.2	99.8	99.7	-
A4365	58,740	47,627	90.5	95.9	85.4	90.2	99.4	99.7	-
A6630	57,606	49,895	90.6	95.9	85.0	90.0	99.8	99.7	-
A4360	56,472	49,895	90.7	95.8	84.5	89.9	99.8	99.6	-
A4359	56,472	47,627	90.7	95.8	84.5	89.9	99.4	99.6	-
A17063	55,000	49,895	90.7	95.7	83.9	89.8	99.8	99.5	-

¹ See Note 1.



/continued on next page

Issue: 16

Page 98 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1

Additional modifications essential to meet the requirements or needed to attain the Treated forward acoustic panel

certificated noise levels1

FASA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Çoo.
EASA Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16465	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-
A4356	52,389	49,895	90.8	95.5	82.7	89.5	99.8	99.4	-
A4355	52,389	47,627	90.8	95.5	82.7	89.5	99.4	99.4	-
A4352	50,802	49,895	90.8	95.4	81.9	89.3	99.8	99.3	-
A4351	50,802	47,627	90.8	95.4	81.9	89.3	99.4	99.3	-
A4349	48,987	47,627	90.9	95.3	81.1	89.1	99.4	99.1	-



Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, CFM56-3C1 de-rated to 20,000 lb, both engines with Treated forward acoustic panel

Page 99 of 126

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		200	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A6633	58,967	49,895	90.5	95.9	85.5	90.2	99.8	99.8	-	
A15891	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-	



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, CFM56-3C1 de-rated to 20,000 lb, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

Page 100 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		500	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A15898	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-	



Issue: 16

Page 101 of 126 Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum Mass		Latera	Lateral EPNL		Flyover EPNL		Approach EPNL	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A6627	56,000	49,895	89.6	95.7	85.1	89.9	99.8	99.6	-



Engine intermix, Engines de-rated to 18,500 lb, Treated forward

Page 102 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engine intermix, Engines rated at 20,000 lb, Hardwall forward acoustic panel

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A15896	54,000	49,895	90.0	95.6	82.0	89.7	98.6	99.5	3



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B1, CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹

Engine intermix, Engines rated at 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 103 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA -	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soo.
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16303	54,000	49,895	90.0	95.6	82.0	89.7	97.4	99.5	4

¹ See Note 1.



Page 104 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120413	60,237	43,998	88.2	96.0	85.4	90.3	98.1	99.8	3
A4435	58,740	49,895	88.5	95.9	84.3	90.2	98.6	99.7	3
A4423	56,472	47,627	88.8	95.8	83.3	89.9	98.4	99.6	3
A4411	52,389	47,627	89.1	95.5	82.1	89.5	98.4	99.4	3
A4399	50,802	47,627	89.2	95.4	81.5	89.3	98.4	99.3	3
A4387	48,987	47,627	89.3	95.3	81.0	89.1	98.4	99.1	3



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 105 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

EASA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	Coo	
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120414	60,237	43,998	88.2	96.0	85.4	90.3	96.8	99.8	4
A4438	58,740	49,895	88.5	95.9	84.3	90.2	97.4	99.7	4
A4426	56,472	47,627	88.8	95.8	83.3	89.9	97.2	99.6	4
A4414	52,389	47,627	89.1	95.5	82.1	89.5	97.2	99.4	4
A4402	50,802	47,627	89.2	95.4	81.5	89.3	97.2	99.3	4
A4390	48,987	47,627	89.3	95.3	81.0	89.1	97.2	99.1	4





Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	See	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A16877	57,107	49,895	88.7	95.8	85.2	90.0	97.4	99.6	5	
A16876	56,789	49,895	88.8	95.8	85.0	90.0	97.4	99.6	5	
A16875	56,472	49,895	88.9	95.8	84.9	89.9	97.4	99.6	5	
A16874	56,018	49,895	88.9	95.7	84.7	89.9	97.4	99.6	5	
A16873	55,111	49,895	89.1	95.7	84.2	89.8	97.4	99.5	5	
A16872	54,431	47,627	89.2	95.6	83.9	89.7	97.1	99.5	5	
A17855	54,000	49,895	89.2	95.6	83.7	89.7	97.4	99.5	7	
A16871	53,750	47,627	89.2	95.6	83.6	89.6	97.1	99.4	5	
A16870	52,389	47,627	89.3	95.5	82.9	89.5	97.1	99.4	5	

¹ See Note 1.



/continued on next page

Page 106 of 126

Date: 02 July 2025

Issue: 16

Page 107 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

FASA	Maximum	Mass	Lateral	EPNL	Flyover EPNL		Approach EPNL		Soo
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16869	50,938	47,627	89.4	95.4	82.2	89.3	97.1	99.3	5
A16868	48,987	47,627	89.6	95.3	81.3	89.1	97.1	99.1	5



Page 108 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	um Mass	Latera	l EPNL	Flyover EPNL		Approa	See	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note
A4447	60,554	49,895	89.6	96.0	84.2	90.3	98.6	99.8	3
A120415	60,554	43,998	89.6	96.0	84.2	90.3	98.1	99.8	3
A4429	58,740	47,627	89.8	95.9	83.6	90.2	98.4	99.7	3
A4417	56,472	47,627	89.9	95.8	82.8	89.9	98.4	99.6	3
A4405	52,389	47,627	90.1	95.5	81.4	89.5	98.4	99.4	3
A4393	50,802	47,627	90.1	95.4	80.9	89.3	98.4	99.3	3
A4381	48,987	47,627	90.2	95.3	80.4	89.1	98.4	99.1	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 109 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4450	60,554	49,895	89.6	96.0	84.2	90.3	97.4	99.8	4
A120416	60,554	43,998	89.6	96.0	84.2	90.3	96.8	99.8	4
A4432	58,740	47,627	89.8	95.9	83.6	90.2	97.2	99.7	4
A4420	56,472	47,627	89.9	95.8	82.8	89.9	97.2	99.6	4
A4408	52,389	47,627	90.1	95.5	81.4	89.5	97.2	99.4	4
A4396	50,802	47,627	90.1	95.4	80.9	89.3	97.2	99.3	4
A4384	48,987	47,627	90.2	95.3	80.4	89.1	97.2	99.1	4

¹ See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 4

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A17837	60,554	49,895	89.7	96.0	85.9	90.3	97.4	99.8	7
A16929	58,740	49,895	89.9	95.9	85.0	90.2	97.4	99.7	5
A16928	58,059	49,895	90.0	95.9	84.7	90.1	97.4	99.7	5
A16927	57,606	49,895	90.0	95.9	84.5	90.0	97.4	99.7	5
A16926	56,472	49,895	90.1	95.8	84.0	89.9	97.4	99.6	5
A16925	55,111	49,895	90.2	95.7	83.4	89.8	97.4	99.5	5
A17852	54,000	49,895	90.2	95.6	82.8	89.7	97.4	99.5	7
A16924	53,750	47,627	90.2	95.6	82.7	89.6	97.1	99.4	5
A16923	52,389	47,627	90.3	95.5	82.1	89.5	97.1	99.4	5

¹ See Note 1.



/continued on next page

Page 110 of 126

Date: 02 July 2025

Issue: 16

Page 111 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3B2

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

FASA	EASA Maximum Mass		Lateral	EPNL	Flyover EPNL		Approach EPNL		Soc
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16922	50,938	47,627	90.4	95.4	81.4	89.3	97.1	99.3	5
A16921	49,963	47,627	90.5	95.3	81.0	89.2	97.1	99.2	5
A16920	48,987	47,627	90.6	95.3	80.6	89.1	97.1	99.1	5



Issue: 16

Date: 02 July 2025

Page 112 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels¹

Engine intermix, both engines de-rated to 20,000 lb, one engine with Treated forward acoustic panel, one engine with Hardwall forward acoustic panel

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		S 0 0
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16469	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-



Page 113 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120409	60,237	43,998	88.2	96.0	85.4	90.3	98.1	99.8	3
A4436	58,740	49,895	88.5	95.9	84.3	90.2	98.6	99.7	3
A6628	57,152	49,895	88.7	95.8	83.6	90.0	98.6	99.6	3
A4424	56,472	47,627	88.8	95.8	83.3	89.9	98.4	99.6	3
A6629	56,245	49,895	88.8	95.8	83.2	89.9	98.6	99.6	3
A9780	52,843	49,895	89.1	95.5	82.2	89.5	98.6	99.4	3
A4412	52,389	47,627	89.1	95.5	82.1	89.5	98.4	99.4	3
A4400	50,802	47,627	89.2	95.4	81.5	89.3	98.4	99.3	3
A4388	48,987	47,627	89.3	95.3	81.0	89.1	98.4	99.1	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Page 114 of 126

Date: 02 July 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A120410	60,237	43,998	88.2	96.0	85.4	90.3	96.8	99.8	4
A4439	58,740	49,895	88.5	95.9	84.3	90.2	97.4	99.7	4
A4427	56,472	47,627	88.8	95.8	83.3	89.9	97.2	99.6	4
A8976	53,886	49,895	89.0	95.6	82.5	89.7	97.4	99.4	4
A8974	52,389	49,895	89.1	95.5	82.1	89.5	97.4	99.4	4
A4415	52,389	47,627	89.1	95.5	82.1	89.5	97.2	99.4	4
A8975	52,163	49,895	89.1	95.5	82.0	89.5	97.4	99.3	4
A4403	50,802	47,627	89.2	95.4	81.5	89.3	97.2	99.3	4
A4391	48,987	47,627	89.3	95.3	81.0	89.1	97.2	99.1	4





TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Issue: 16

Page 115 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder Engine Type Designation¹ **CFM International SA** CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Soc
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16895	57,107	49,895	88.7	95.8	85.2	90.0	97.4	99.6	5
A16894	56,789	49,895	88.8	95.8	85.0	90.0	97.4	99.6	5
A16893	56,472	49,895	88.9	95.8	84.9	89.9	97.4	99.6	5
A16892	56,018	49,895	88.9	95.7	84.7	89.9	97.4	99.6	5
A16891	55,111	49,895	89.1	95.7	84.2	89.8	97.4	99.5	5
A16890	54,431	47,627	89.2	95.6	83.9	89.7	97.1	99.5	5
A17856	54,000	49,895	89.2	95.6	83.7	89.7	97.4	99.5	7
A16889	53,750	47,627	89.2	95.6	83.6	89.6	97.1	99.4	5
A16888	52,389	47,627	89.3	95.5	82.9	89.5	97.1	99.4	5

¹ See Note 1.



Issue: 16

Page 116 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 18,500 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945185> (Recertification to Chapter 4)

FASA	Maximum Mass EASA		Lateral	EPNL	Flyover	EPNL	Approach EPNL		Soc.
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A16887	50,938	47,627	89.4	95.4	82.2	89.3	97.1	99.3	5
A16886	48,987	47,627	89.6	95.3	81.3	89.1	97.1	99.1	5



Issue: 16

Page 117 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 18,500 lb, Treated forward acoustic panel

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum Mass EASA		Latera	l EPNL	Flyove	r EPNL	Approach EPNL		S 0 0
Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A15345	52,999	49,895	89.9	95.5	83.9	89.6	99.8	99.4	-
A14414	52,843	49,895	89.9	95.5	83.8	89.5	99.8	99.4	-

¹ See Note 1.



Issue: 16

Page 118 of 126 Date: 02 July 2025

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4448	60,554	49,895	89.6	96.0	84.2	90.3	98.6	99.8	3
A120411	60,554	43,998	89.6	96.0	84.2	90.3	98.1	99.8	3
A122226	58,967	49,895	89.8	95.9	83.7	90.2	98.6	99.8	3
A4430	58,740	47,627	89.8	95.9	83.6	90.2	98.4	99.7	3
A9781	57,833	49,895	89.8	95.9	83.3	90.1	98.6	99.7	3
A4418	56,472	47,627	89.9	95.8	82.8	89.9	98.4	99.6	3
A4406	52,389	47,627	90.1	95.5	81.4	89.5	98.4	99.4	3
A4394	50,802	47,627	90.1	95.4	80.9	89.3	98.4	99.3	3
A4382	48,987	47,627	90.2	95.3	80.4	89.1	98.4	99.1	3

¹ See Note 1.



Issue: 16

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹ 3

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	Co.
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4451	60,554	49,895	89.6	96.0	84.2	90.3	97.4	99.8	4
A120412	60,554	43,998	89.6	96.0	84.2	90.3	96.8	99.8	4
A4433	58,740	47,627	89.8	95.9	83.6	90.2	97.2	99.7	4
A10652	57,606	49,895	89.9	95.9	83.2	90.0	97.4	99.7	4
A4421	56,472	47,627	89.9	95.8	82.8	89.9	97.2	99.6	4
A16470	54,000	49,895	90.0	95.6	82.0	89.7	97.4	99.5	4
A9140	52,999	49,895	90.1	95.5	81.6	89.6	97.4	99.4	4
A4409	52,389	47,627	90.1	95.5	81.4	89.5	97.2	99.4	4
A10254	52,163	49,895	90.1	95.5	81.3	89.5	97.4	99.3	4

¹ See Note 1.



/continued on next page

Page 119 of 126

Date: 02 July 2025

Issue: 16

Page 120 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

 $\label{lem:continuous} \textbf{Additional modifications essential to meet the requirements or needed to attain the}$

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

FACA	Maximum Mass EASA		Lateral	EPNL	Flyover	EPNL	Approach EPNL		Saa
Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A4397	50,802	47,627	90.1	95.4	80.9	89.3	97.2	99.3	4
A4385	48,987	47,627	90.2	95.3	80.4	89.1	97.2	99.1	4



Issue: 16

Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder Engine Type Designation¹ **CFM International SA** CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Chapter¹

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc	
EASA Record No.	Take-off ¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A17838	60,554	49,895	89.7	96.0	85.9	90.3	97.4	99.8	7	
A16945	58,740	49,895	89.9	95.9	85.0	90.2	97.4	99.7	5	
A16944	58,059	49,895	90.0	95.9	84.7	90.1	97.4	99.7	5	
A16943	57,606	49,895	90.0	95.9	84.5	90.0	97.4	99.7	5	
A16942	56,472	49,895	90.1	95.8	84.0	89.9	97.4	99.6	5	
A16941	55,111	49,895	90.2	95.7	83.4	89.8	97.4	99.5	5	
A17853	54,000	49,895	90.2	95.6	82.8	89.7	97.4	99.5	7	
A16940	53,750	47,627	90.2	95.6	82.7	89.6	97.1	99.4	5	
A16939	52,389	47,627	90.3	95.5	82.1	89.5	97.1	99.4	5	

¹ See Note 1.



Page 121 of 126

Issue: 16

Page 122 of 126 Date: 02 July 2025

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the

certificated noise levels1

Engines de-rated to 20,000 lb, Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent), AFM Option Code <945B1> (Recertification to Chapter 4)

EASA	Maximum Mass		Lateral	EPNL	NL Flyover EPNL		Approach EPNL		See	
Record No.	Take-off¹ (kg)	Landing ¹ (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	Note	
A16938	50,938	47,627	90.4	95.4	81.4	89.3	97.1	99.3	5	
A16937	49,963	47,627	90.5	95.3	81.0	89.2	97.1	99.2	5	
A16936	48,987	47,627	90.6	95.3	80.6	89.1	97.1	99.1	5	



Page 123 of 126 Date: 02 July 2025 Issue: 16

Type Certificate Holder¹ **The Boeing Company** Aircraft Type Designation¹ 737-500

Engine TC Holder **CFM International SA** Engine Type Designation¹ CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Engines de-rated to 20,000 lb, Treated forward acoustic panel

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note
A14358	60,554	49,895	90.4	96.0	86.0	90.3	99.8	99.8	-
A6632	58,967	49,895	90.5	95.9	85.5	90.2	99.8	99.8	-
A15603	57,833	49,895	90.6	95.9	85.1	90.1	99.8	99.7	-
A121641	55,000	49,895	90.7	95.7	83.9	89.8	99.8	99.5	-
A16468	54,000	49,895	90.8	95.6	83.4	89.7	99.8	99.5	-

¹ See Note 1.



Issue: 16

Date: 02 July 2025

Page 124 of 126

Type Certificate Holder¹ The Boeing Company Aircraft Type Designation¹ 737-500

Engine TC Holder CFM International SA Engine Type Designation CFM56-3C1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels¹

Hardwall forward acoustic panel, APU APS2000 or APU GTCP36-280B or APU GTCP85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo	
EASA Record No.	Take-off ¹ (kg)	Landing (kg)	Level ¹	Limit	Level ¹	Limit	Level ¹	Limit	See Note	
A16712	56,000	49,895	89.9	95.7	82.7	89.9	97.4	99.6	4	

¹ See Note 1.



TCDSN No.: EASA.IM.A.120.1 Page 125 of 126

Issue: 16 Date: 02 July 2025

CS-36 Amendment level

ICAO, Annex 16, Volume I Amendment level	7	8	9	10	11-B	12	13
Corresponding CS-36 Amendment level	Initial	1	2	3	4	5	6

Note: This table is for information purposes only. It links the applicable noise requirements in Volume I of ICAO Annex 16 to the corresponding Appendices to that Volume, which were listed as acceptable means of compliance in CS-36. With the adoption of Regulation (EU) 2018/1139 (i.e. from Amendment 12 to Volume I of ICAO Annex 16) these Appendices became part of the applicable noise requirements. Their reference was removed in Amendment 6 to CS-36 and this table will not be updated further.

TCDSN EASA.IM.A.120.1 Notes

- 1. In cases where it is appropriate to issue a noise certificate, items so marked shall be included on EASA Form 45.
- 2. This variant does not comply with the standards of ICAO Annex 16, Volume I, Chapter 3. Examples of this variant may not be registered and operated within the EU. Noise levels for this variant are not established.
- 3. Applicable to aircraft with APU GTCP85-129 without airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent) for which the AFM noise characteristics page makes no reference to the APU, or to aircraft with APU APS2000 or GTCP36-280(B) for which the AFM noise characteristics page refers to "APS2000 or GTCP36-280(B)".
- 4. Applicable to aircraft for which AFM noise characteristics page refers to "APS2000 or GTCP36-280(B) or APU GTC85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)."
- 5. Applicable to aircraft for which AFM noise characteristics page refers to "APS2000 or GTCP36-280(B) or APU GTC85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)."; Record also applicable for AFM option code without '9' at the beginning
- 6. Applicable to aircraft for which AFM noise characteristics page refers to "APS2000 or GTCP36-280(B) or APU GTC85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)." Excludes airplanes equipped with the FARRR (P/N C25455) air-cleaner system; Record also applicable for AFM option code without '9' at the beginning
- 7. Applicable to aircraft for which AFM noise characteristics page refers to "APS2000 or GTCP36-280(B) or APU GTC85-129 with airplane modification to prevent APU surge bleed valve opening on approach (or production equivalent)." Take-off flap 1 capable; Record also applicable for AFM option code without '9' at the beginning

TCDSN No.: EASA.IM.A.120.1 Page 126 of 126

Issue: 16 Date: 02 July 2025

Change Record

Issue	Date	Changes
Issue 1	12 December 2013	Initial Issue
Issue 2	10 March 2015	Added new alternate MLW for 737-300 and -500
Issue 3	29 September 2015	Added records A120653 and A120674, harmonized records regarding
		MTOM and MLM, removed duplicated records
Issue 4	05 April 2016	Revised
Issue 5	24 November 2016	Added record A121324
Issue 6	12 January 2018	Added records A121641, A121710, A121711 and A121727
Issue 7	15 June 2018	Added record A122002
Issue 8	12 April 2019	Added records A122038, A122046, A122050, A122164 and A122165
Issue 9	07 August 2019	Revised
Issue 10	25 October 2021	Added records A122716 and A122719
Issue 11	25 March 2022	Added record A122731
Issue 12	31 August 2022	Added record A122758
Issue 13	27 February 2023	Added note for aircraft against Chapter 4 considering option codes for FAA
		AFMs
Issue 14	06 September 2023	Added record A122803
Issue 15	04 March 2024	Added record A122821
Issue 16	02 July 2025	Added record A124036