TCDSN No.: EASA.IM.A.120.6 Boeing 737 Page 1 of 37 Date: 09 October 2025

Issue: 13



## **TYPE-CERTIFICATE DATA SHEET FOR NOISE**

No. EASA.IM.A.120.6

for

Boeing 737

**Type Certificate Holder: The Boeing Company** 737 Logan Ave N Renton, WA 98057-0000 **USA** 

For models:

737-8 737-8200 737-9



TCDSN No.: EASA.IM.A.120.6 Boeing 737 Page 2 of 37

lssue: 13 Date: 09 October 2025





Issue: 13

Page 3 of 37 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B25.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup>

FACA	Maximum	Maximum Mass		Lateral EPNL		Flyover EPNL		ch EPNL	See	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing <sup>1</sup> (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note	
A121535	82,190	69,308	87.4	97.2	84.3	92.1	94.2	100.9	-	
A121536	79,106	69,308	87.5	97.0	83.2	91.9	94.2	100.7	-	
A122737	78,925	68,174	87.5	97.0	83.2	91.9	94.1	100.7	-	
A122700	77,110	68,174	87.5	96.9	82.5	91.7	94.1	100.7	-	
A122009	76,999	69,308	87.5	96.9	82.5	91.7	94.2	100.7	-	
A121537	76,838	68,401	87.5	96.9	82.4	91.7	94.2	100.6	-	
A122797	75,749	68,174	87.6	96.9	82.1	91.6	94.1	100.6	-	
A121538	74,570	68,174	87.6	96.8	81.6	91.5	94.1	100.5	-	
A123660	72,393	68,174	87.7	96.7	80.8	91.4	94.1	100.4	-	
A122729	72,302	69,308	87.7	96.7	80.8	91.4	94.2	100.4	-	

<sup>1</sup> See Note 1.



/continued on next page

Issue: 13

Page 4 of 37 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder CFM International SA Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B25.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup> 4

ΓΛζΛ	Maximum	Maximum Mass		Lateral EPNL		Flyover EPNL		ch EPNL	Soc
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing <sup>1</sup> (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121539	72,302	68,174	87.7	96.7	80.8	91.4	94.1	100.4	-
A121540	70,306	65,056	87.8	96.6	80.1	91.2	93.9	100.3	-
A121541	68,038	61,234	87.8	96.5	79.3	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13

Page 5 of 37 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder CFM International SA Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B25.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 8 / Amendment 12 Chapter<sup>1</sup> 4

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		°00
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122366	82,644	69,308	87.4	97.2	84.5	92.1	94.2	100.9	-
A122804	82,644	68,174	87.4	97.2	84.5	92.1	94.1	100.9	-

<sup>1</sup> See Note 1.



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B25.BLK2.2PTS> (2-Position tail skid)

Page 6 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note	
A121542	82,190	69,308	87.4	97.2	84.3	92.1	94.2	100.9	-	
A121543	79,106	69,308	87.5	97.0	83.2	91.9	94.2	100.7	-	
A121544	76,838	68,401	87.5	96.9	82.4	91.7	94.1	100.6	-	
A121545	74,570	68,174	87.6	96.8	81.6	91.5	94.1	100.5	-	
A121546	72,302	68,174	87.7	96.7	80.8	91.4	94.1	100.4	-	
A121547	70,306	65,056	87.8	96.6	80.1	91.2	93.8	100.3	-	
A121548	68,038	61,234	87.8	96.5	79.3	91.0	93.5	100.2	-	

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13

Page 7 of 37 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder CFM International SA Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B25.BLK2.2PTS> (2-Position tail skid)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 8 / Amendment 12 Chapter<sup>1</sup> 4

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122367	82,644	69,308	87.4	97.2	84.5	92.1	94.2	100.9	-



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder CFM International SA Engine Type Designation LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B27.BLK2.1PTS> (1-Position tail skid)

Page 8 of 37

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup> 4

FACA	Maximu	um Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121549	82,190	69,308	87.9	97.2	83.4	92.1	94.2	100.9	-
A121997	82,190	68,174	87.9	97.2	83.4	92.1	94.1	100.9	-
A122037	80,920	68,174	88.0	97.1	83.0	92.0	94.1	100.8	-
A121550	79,106	69,308	88.0	97.0	82.4	91.9	94.2	100.7	-
A124041	78,925	68,174	88.0	97.0	82.3	91.9	94.1	100.7	-
A121551	76,838	68,401	88.1	96.9	81.6	91.7	94.2	100.6	-
A121552	74,570	68,174	88.2	96.8	80.8	91.5	94.1	100.5	-
A121553	72,302	68,174	88.2	96.7	80.0	91.4	94.1	100.4	-
A121554	70,306	65,056	88.3	96.6	79.2	91.2	93.9	100.3	-
A121555	68,038	61,234	88.4	96.5	78.5	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13

Page 9 of 37 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder CFM International SA Engine Type Designation LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B27.BLK2.1PTS> (1-Position tail skid)

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 8 / Amendment 12 Chapter<sup>1</sup> 4

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soo
Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122371	82,644	69,308	87.9	97.2	83.6	92.1	94.2	100.9	-



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B27.BLK2.1PTS> (1certificated noise levels<sup>1</sup>

Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 13** Chapter<sup>1</sup>

	EASA -	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
Red	ecord No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A:	122811	80,920	69,308	88.0	97.1	83.0	92.0	94.2	100.8	-

<sup>1</sup> See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 10 of 37

Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B27.BLK2.2PTS> (2-Position tail skid)

Page 11 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

EACA	Maximu	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121556	82,190	69,308	87.9	97.2	83.4	92.1	94.2	100.9	-
A121557	79,106	69,308	88.0	97.0	82.4	91.9	94.2	100.7	-
A121558	76,838	68,401	88.1	96.9	81.6	91.7	94.1	100.6	-
A121559	74,570	68,174	88.2	96.8	80.8	91.5	94.1	100.5	-
A121560	72,302	68,174	88.2	96.7	80.0	91.4	94.1	100.4	-
A121561	70,306	65,056	88.3	96.6	79.2	91.2	93.8	100.3	-
A121562	68,038	61,234	88.4	96.5	78.5	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B27.BLK2.2PTS> (2-Position tail skid)

Page 12 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 12** Chapter<sup>1</sup>

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soci
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122763	82,644	69,308	87.9	97.2	83.6	92.1	94.2	100.9	-

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.1PTS> (1-Position tail skid)

Page 13 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121563	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A121564	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A121565	76,838	68,401	88.7	96.9	80.8	91.7	94.2	100.6	-
A121566	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A121567	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A121568	70,306	65,056	88.9	96.6	78.6	91.2	93.9	100.3	-
A121569	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Page 14 of 37 Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.1PTS> (1certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 12** Chapter<sup>1</sup>

EASA -	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		°00
Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122372	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-

<sup>1</sup> See Note 1.



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.2PTS> (2-Position tail skid)

Page 15 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

FACA	Maximu	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL	
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121570	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A121571	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A121572	76,838	68,401	88.7	96.9	80.8	91.7	94.1	100.6	-
A121573	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A121574	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A121575	70,306	65,056	88.9	96.6	78.6	91.2	93.8	100.3	-
A121576	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Page 16 of 37 Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.2PTS> (2-Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 12** Chapter<sup>1</sup>

FACA	EASA Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122768	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-





Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.1PTS> (1certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A121577	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A121578	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A121579	76,838	68,401	88.7	96.9	80.8	91.7	94.2	100.6	-
A121580	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A121581	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A121582	70,306	65,056	88.9	96.6	78.6	91.2	93.9	100.3	-
A121583	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 17 of 37

Page 18 of 37 Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.1PTS> (1certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 12** Chapter<sup>1</sup>

FACA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Soc
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122373	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.2PTS> (2certificated noise levels1 Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 6 / Amendment 10** Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Latera	Lateral EPNL		Flyover EPNL		Approach EPNL	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121584	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A121585	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A121586	76,838	68,401	88.7	96.9	80.8	91.7	94.1	100.6	-
A121587	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A121588	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A121589	70,306	65,056	88.9	96.6	78.6	91.2	93.8	100.3	-
A121590	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 19 of 37

Page 20 of 37 Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.2PTS> (2-

certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 12** Chapter<sup>1</sup>

EASA	Maximum Mass		Lateral EPNL		Flyover EPNL		Approach EPNL		Coo
Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122769	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28BBJ1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.1PTS> (1-Position tail skid)

Page 21 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment **Edition 8 / Amendment 13** Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Latera	l EPNL	Flyover EPNL		Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122771	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-
A122772	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122773	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122774	76,838	68,401	88.7	96.9	80.8	91.7	94.2	100.6	-
A122775	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122776	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122777	70,306	65,056	88.9	96.6	78.6	91.2	93.9	100.3	-
A122778	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8

Type certificate finder Type Sesignation 757

Engine TC Holder CFM International SA Engine Type Designation LEAP-1B28BBJ1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Position tail skid)

Block 2, AFM option code <3M8.R4.LEAP1B28.BLK2.2PTS> (2-

Page 22 of 37

Date: 09 October 2025

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 8 / Amendment 13 Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Latera	l EPNL	Flyover EPNL		Approach EPNL		See
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122779	82,644	69,308	88.5	97.2	82.7	92.1	94.2	100.9	-
A122780	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122781	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122782	76,838	68,401	88.7	96.9	80.8	91.7	94.1	100.6	-
A122783	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122784	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122785	70,306	65,056	88.9	96.6	78.6	91.2	93.8	100.3	-
A122786	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M82.R4.LEAP1B25.BLK2.1PTS> (1-Position tail skid)

Page 23 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122641	82,190	69,308	87.4	97.2	84.3	92.1	94.2	100.9	-
A122642	79,106	69,308	87.5	97.0	83.2	91.9	94.2	100.7	-
A122643	76,838	68,401	87.5	96.9	82.4	91.7	94.2	100.6	-
A122644	74,570	68,174	87.6	96.8	81.6	91.5	94.1	100.5	-
A122645	72,302	68,174	87.7	96.7	80.8	91.4	94.1	100.4	-
A122646	70,306	65,056	87.8	96.6	80.1	91.2	93.9	100.3	-
A122647	68,038	61,234	87.8	96.5	79.3	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B25

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M82.R4.LEAP1B25.BLK2.2PTS> (2-Position tail skid)

Page 24 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

FACA	Maximu	um Mass	Lateral EPNL		Flyover EPNL		Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122671	82,190	69,308	87.4	97.2	84.3	92.1	94.2	100.9	-
A122672	79,106	69,308	87.5	97.0	83.2	91.9	94.2	100.7	-
A122673	76,838	68,401	87.5	96.9	82.4	91.7	94.1	100.6	-
A122674	74,570	68,174	87.6	96.8	81.6	91.5	94.1	100.5	-
A122675	72,302	68,174	87.7	96.7	80.8	91.4	94.1	100.4	-
A122676	70,306	65,056	87.8	96.6	80.1	91.2	93.8	100.3	-
A122677	68,038	61,234	87.8	96.5	79.3	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> The Boeing Company Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M82.R4.LEAP1B27.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

FACA	Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approach EPNL		See	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing <sup>1</sup> (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note	
A122648	82,190	69,308	87.9	97.2	83.4	92.1	94.2	100.9	-	
A122649	82,190	68,174	87.9	97.2	83.4	92.1	94.1	100.9	-	
A122650	79,106	69,308	88.0	97.0	82.4	91.9	94.2	100.7	-	
A122651	76,838	68,401	88.1	96.9	81.6	91.7	94.2	100.6	-	
A122705	76,200	68,174	88.1	96.9	81.3	91.7	94.1	100.6	-	
A122652	74,570	68,174	88.2	96.8	80.8	91.5	94.1	100.5	-	
A122707	72,600	68,174	88.2	96.7	80.1	91.4	94.1	100.5	-	
A122653	72,302	68,174	88.2	96.7	80.0	91.4	94.1	100.4	-	
A122654	70,306	65,056	88.3	96.6	79.2	91.2	93.9	100.3	-	
A122703	69,000	68,174	88.4	96.5	78.8	91.1	94.1	100.3	-	

<sup>1</sup> See Note 1.



/continued on next page

Page 25 of 37

Type Certificate Holder<sup>1</sup>

Engine TC Holder

Issue: 13

Page 26 of 37 Date: 09 October 2025

Aircraft Type Designation<sup>1</sup> **737-8200** 

LEAP-1B27

Engine Type Designation<sup>1</sup>

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M82.R4.LEAP1B27.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

The Boeing Company

**CFM International SA** 

Noise Certification Basis ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup> 4

EASA	EASA Maximum	Mass	Lateral	EPNL	Flyover	EPNL	Approa	ch EPNL	500
Record No.	Take-off <sup>1</sup> (kg)	Landing <sup>1</sup> (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122655	68,038	61,234	88.4	96.5	78.5	91.0	93.5	100.2	-



**Noise Certification Basis** 

Issue: 13 Date: 09 October 2025

Edition 7 / Amendment 11-B

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Edition / Amendment

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels1

ICAO Annex 16, Volume I

Block 2, AFM option code <3M82.R4.LEAP1B27.BLK2.2PTS> (2-Position tail skid)

Chapter<sup>1</sup>

4

Page 27 of 37

FACA	Maximu	Maximum Mass		I EPNL	Flyove	er EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122678	82,190	69,308	87.9	97.2	83.4	92.1	94.2	100.9	-
A122679	79,106	69,308	88.0	97.0	82.4	91.9	94.2	100.7	-
A122680	76,838	68,401	88.1	96.9	81.6	91.7	94.1	100.6	-
A122681	74,570	68,174	88.2	96.8	80.8	91.5	94.1	100.5	-
A122682	72,302	68,174	88.2	96.7	80.0	91.4	94.1	100.4	-
A122683	70,306	65,056	88.3	96.6	79.2	91.2	93.8	100.3	-
A122684	68,038	61,234	88.4	96.5	78.5	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M82.R4.LEAP1B28.BLK2.1PTS> (1certificated noise levels<sup>1</sup>

Position tail skid)

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

EASA	Maximum Mass		Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A122656	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122657	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122658	76,838	68,401	88.7	96.9	80.8	91.7	94.2	100.6	-
A122659	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122660	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122661	70,306	65,056	88.9	96.6	78.6	91.2	93.9	100.3	-
A122662	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 28 of 37

Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the

Block 2, AFM option code <3M82.R4.LEAP1B28.BLK2.2PTS> (2-Position tail skid)

Page 29 of 37

certificated noise levels<sup>1</sup>

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

FACA	Maximu	Maximum Mass		l EPNL	Flyove	er EPNL	Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122685	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122686	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122687	76,838	68,401	88.7	96.9	80.8	91.7	94.1	100.6	-
A122688	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122689	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122690	70,306	65,056	88.9	96.6	78.6	91.2	93.8	100.3	-
A122691	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

**Engine TC Holder CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the Block 2, AFM option code <3M82.R4.LEAP1B28.BLK2.1PTS> (1-

certificated noise levels<sup>1</sup> Position tail skid)

Noise Certification Basis	ICAO Annex 16, Volume I	Edition / Amendment	Edition 7 / Amendment 11-B	Chapter <sup>1</sup>	4

FACA	Maximu	Maximum Mass		Lateral EPNL		er EPNL	Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122663	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122664	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122665	76,838	68,401	88.7	96.9	80.8	91.7	94.2	100.6	-
A122666	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122667	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122668	70,306	65,056	88.9	96.6	78.6	91.2	93.9	100.3	-
A122669	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>1</sup> See Note 1.



TE.CERT.00051-001 © European Union Aviation Safety Agency, 2025. All rights reserved. ISO9001 Certified. Proprietary document. Copies are not controlled. Confirm revision status through the EASA-Internet/Intranet.

Page 30 of 37

Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-8200

Engine TC Holder **CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM option code <3M82.R4.LEAP1B28.BLK2.2PTS> (2-Position tail skid)

Page 31 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 7 / Amendment 11-B Chapter<sup>1</sup>

FACA	Maximum Mass		Lateral EPNL		Flyove	r EPNL	Approach EPNL		See
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note
A122692	82,190	69,308	88.5	97.2	82.6	92.1	94.2	100.9	-
A122693	79,106	69,308	88.6	97.0	81.5	91.9	94.2	100.7	-
A122694	76,838	68,401	88.7	96.9	80.8	91.7	94.1	100.6	-
A122695	74,570	68,174	88.8	96.8	80.0	91.5	94.1	100.5	-
A122696	72,302	68,174	88.9	96.7	79.2	91.4	94.1	100.4	-
A122697	70,306	65,056	88.9	96.6	78.6	91.2	93.8	100.3	-
A122698	68,038	61,234	89.0	96.5	77.8	91.0	93.5	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-9

**Engine TC Holder CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B27

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM Option code <3M9.R4.LEAP1B27.BLK2>

Page 32 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup> 4

FACA	Maximum Mass		Latera	l EPNL	Flyove	er EPNL	Approa	ch EPNL	See	
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note	
A121968	88,314	74,343	87.6	97.4	86.3	92.5	94.4	101.1	-	
A121969	85,819	74,343	87.6	97.3	85.3	92.3	94.4	101.0	-	
A121970	83,551	73,345	87.7	97.2	84.5	92.2	94.4	100.9	-	
A121971	81,283	73,345	87.8	97.1	83.6	92.0	94.4	100.8	-	
A121972	78,562	70,624	87.8	97.0	82.6	91.8	94.2	100.7	-	
A121973	76,294	70,624	87.9	96.9	81.7	91.7	94.2	100.6	-	
A121974	74,570	69,308	88.0	96.8	81.1	91.5	94.1	100.5	-	
A121975	71,214	66,542	88.1	96.6	79.8	91.3	93.9	100.4	-	
A121976	68,038	64,169	88.2	96.5	78.7	91.0	93.7	100.2	-	

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-9

**Engine TC Holder CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM Option code <3M9.R4.LEAP1B28.BLK2>

Page 33 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup>

FACA	Maximum Mass		Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	Coo
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note
A121977	88,314	74,343	88.2	97.4	85.2	92.5	94.4	101.1	-
A121978	85,819	74,343	88.2	97.3	84.3	92.3	94.4	101.0	-
A121979	83,551	73,345	88.3	97.2	83.5	92.2	94.4	100.9	-
A121980	81,283	73,345	88.4	97.1	82.7	92.0	94.4	100.8	-
A121981	78,562	70,624	88.5	97.0	81.7	91.8	94.2	100.7	-
A121982	76,294	70,624	88.5	96.9	80.9	91.7	94.2	100.6	-
A121983	74,570	69,308	88.6	96.8	80.3	91.5	94.1	100.5	-
A121984	71,214	66,542	88.7	96.6	79.1	91.3	93.9	100.4	-
A121985	68,038	64,169	88.8	96.5	78.0	91.0	93.7	100.2	-

<sup>&</sup>lt;sup>1</sup> See Note 1.



Issue: 13

Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-9

**Engine TC Holder CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28B1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM Option code <3M9.R4.LEAP1B28.BLK2>

Page 34 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 6 / Amendment 10 Chapter<sup>1</sup>

FACA	Maximu	ım Mass	Latera	l EPNL	Flyove	r EPNL	Approa	ch EPNL	See	
EASA Record No.	Take-off¹ (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Note	
A121986	88,314	74,343	88.2	97.4	85.2	92.5	94.4	101.1	-	
A121987	85,819	74,343	88.2	97.3	84.3	92.3	94.4	101.0	-	
A121988	83,551	73,345	88.3	97.2	83.5	92.2	94.4	100.9	-	
A121989	81,283	73,345	88.4	97.1	82.7	92.0	94.4	100.8	-	
A121990	78,562	70,624	88.5	97.0	81.7	91.8	94.2	100.7	-	
A121991	76,294	70,624	88.5	96.9	80.9	91.7	94.2	100.6	-	
A121992	74,570	69,308	88.6	96.8	80.3	91.5	94.1	100.5	-	
A121993	71,214	66,542	88.7	96.6	79.1	91.3	93.9	100.4	-	
A121994	68,038	64,169	88.8	96.5	78.0	91.0	93.7	100.2	-	

<sup>1</sup> See Note 1.



Issue: 13 Date: 09 October 2025

Type Certificate Holder<sup>1</sup> **The Boeing Company** Aircraft Type Designation<sup>1</sup> 737-9

**Engine TC Holder CFM International SA** Engine Type Designation<sup>1</sup> LEAP-1B28BBJ1

Additional modifications essential to meet the requirements or needed to attain the certificated noise levels<sup>1</sup>

Block 2, AFM Option code <3M9.R4.LEAP1B28.BLK2>

Page 35 of 37

**Noise Certification Basis** ICAO Annex 16, Volume I Edition / Amendment Edition 8 / Amendment 13 Chapter<sup>1</sup> 4

FACA	Maximu	Maximum Mass		l EPNL	Flyove	r EPNL	Approa	ch EPNL	200	
EASA Record No.	Take-off <sup>1</sup> (kg)	Landing (kg)	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	Level <sup>1</sup>	Limit	See Note	
A122742	88,314	74,343	88.2	97.4	85.2	92.5	94.4	101.1	-	
A122743	85,819	74,343	88.2	97.3	84.3	92.3	94.4	101.0	-	
A122744	83,551	73,345	88.3	97.2	83.5	92.2	94.4	100.9	-	
A122745	81,283	73,345	88.4	97.1	82.7	92.0	94.4	100.8	-	
A122746	78,562	70,624	88.5	97.0	81.7	91.8	94.2	100.7	-	
A122747	76,294	70,624	88.5	96.9	80.9	91.7	94.2	100.6	-	
A122748	74,570	69,308	88.6	96.8	80.3	91.5	94.1	100.5	-	
A122749	71,214	66,542	88.7	96.6	79.1	91.3	93.9	100.4	-	
A122750	68,038	64,169	88.8	96.5	78.0	91.0	93.7	100.2	-	

<sup>1</sup> See Note 1.



TCDSN No.: EASA.IM.A.120.6 Page 36 of 37
Issue: 13 Date: 09 October 2025

<u>Correspondence between the ICAO Annex 16 Volume I levels of amendment and the related EU regulations</u>

The table below provides the correspondence between the levels of amendment of Volume I of ICAO Annex 16 and the related EU regulations that have implemented these levels of amendment since 2003,

ICAO Annex 16 Volu	ıme l	EU regulations	
Amendment level	Applicability date	Regulation number	Applicability date
Amendment 14	01/01/2024	Regulation (EU) 2025/870*	25/05/2025
Amendment 13	01/01/2021	Regulation (EU) 2021/1087*	25/07/2021
Amendment 12	01/01/2018	Regulation (EU) 2018/1139 (Art.9)	11/09/2018
Amendment 11-B	01/01/2015	Regulation (EU) 2016/4*	26/01/2016
Amendment 10	17/11/2011	Regulation (EU) No 6/2013*	29/01/2013
Amendment 9	20/11/2008	Regulation (EC) No 690/2009*	20/08/2009
Amendment 8	24/11/2005	Regulation (EC) No 216/2008 (Art.6)	29/03/2007
		Regulation (EC) No 334/2007*	29/03/2007
Amendment 7	21/03/2002	Regulation (EC) No 1701/2003*	28/09/2003
Amendment 6	04/11/1999	Regulation (EC) No 1592/2002 (Art.6)	28/09/2003

<sup>\*</sup> Regulations that amend Article 6 of Regulations (EC) No 1592/2002 and (EC) No 216/2008, and Article 9 of Regulation (EU) 2018/1139

## **TCDSN EASA.IM.A.120.6 Notes**

as well as the respective applicability dates.

1. In cases where it is appropriate to issue a noise certificate, items so marked shall be included on EASA Form 45.

TCDSN No.: EASA.IM.A.120.6 Page 37 of 37

Issue: 13 Date: 09 October 2025

## **Change Record**

Issue	Date	Changes
Issue 1	27 March 2017	Initial Issue
Issue 2	17 October 2018	Introduction of model 737-9; added record A122009
Issue 3	24 October 2018	Flyover noise level revised for records A121968-A121976, A121977,
		A121978, A121986 and A121987; Within track changes for Issue 2
		changed 787-9 into 737-9
Issue 4	12 April 2019	Added record A122037
Issue 5	06 April 2021	Introduction of model 737-8200
Issue 6	25 October 2021	For model 737-8: Added records for MTOM of 82,644 kg
Issue 7	25 March 2022	Added records A122729 and A122737
Issue 8	13 October 2022	For several records AFM option code revised or added
Issue 9	10 January 2023	Added records A122742- A122750 and A122771- A122786 for 787-8 and
		787-9 fitted with LEAP-1B28BBJ1
Issue 10	06 September 2023	Added records A122804 and A122797
Issue 11	08 December 2023	Added record A122811
Issue 12	02 July 2025	Added record A123660
Issue 13	09 October 2025	Added record A124041