

Airworthiness Directives (ADs)

Safety Publications (SP) Tool

How can I receive notifications of ADs applicable to a specific product type?

Answer

In order to receive notifications of new AD publications applicable to a specific product type, you need to [register to the Safety Publications Tool](#).

The subscription service for new publications enables you to define your own filter and to receive notifications for these filtered AD publications. Please consult the [User guide](#) ('How to...') for information on how to view and filter new ADs and on how to subscribe to their automatic notification. This service is free of charge.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19485>

Why does EASA publish some foreign ADs with a prefix (e.g. US-, BR-, RU-)?

Answer

This is a practical IT solution only and it is not meant to be read as a different or new AD number. Some foreign ADs follow the same AD numbering principle (YYYY-XX-XX), which can result in identical numbers for two ADs issued by two different Authorities. In past cases, the AD Publishing Tool mixed up the two records and file uploads were corrupted. The prefix was therefore introduced to clearly distinguish those ADs. The AD number as identified within the AD document itself applies and there is no requirement to record compliance using the AD number with the prefix.

Last updated:

27/05/2015

Link:

<https://www.easa.europa.eu/en/faq/19495>

Which Aviation Safety Publications are available in the EASA Safety Publications Tool?

Answer

The EASA [Safety Publications Tool](#) includes both Mandatory and Non-Mandatory Continuing Airworthiness Information, as well as Safety Publications related to operations, ATM/ANS, aerodromes and conflict zones:

- Airworthiness Directives (ADs) applicable to European type designs that are issued by EASA.
- State of Design ADs that have been adopted by EASA after 28 September 2003 – see Note below.
- All Proposed Airworthiness Directives (PADs), with the possibility to submit comments to EASA during the PAD consultation period.
- [Safety Information Bulletins](#) (SIB), having one or more of the following categories: Aerodromes, Airworthiness, ATM/ANS and Operations; Foreign State of Design safety advisory publications, e.g. [FAA Unapproved Parts Notifications](#) (UPN), FAA [Special Airworthiness Information Bulletin](#) (SAIB), FAA [Safety Alert For Operators](#) (SAFO), ANAC Brazil [Flight Alerts](#) and Transport Canada [Civil Aviation Safety Alerts](#) (examples).
- [Conflict Zone Information Bulletin](#) (CZIB), for more info see "[Information on Conflict Zones](#)".

Note: *Not available at this time: most Foreign State of Design ADs issued before August 2006 and some European State of Design ADs issued before 28 September 2003.*

Last updated:

20/10/2017

Link:

<https://www.easa.europa.eu/en/faq/19483>

General

Where can I obtain information about Alternative Methods of Compliance (AMOC) to ADs?

Answer

Information related to AMOCs can be found on the EASA website, [Airworthiness](#)

[Directives](#) page.

In addition, please consult the [AMOC FAQ](#) page.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19474>

Can EASA provide the service information referenced in an AD?

Answer

In principle, EASA does not provide service information as it contains proprietary information owned by the approval holder of the product, part or appliance to which the AD applies. Please contact the appropriate owner of such information, e.g. the Design Approval Holder, whose contact details can be found in the relevant AD. In exceptional cases, with the consent of the approval holder, EASA may make service information available as an attachment to the record of the AD.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19482>

How can I identify an AD as being a State of Design AD?

Answer

In principle, an AD is a State of Design AD when the authority that issues the AD is, on the date of issuance of that AD, the State of Design authority for the products, parts or appliances (or STC modification) to which the AD applies. The Type Certificates of some products have been known to move from one State of Design to another in the recent past, e.g. the Bell 206 and 222 helicopter types moving to Bell Helicopter Textron Canada, from the USA to Canada; the British Aerospace 125 business jet type design was sold to Raytheon (now Textron Aviation, Inc.), moving from the UK to the USA; and APEX sold the R 2000 type design to Alpha Aviation, moving the State of Design (responsibilities) from France to New Zealand.

Some examples:

When operating a product for which France is the State of Design, e.g. an Airbus aeroplane, or

a SAFRAN helicopter engine (formerly known as Turboméca), the applicable ADs are those issued (or approved) by EASA and, previously, ADs issued by DGAC France.

When operating a product for which the USA is the State of Design, e.g. a Boeing aeroplane, or a General Electric engine, the applicable ADs are those issued by the Federal Aviation Administration (FAA).

When operating a Bell 206 helicopter, the applicable ADs are those issued by the FAA **before** 14 September 1995, **and** those issued by Transport Canada Civil Aviation (TCCA) **after** that Type Certificate transfer date. The [TCDS EASA.IM.R.512](#) contains lists (for each Model) of valid pre-transfer FAA ADs.

FAA ADs can be found in the [Regulatory and Guidance Library](#), while TCCA ADs can be found on the [Transport Canada website](#), and (since 2003) on the [EASA SP Tool](#).

Last updated:

12/07/2018

Link:

<https://www.easa.europa.eu/en/faq/19477>

Am I required to comply with ADs published on the EASA website?

Answer

The answer to this question depends on where (in which country) the aircraft is registered, or on the specific agreement existing between the Authority of the State of Registry and the State of the affected operator. In principle, the regulations of the State of Registry of an aircraft determine which ADs apply to that aircraft (including the engine, propeller, parts and appliances). In nearly all cases, ICAO Annex 8, Chapter 4 guidelines are applied, which means that the State of Design ADs (see definition above) apply.

Please also consult our [FAQ on ADs applicable to third-country registered aircraft when operated in accordance with Part-NCO](#).

Last updated:

08/03/2019

Link:

<https://www.easa.europa.eu/en/faq/19481>

Where can I find a State of Design AD issued before 28 September 2003 (start date of EASA) if it is not in the Safety Publications Tool?

Answer

All ADs issued by the State of Design (SoD) Authorities before 28 September 2003 should be retrieved from the relevant SoD websites. Please consult the list of [Useful links](#) on the EASA Airworthiness Directives page.

SoD ADs issued before 28 September 2003 are progressively uploaded to the EASA [Safety Publications Tool](#) by the Safety Information Section. Once this upload is finished, an announcement will be made on the EASA Airworthiness Directives webpage.

Last updated:

23/10/2017

Link:

<https://www.easa.europa.eu/en/faq/19478>

What are the applicable ADs in EASA Member States (European Union and some associated countries) for a specific product, part or appliance?

Answer

ADs applicable to an EASA approved design (products, parts or appliances) are those ADs which have been issued or adopted by the Agency by way of:

- ADs issued by the Agency through Agency decisions,
- ADs issued by Foreign State of Design Authorities (Non-EASA Member States) and adopted by the Agency by way of:
 - for ADs issued before 28 September 2003 (start date of EASA):
[Commission Regulation \(EU\) No 748/2012](#), Article 3, Paragraph 1 (a) (iii) (ADs issued by the State of Design for products, parts and appliances);
 - for ADs issued after 28 September 2003 (start date of EASA):
Executive Director [Decision 02/2003](#) or, from 03 June 2019, Executive Director [Decision 2019/018/ED](#).

Note: One-time actions (inspection, repair, modification, etc.) accomplished before 28 September 2003, based on (i.e. required by) an AD issued by an EASA State of Registry authority, in deviation from a State of Design AD, remain 'valid' in the sense that such actions constitute compliance with the State of Design AD for the same subject. Repetitive actions, previously required by an AD issued by an EASA State of Registry authority, must be continued after 28 September 2003 as required by the State of Design AD for the same subject. Each AD issued before 28 September 2003 by an EASA State of Registry authority, in the absence of a State of Design AD (also identified as 'additional' AD), is no longer valid from 28 September

2003 (i.e. cannot be enforced anymore).

Please also consult our [FAQ on ADs applicable to third-country registered aircraft when operated in accordance with Part-NCO](#).

Last updated:

13/09/2019

Link:

<https://www.easa.europa.eu/en/faq/19479>

Are Foreign State of Design (non-EASA Member States) ADs that are not available in the Safety Publishing Tool applicable in Europe?

Answer

[Commission Regulation \(EU\) No 748/2012](#), Article 3, paragraph 1 (a) (iii) specifies that “the applicable airworthiness directives were those of the State of design”.

This means that all ADs issued by the State of Design before 28 September 2003 (start date of EASA), either applicable to European or non-European products (i.e. aircraft, engines, propellers), parts or appliances (or STC modifications), have been adopted by EASA under that Regulation.

As a result, all ADs issued by the State of Design authority for the affected product(s), part(s) or appliance(s) are valid in Europe, unless EASA has issued a different decision.

[Commission Regulation \(EU\) No 1321/2014](#), M.A.301, paragraph 5 (i) requires that the “aircraft continuing airworthiness [...] shall be ensured by [...] the accomplishment of any applicable airworthiness directive”, as identified by Regulation (EU) 748/2012.

All Foreign State of Design ADs issued **after** 28 September 2003 have been (and still are) ‘automatically’ adopted by EASA under the provisions of EASA Executive Director [Decision 02/2003](#) or, from 03 June 2019, Executive Director [Decision 2019/018/ED](#). This later decision implies that any AD issued by the State of Design authority for the products, parts or appliances (or STC modification) to which that AD applies, becomes valid in Europe upon the day that AD becomes effective, **unless** the Agency issues a **different decision** (e.g. deviating AD, or statement of non-adoption). This decision applies to **all** State of Design ADs, not only those issued by the FAA.

Last updated:

13/09/2019

Link:

<https://www.easa.europa.eu/en/faq/19480>

Can the information provided on EASA's FAQ be considered as legally binding?

Answer

EASA is not the competent authority to interpret EU Law. The responsibility to interpret EU Law rests with the judicial system, and ultimately with the European Court of Justice. EASA cannot even provide an 'authentic interpretation' (which is an official interpretation of a statute issued by the statute's legislator). Therefore any information included in these FAQs shall only be considered as EASA's understanding on a specific matter, and cannot be considered in any way as legally binding.

Last updated:

09/05/2016

Link:

<https://www.easa.europa.eu/en/can-information-provided-easas-faq-be-considered-legally-binding>

What are the applicable 'State of Design' ADs for CFM International (CFM56, LEAP-1) engines?

Answer

Since CFM International engines (CFM56, and now also LEAP-1 engines) are jointly designed and manufactured by General Electric in the US and by SNECMA (now SAFRAN Aircraft Engines) in France, the situation is more complex than for other type designs. The FAA and EASA are joint State of Design authorities, both publish ADs, but do not adopt the other party's ADs. FAA and EASA concluded a [working arrangement](#), formalising the situation described above (in particular, see section 4.1.3).

Consequently, for operators under European regulation, the EASA ADs are the 'State of Design' ADs for CFM International engines. FAA ADs applicable to CFM International engines are not eligible for adoption in the EU system, **unless** EASA determines otherwise.

EASA can only consider adoption of FAA CFM International ADs in cases where the responsible design (change) approval holder is not CFM International, or where the unsafe condition was due to maintenance errors, e.g. FAA [AD 2016-14-10](#) for P&W STC-modified engines; and [AD 2009-11-02](#) for improper repair by PTLLC. In such cases, EASA has adopted

these ADs and has informed EASA Member States to ensure operators are aware. The record in the EASA SP Tool provides the justification for EASA adoption of such FAA AD, recognised as 'State of Design' AD, not for the engine type design, but for the US-designed and FAA-certified STC, or the US-designed and FAA-certified repair, etc.

For non-EU States of Registry that have validated CFM International engine designs, it is the State of Registry (ICAO Annex 8, Chapter 4) that decides which are the applicable ADs – those issued by the FAA, or by EASA. Preferably, to avoid operator confusion, each State of Registry should determine which ADs they consistently (not on a case-by-case basis) adopt, either to follow FAA ADs, or EASA ADs.

Unfortunately, due to the differing EASA and FAA systems for creating ADs, there are cases where two corresponding ADs do not have identical requirements, as a result of which, compliance with an FAA AD may not be equal to compliance with the corresponding EASA AD, and vice versa. FAA and EASA are well aware that some operators face difficulties as they are sometimes expected to demonstrate compliance with both FAA and EASA CFM International ADs (e.g. aircraft/engines owned by a leasing company, or stipulated in an insurance contract). Unfortunately, conflicts can only be resolved by agreement from the State of Registry of the affected aircraft at the time compliance demonstration is warranted.

Last updated:

12/07/2018

Link:

<https://www.easa.europa.eu/en/faq/47525>

AD specific queries

Who can approve an extension of the compliance time for an AD?

Answer

EASA does not approve AD compliance time extension requests for individual cases.

For an aircraft registered in an EASA Member State, the National Aviation Authority of the Member State can grant individual (temporary) exemptions on AD compliance time in the event of unforeseen urgent operational circumstances or operational needs of a limited duration, in accordance with [Basic Regulation](#), Article 71.

For any other aircraft, the State of Registry authority should be contacted.

An extension of the AD compliance time for an individual product without 'compensating factors' that would provide for an equivalent level of safety is not to be considered as Alternative

Method of Compliance (AMOC) to an AD. See also [AMOC FAQ](#).

Last updated:

12/10/2018

Link:

<https://www.easa.europa.eu/en/faq/19488>

Why does an AD apply to all aircraft and not only to those that have the 'affected' part installed?**Answer**

When an unsafe condition affects a certain Part Number, the AD applies to all aircraft for which installation of the part is eligible. The reason for this is that the unsafe part could be installed on any of those aircraft at a later stage after issuance of the AD. The AD would contain a prohibition to install, or specify the conditions under which installation would be allowed, which are requirements that must also apply to aircraft that do not, on the effective date of the AD, have the part installed.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19493>

What is the correct reference date for accomplishment of a maintenance task?**Answer**

For any maintenance task, including AD required actions, the date of release is the date when the Certificate of Release to Service (CRS) is signed by duly authorised certifying staff. Only certifying staff is competent to make the final airworthiness determination and therefore the CRS reference date does not necessarily coincide with the date when the individual maintenance task was actually performed and signed off by maintenance staff.

In the EASA system, the owner/CAMO is not required to keep the (so called) dirty finger prints, i.e. the exact time of the performance of the maintenance (e.g. AD action) work card. However, the owner/CAMO must consider the specific cases of tasks with repetitive action having a calendar limit, where a significant lag could occur between the date of task performance and

the date of the CRS (which “legally speaking” determines the effective date of accomplishment). In such cases, the owner/CAMO must coordinate with the maintenance organisation the issuance of a release specifically and without undue delay to cover the particular task that is subject to a calendar limit when it has been applied, to avoid any distortion regarding limits associated with such repetitive actions or, as an alternative, record the date of AD accomplishment in the CRS.

In determining if a lag between the date of task performance and the date of the CRS is “significant”, engineering judgment and common sense must be used. The following questions should be considered:

- how long is the time lag between the ‘due date’ (calendar time limit required for the next AD action) and the actual date of (planned) accomplishment? For example, 2 days are significant for a monthly interval task, and obviously insignificant for a 5-year interval task);
- what is the technical content (e.g., inspection for corrosion) of the AD task?; where (e.g., inside hangar, or outside, salty or otherwise erosive/corrosive environment) will the aircraft be parked after AD action completion?;
- other factors may also be considered, affecting that single aircraft and/or operator etc.

It is also to be noted that AD compliance verification (enforcement) is not an EASA responsibility, but that of the National Aviation Authority of the State of Registry of the aircraft, and it is always recommended, if in doubt, to seek their advice.

Last updated:

09/05/2016

Link:

<https://www.easa.europa.eu/en/faq/19496>

When does EASA cancel an AD?

Answer

When the Design Approval Holder can provide justification that the unsafe condition no longer exists, e.g. because all the affected parts have been removed from aircraft and are confirmed to have been taken out of circulation. In such a case, a Proposal for AD Cancellation would normally be published first to invite comments. Upon Cancellation, the AD (watermarked “CANCELLED”) remains in the AD Publishing Tool, an AD Cancellation Notice explains why the AD was cancelled and its requirements are deleted.

Last updated:

09/05/2016

Link:

<https://www.easa.europa.eu/en/faq/19497>

Do I have to comply with a 'mandatory' Service Bulletin?

Answer

The official EASA position regarding 'required' application of SB instructions is as follows:

Through the DOA (Design Organisation Approval) oversight process, the Agency promotes that TC/STC holders designate a Service Bulletin (SB) as mandatory only if it is known to them that this SB will also be covered by an AD. In all other cases, the TC/STC holder should use a term like 'highly recommended' (or equivalent). However, this is not yet common practice and there are still cases where an SB is termed 'mandatory' by the TC/STC holder, although no AD is to be issued. The Agency has no legal tools to prohibit the use of the word 'mandatory' by TC/STC holders, but EASA Certification Memorandum [CM-21.A-J-001](#) has been issued to provide advice and guidance on this subject.

The case of an SB for which an AD has been issued, irrespective of whether it is designated by the TC/STC holder as 'mandatory', 'alert' or 'highly recommended', is clear: these are part of the Mandatory Continuing Airworthiness Instructions and must be applied in all cases.

The case of SBs designated as 'mandatory', 'alert' or 'highly recommended' by the TC/STC holder for which no AD has been issued is more complex and the following cases should be considered:

- The TC/STC holder subsequently includes such SB (e.g. repetitive inspection instructions) in the manufacturer maintenance programme (Maintenance Review Board Report (MRBR) or Manufacturer Recommended Programme) for the aircraft concerned. In this case, the SB under consideration will need to be included in the aircraft maintenance programme as defined in [Commission Regulation \(EU\) No 1321/2014](#), M.A.302(d) and (g) (see also AMC M.A.302(d)) to ensure compliance with instructions for continuing airworthiness issued by the TC/STC holder.
- The TC/STC holder does not include such SB in the manufacturer maintenance programme (MRBR or Manufacturer Recommended Programme) for the aircraft concerned. In this case, the final decision to apply such SB lies with the owner/operator or contracted CAMO, as M.A.302(g) does not apply.
- The TC/STC holder issues an SB defining a modification, the related embodiment instruction and the relevant scheduled maintenance requirements, where these may or may not be subsequently included in the manufacturer maintenance programme (MRBR or Manufacturer Recommended Programme) for the aircraft concerned. In case the SB will not be included in

the manufacturer maintenance programme, the final decision to apply it or not lies with the owner/ operator or contracted CAMO. If the final decision is to apply the SB, then the aircraft maintenance programme needs to be updated to include the scheduled maintenance requirements.

Finally, in relation to points 2. and 3. above, for all non-mandatory modifications and/or inspections, including SBs classified by the TC/STC holder as 'mandatory', 'alert' or 'highly recommended' and **not** covered by a corresponding AD, for all large aircraft, or aircraft used in commercial air transport, an embodiment policy is to be established, as required by M.A.301(7.). That policy should then result in a substantiated (and recorded) operator's decision for each SB to apply it, or not.

Last updated:

23/10/2017

Link:

<https://www.easa.europa.eu/en/faq/19494>

When does EASA correct an AD?**Answer**

After an AD has been published, there may be the need to update its content. Depending on the impact of the changes that will be included, an AD can be corrected, revised or superseded.

An AD is corrected to incorporate a non-substantive change to an AD, which does not affect compliance with the AD, e.g. a typographical error.

A corrected AD retains its AD number (including its revision status). The effective date of a corrected AD does not change.

Consequently, when in compliance with a not-corrected AD, an aircraft is automatically in compliance with the corrected one.

Last updated:

09/05/2016

Link:

<https://www.easa.europa.eu/en/when-does-easa-correct-ad>

Until when can I submit comments to a Proposed Airworthiness Directive (PAD)?

Answer

If the consultation period stated in a PAD ends (e.g.) on 15 December, interested parties would be able to comment on the relevant PAD at any time up until 23:59 on 15 December.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19489>

How can I find ADs for equipment (parts or appliances which have their own approval, e.g. ETSO or equivalent) installed on an aircraft?

Answer

Since October 2016, a new format to improve the taxonomy for ADs applicable to parts and appliances (equipment) has been fully implemented in the EASA Safety Publication Tool. The new settings enable users to find all ADs applicable to a particular category of parts and appliances, or find all 'equipment' ADs with a single search action, rather than (as was previously the case) having to select each ETSO approval holder separately.

Users can go to the Safety Publications Tool, advanced search and select APPLIANCES to start using the new taxonomy for equipment ADs.

Users can also define/amend their filter setting(s) accordingly, thereby ensuring to be notified when EASA publishes an AD or PAD that does not directly apply to aircraft, engine, or propeller type designs.

It is possible to either select 'APPLIANCES', or choose notification for (e.g.) ATA 25 EQUIPMENT / FURNISHINGS only, or even more detailed, (e.g. if the user does maintenance on seats only) selecting Cabin Crew Seats, Flight Crew Seats and Passengers Seats.

We have removed the company names of ETSO approval holders from the SP Tool taxonomy, except where a company also holds an STC approval that is the subject of an AD. For all existing 'equipment' ADs, we have specified the name of each approval holder (as it was at the time of AD issuance) in the subject line of the AD record. We will do the same for all future equipment ADs.

Last updated:

17/11/2016

Link:

<https://www.easa.europa.eu/en/faq/19490>

Could an aircraft records check replace a visual inspection to identify a Part Number and/or serial number?

Answer

Identification of a part by checking the aircraft records is only allowed if this is explicitly indicated in the AD requirements.

For example: A review of aircraft delivery or maintenance records is acceptable in lieu of the inspection as required by this paragraph, provided those records can be relied upon for that purpose, and the Part Number and serial number can be conclusively identified from that review.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19492>

When does EASA revise an AD?

Answer

After an AD has been published, there may be the need to update its content. Depending on the impact of the changes that will be included, an AD can be corrected, revised or superseded.

An AD is revised to incorporate changes that make the AD requirements less stringent than the previous revision. This may occur, for example, when the applicability is reduced; when the compliance time is extended; when an optional alternative method of compliance is added; when an optional terminating action is added; when clarification is provided (including correction of errors in the previous AD that made the accomplishment of that AD impossible); when non-substantive changes are incorporated (such as the change in the address where a Service Bulletin is available or a change in the name of the contact person)

A revised AD retains its AD number with the addition of the revision number, e.g., 2006-0067R1

Consequently, when in compliance with a previous revision of an AD, an aircraft is automatically in compliance with the new revision.

Anyway, if the AD requires a repetitive inspection, after the effective date of the new revision,

compliance with the AD at the latest revision must be recorded.

Last updated:

23/10/2017

Link:

<https://www.easa.europa.eu/en/when-does-easa-revise-ad>

Why does EASA adopt a Foreign State of Design AD which is applicable to a product serial number (s/n) not yet registered in Europe?

Answer

The fact that none of the s/n listed in the Foreign AD are, at the time of adoption, registered in Europe, is not strictly relevant for the Foreign AD adoption process/decision. Any s/n aircraft could be registered in future, provided the aircraft complies with the EU-validated design specifications. If already adopted, this AD would then automatically be added to the 'package' of actions that must be accomplished on that product.

Last updated:

03/12/2013

Link:

<https://www.easa.europa.eu/en/faq/19486>

When does EASA supersede an AD?

Answer

After an AD has been published, there may be the need to update its content. Depending on the impact of the changes that will be included, an AD can be corrected, revised or superseded.

An AD is superseded if accomplishment of that AD can no longer assure an adequate level of safety, of a single aircraft and/or of the fleet: this may occur, for example, if a more stringent requirement is added (compliance time and / or required action), or if the applicability is expanded to aircraft models and/or serial numbers not included in the original applicability.

This may also occur if an error is identified in the original AD, while it is physically possible to comply with that AD as published.

Consequently, even in compliance with the original (superseded) AD, the owner and/or the operator of an affected aircraft must always comply with the superseding AD.

A superseding AD has a new AD number.

Last updated:

22/02/2016

Link:

<https://www.easa.europa.eu/en/when-does-easa-supersede-ad>

Why does EASA issue ADs for Airworthiness Limitations Section (ALS) tasks?

Answer

The ALS is part of the certificated product (aircraft, engine, propeller) type design (Part 21.A.31.a), that contains the mandatory scheduled maintenance items and the limitations for part replacement, necessary to maintain compliance with that type design. For each individual aircraft, an approved aircraft maintenance programme (AMP) must be created, initially containing the ALS at the revision level applicable at the time of the aircraft's first certificate of airworthiness.

The ALS content is regulated by the airworthiness codes, e.g. CS 25.1529, Appendix H25.4. Each subsequent change to the ALS is approved by EASA. In view of the nature of the tasks contained in the ALS, failure to comply with an ALS revision (i.e. new or more restrictive tasks) would – in general – lead to an unsafe condition. Since EASA (under art. 77(1) of regulation (EU) 2018/1139) carries out the ICAO functions and tasks of the State of Design on behalf of EASA Member States, EASA notifies new or more restrictive ALS tasks as 'Mandatory Continued Airworthiness Information' to ICAO Contracting States by taking AD action for these specific ALS revisions.

In case an ALS revision only provides 'relief' (less restrictive), no AD will be issued, as there would be no 'safety' justification for such action. The existing EASA AD for a previous ALS revision, however, always allows the use of 'later approved revisions' to ensure compliance with the AD, which includes the use of any extended compliance time(s).

Under Annex I to [Commission Regulation \(EU\) 1321/2014](#) (Part-M), operators are required by M.A.302 (a) to have an approved AMP, which establishes compliance – M.A.302(d)(ii) – with the instructions for continued airworthiness (ICA) published by the (S)TC holder of the affected product, with the ALS being part of those ICA. However, Part-M does not specify exactly when, after publication of an ALS revision, an AMP must demonstrate compliance with that particular ALS revision and, consequently, from which time the new or more restrictive ALS tasks must be complied with. In practice, any new maintenance task may not be accomplished until after the

AMP amendment has been approved by the competent authority.

These are additional reasons why EASA issues an AD for an ALS revision: to require, from the effective date of the AD (even before the AMP amendment), the accomplishment of the maintenance tasks (before exceeding their due date) and to require the amendment of the AMP within a clear (and reasonable) compliance time.

Last updated:

09/05/2019

Link:

<https://www.easa.europa.eu/en/faq/23797>

What is the status in Europe of an FAA Emergency AD, once the Final Rule AD for that Emergency AD has been issued?

Answer

For affected aircraft registered in an EASA Member State, the requirements of an FAA Emergency AD (EAD) adopted by EASA are valid for compliance from the time of EAD issuance, which means that, as soon as the EAD is adopted by EASA, each affected operator (Applicability as stated in the EAD) is expected to comply, within the specified compliance time after that adoption. The EASA Member States' NAAs (who receive a copy of the EAD directly from the FAA) are expected to notify the operators and thereafter verify compliance (enforcement).

After some time the FAA will also issue a Final Rule AD. It should be noted that the only real difference between EAD and Final Rule AD is the effective date: the EAD becomes effective 'upon receipt', whereas the Final Rule AD has a 'fixed' calendar date. The technical requirements and the compliance time are identical in both documents. Therefore, EASA removes and replaces the EAD with the Final Rule AD in the EASA Safety Publications Tool.

To clarify the above, for each next case when a Final AD for an existing EAD is issued, the record for the EAD in the EASA SP Tool is updated by inserting the text *"This AD is effective Month xx, YYYY to all persons except those persons to whom it was made immediately effective by FAA Emergency AD YYYY-XX-XX, issued on Month XX, YYYY, which was adopted by EASA and contained the requirements of this AD"* into the field 'Remarks' of the EASA SP Tool AD record. However, the effective date of the AD record in the SP Tool will remain that of the EAD.

In addition, we insert (for reference purposes only) the full URL of the FAA EAD, as it remains in the FAA database, into the field 'Remarks' of the EASA SP Tool AD record. Please note that

this will be done for future cases only. EASA does not plan to retrospectively update other existing records for FAA ADs that started life as Emergency AD.

Finally, it should be noted that recording of the AD (when complying) is not an issue: the AD number is the same, which means that when an aircraft has complied with the EAD it is also compliant with Final Rule AD. Consequently, once the EAD has been complied with, no (additional) compliance demonstration is necessary for the Final Rule AD when that is issued.

Last updated:

26/08/2020

Link:

<https://www.easa.europa.eu/en/faq/117167>