

FOREWORD

The forward and CC instructions will be provided at a later date

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.1	<p>INTERNATIONAL STANDARDS AND RECOMMENDED PRACTICES</p> <p>PART I</p> <p>CORE SARPs</p> <p>CHAPTER 1. DEFINITIONS</p> <p><i>Note.— The designation (RR) in these definitions indicates a definition which has been extracted from the Radio Regulations of the International Telecommunication Union (ITU) (see Handbook on Radio Frequency Spectrum Requirements for Civil Aviation including Statement of Approved ICAO Policies (Doc 9718)).</i></p>	f2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-------	--	-----	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	<p>1.1 Definitions</p> <p>When the following terms are used in the Standards and Recommended Practices for Meteorological Service for International Air Navigation, they have the following meanings:</p> <p>Aerodrome. A defined area on land or water (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft.</p>									
1.1.2	Aerodrome climatological summary. Concise summary of specified meteorological elements at an aerodrome, based on statistical data.	Reg. (EU) 2017/373: Annex I Definitions (3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.3	Aerodrome climatological table. Table providing statistical data on the observed occurrence of one or more meteorological elements at an aerodrome.	Reg. (EU) 2017/373: Annex I Definitions (4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.4	Aerodrome control tower. A unit established to provide air traffic control service to aerodrome traffic.	Reg. (EU) 923/2012 : Art. 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

		Definitions (8)								
1.1.5	Aerodrome elevation. The elevation of the highest point of the landing area.	Reg. (EU) 2017/373: Annex I Definitions (5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.6	Aerodrome meteorological office. An office designated to provide meteorological service for aerodromes serving international air navigation.	Reg. (EU) 2017/373: Annex I Definitions (7)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The modificati on is made to provide more clarity as the rule also applies, in the EU , to aerodrome s serving the te rritory of one Member State.	

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
1.1.7	<i>Aerodrome reference point.</i> The designated geographical location of an aerodrome.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No definition.	
1.1.8	<i>Aeronautical fixed service (AFS).</i> A telecommunication service between specified fixed points provided primarily for the safety of air navigation and for the regular, efficient and economical operation of air services.	Reg. (EU) 2017/373: Annex I Definitions (11)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.9	<i>Aeronautical fixed telecommunication network (AFTN).</i> A worldwide system of aeronautical fixed circuits provided, as part of the aeronautical fixed service, for the exchange of messages and/or digital data between aeronautical fixed stations having the same or compatible communications characteristics.	Reg. (EU) 2017/373: Annex I Definitions (12)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.10	<i>Aeronautical meteorological station.</i> A station designated to make observations and meteorological reports for use in international air navigation.	Reg. (EU) 2017/373: Annex I Definitions (16)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reference to international context is not relevant in EU rules	

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
1.1.11	Aeronautical mobile service (RR SI.32). A mobile service between aeronautical stations and aircraft stations, or between aircraft stations, in which survival craft stations may participate; emergency position-indicating radio beacon stations may also participate in this service on designated distress and emergency frequencies.	Reg. (EU) 923/2012 : Art. 2 Definitions (14)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.12	Aeronautical telecommunication station. A station in the aeronautical telecommunication service.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The term is not used in Annex V Part-MET	
1.1.13	Aircraft. Any machine that can derive support in the atmosphere from the reactions of the air other than the reactions of the air against the earth’s surface.	Reg. (EU) 2017/373: Annex I Definitions (18)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.14	Aircraft observation. The evaluation of one or more meteorological elements made from an aircraft in flight.	Reg. (EU) 923/2012 : Art. 2 Definitions (20)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin- g or Exceed- s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.15	AIRMET information. Information issued by a meteorological watch office concerning the occurrence or expected occurrence of specified en-route weather phenomena which may affect the safety of low-level aircraft operations and which was not already included in the forecast issued for low-level flights in the flight information region concerned or sub-area thereof.	Reg. (EU) 2017/373 : Annex I Definitions (19)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The EU Regulation is more specific in including details of the ‘development of those phenomena in time and space’
1.1.16	Air-report. A report from an aircraft in flight prepared in conformity with requirements for position, and operational and/or meteorological reporting. <i>Note.— Details of the AIREP form are given in the PANS-ATM (Doc 4444).</i>	Reg. (EU) 2017/373 : Annex I Definitions (17) Reg. (EU) 923/2012 : SERA.12005(c) Annex Rules of the Air, Section 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

		and Appendix 5								
1.1.17	Air traffic services unit. A generic term meaning variously, air traffic control unit, flight information centre or air traffic services reporting office.	Reg. (EU) 2017/373 : Annex I Definitions (21)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The EU definition includes “aerodrome flight information service unit”
1.1.18	Alternate aerodrome. An aerodrome to which an aircraft may proceed when it becomes either impossible or inadvisable to proceed to or to land at the aerodrome of intended landing where the necessary services and facilities are available, where aircraft performance requirements can be met and which is operational at the expected time of use. Alternate aerodromes include the following: <i>Take-off alternate.</i> An alternate aerodrome at which an aircraft would be able to land should this become necessary shortly after take-off and it is not possible to use the aerodrome of departure.	Reg. (EU) 2017/373 : Annex I Definitions (22, 43, 47 and 99)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	<p><i>En-route alternate.</i> An alternate aerodrome at which an aircraft would be able to land in the event that a diversion becomes necessary while en route.</p> <p><i>Destination alternate.</i> An alternate aerodrome at which an aircraft would be able to land should it become either impossible or inadvisable to land at the aerodrome of intended landing.</p> <p><i>Note.— The aerodrome from which a flight departs may also be an en-route or a destination alternate aerodrome for that flight.</i></p>									
1.1.19	Altitude. The vertical distance of a level, a point or an object considered as a point, measured from mean sea level (MSL).	Reg. (EU) 2017/373 : Annex I Definitions (24)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.20	Approach control unit. A unit established to provide air traffic control service to controlled flights arriving at, or departing from, one or more aerodromes.	Reg. (EU) 923/2012 : Art. 2 Definitions (41)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks	
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence				
				Level of implementation of SARPs							
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					
	Annex Standard or Recommended Practice										
1.1.21	Appropriate ATS authority. The relevant authority designated by the State responsible for providing air traffic services in the airspace concerned.		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This term has been replaced, on a case-by-case basis by the ‘ATS provider’	
1.1.22	Area control centre (ACC). A unit established to provide air traffic control service to controlled flights in control areas under its jurisdiction.	Reg. (EU) 2017 /373 : Annex I Definitions (25)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
1.1.23	Area navigation (RNAV). A method of navigation which permits aircraft operations on any desired flight path within the coverage of ground- or space-based navigation aids or within the limits of the capability of self-contained aids, or a combination of these. <i>Note.— Area navigation includes performance-based navigation as well as other operations that do not meet the definition of performance-based navigation.</i>	Reg. (EU) 2017/373 : Annex I Definitions (27) Reg. (EU) 923/2012 : GM1 Art. 2 Definitions (4 5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
1.1.24	Automatic dependent surveillance — contract (ADS-C). A means by which the terms of an ADS-C agreement	Reg. (EU) 923/2012 :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>will be exchanged between the ground system and the aircraft, via a data link, specifying under what conditions ADS-C reports would be initiated, and what data would be contained in the reports.</p> <p><i>Note.— The abbreviated term “ADS contract” is commonly used to refer to ADS event contract, ADS demand contract, ADS periodic contract or an emergency mode.</i></p>	Art. 2 Definitions (48). Reg. (EU) 923/2012 : GM1 Art. 2 Definitions (48)								
1.1.25	Briefing. Oral commentary on existing and/or expected meteorological conditions.	Reg. (EU) 2017/ 373: Annex V Part-MET GM1 M ET.OR.215(d)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The modificati on is based on the fact that not o nly verbal briefings are given or transmitted	
1.1.26	Cloud of operational significance. A cloud with the height of cloud base below 1 500 m (5 000 ft) or below the highest minimum sector altitude, whichever is greater, or a cumulonimbus cloud or a towering cumulus cloud at any height.	Reg. (EU) 2017/373 : Annex I Definitions (37)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
1.1.27	Consultation. Discussion with a meteorologist or another qualified person of existing and/or expected meteorological conditions relating to flight operations; a discussion includes answers to questions.	Reg. (EU) 2017/373: Annex V Part-MET GM1 MET.OR.215 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.28	Control area (CTA). A controlled airspace extending upwards from a specified limit above the earth.	Reg. (EU) 2017/373 : Annex I Definitions (39)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.29	Cruising level. A level maintained during a significant portion of a flight.	Reg. (EU) 923/2012 : Art. 2 Definitions (63)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.30	Elevation. The vertical distance of a point or a level, on or affixed to the surface of the earth, measured from mean sea level.	Reg. (EU) 2017/373 : Annex I Definitions (46)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.31	Extended range operation. Any flight by an aeroplane		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The term	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	with two turbine engines where the flight time at the one engine inoperative cruise speed (in ISA and still air conditions), from a point on the route to an adequate alternate aerodrome, is greater than the threshold time approved by the State of the Operator.								Extended Range, whilst defined in ICAO Annex 3, is not used in the body text (except in descriptions of changes to Amendments). Similarly the term is not used in Reg. (EU) 2017/373: Annex V Part-MET	
1.1.32	Flight crew member. A licensed crew member charged with duties essential to the operation of an aircraft during a flight duty period.	Reg. (EU) 923/2012 : Art. 2 Definitions (74)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.33	Flight documentation. Written or printed documents, including charts or forms, containing meteorological information for a flight.	Reg. (E U) 2017/373 : Annex I Definitions (49)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		By removing reference to 'written or printed', the EU definitions facilitates for System Wide Information Management and Electronic Flight Bag solutions.
1.1.34	Flight information centre (FIC). A unit established to provide flight information service and alerting	Reg. (EU) 2017/373 :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	service.	Annex I Definitions (50)								
1.1.35	Flight information region (FIR). An airspace of defined dimensions within which flight information service and alerting service are provided.	Reg. (EU) 2017/373 : Annex I Definitions (51)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.36	Flight level. A surface of constant atmospheric pressure which is related to a specific pressure datum, 1 013.2 hectopascals (hPa), and is separated from other such surfaces by specific pressure intervals. <i>Note 1.— A pressure type altimeter calibrated in accordance with the Standard Atmosphere:</i> a) when set to a <i>QNH</i> altimeter setting, will indicate altitude; b) when set to a <i>QFE</i> altimeter setting, will indicate height above the <i>QFE</i> reference datum; c) when set to a pressure of 1 013.2 hPa, may be used to indicate flight levels. <i>Note 2.— The terms “height” and “altitude”, used in Note 1, indicate altimetric rather than geometric</i>	Reg. (EU) 2017/373: Annex I Definitions (52) Reg. (EU) 923/2012: GM1 Art. 2 Definitions (78) GM1 Art . 2 Definitions (84)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>heights and altitudes.</i>									
1.1.37	Forecast. A statement of expected meteorological conditions for a specified time or period, and for a specified area or portion of airspace.	Reg. (EU) 2017/373 : Annex I Definitions (54)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.38	GAMET area forecast. An area forecast in abbreviated plain language for low-level flights for a flight information region or sub-area thereof, prepared by the meteorological office designated by the meteorological authority concerned and exchanged with meteorological offices in adjacent flight information regions, as agreed between the meteorological authorities concerned.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.39	Grid point data in digital form. Computer processed meteorological data for a set of regularly spaced points on a chart, for transmission from a meteorological computer to another computer in a code form suitable for automated use. <i>Note.— In most cases, such data are transmitted on medium- or high-speed telecommunications channels.</i>	Reg. (EU) 2017/373 : Annex I Definitions (58)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.40	Height. The vertical distance of a level, a point or an object considered as a point, measured from a specified datum.	Reg. (EU) 2017/373 : Annex I Definitions (62)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.41	Human Factors principles. Principles which apply to aeronautical design, certification, training, operations and maintenance and which seek safe interface between the human and other system components by proper consideration to human performance.	Reg. (EU) 139/2014 : Annex I Definitions (20)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.42	ICAO meteorological information exchange model (IWXXM). A data model for representing aeronautical meteorological information.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The reference to IWXXM is not used explicitly, but as to Digital Form and GML and XML as was the case in ICAO Annex 3 prior to Amendment 78	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.43	<i>International airways volcano watch (IAVW).</i> International arrangements for monitoring and providing warnings to aircraft of volcanic ash in the atmosphere. <i>Note.— The IAVW is based on the cooperation of aviation and non-aviation operational units using information derived from observing sources and networks that are provided by States. The watch is coordinated by ICAO with the cooperation of other concerned international organizations.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The term International Airways Volcano Watch is not used within Reg. (EU) No 2017/373, and the Volcanic Ash Advisory Centre function is described independently of the IAVW framework.	
1.1.44	<i>Level.</i> A generic term relating to the vertical position of an aircraft in flight and meaning variously height, altitude or flight level.	Reg. (EU) 2017/373 : Annex I Definitions (63)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

1.1.45	Meteorological authority. The authority providing or arranging for the provision of meteorological service for international air navigation on behalf of a Contracting State.	Reg. (EU) 2017/ 373: MET.OR.100 (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This term has been replaced, on a case-by-case basis by the 'competent authority' or the ' meteorologic al service provider' as necessary. E.g. MET.OR.100(b)	
1.1.46	Meteorological bulletin. A text comprising meteorological information preceded by an appropriate heading.	Reg. (EU) 2017/373 : Annex I Definitions (66)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.47	Meteorological information. Meteorological report,	Reg. (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	analysis, forecast, and any other statement relating to existing or expected meteorological conditions.	2017/373 : Annex I Definitions (67)								
1.1.48	Meteorological office. An office designated to provide meteorological service for international air navigation.	Reg. (EU) 2017/373: Annex I Definitions (7, 16 and 71)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The definitions of 'Aerodrom e Meteorolo gical Office', 'Aeronauti cal Meteorolo gical Station' and 'Meteorolo gical Watch Office' are deemed to specify more precisely the requiremen ts of each,	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									and the more generic term 'Meteorological Office' is superfluous.	
1.1.49	Meteorological report. A statement of observed meteorological conditions related to a specified time and location.	Reg. (EU) 2017/373: Annex I Definitions (69)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.50	Meteorological satellite. An artificial Earth satellite making meteorological observations and transmitting these observations to Earth.	Reg. (EU) 2017/373: Annex I Definitions (70)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.51	Meteorological watch office (MWO). An office designated to provide information concerning the occurrence or expected occurrence of specified en-route weather and other phenomena in the atmosphere that may affect the safety of aircraft operations within its specified area of responsibility.	Reg. (EU) 2017/373: Annex I Definitions (71)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU definition is more specific to provide information	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									n on 'natural and other hazards' (in addition to weather) but this is not considered as changing the level of difference .	
1.1.52	Minimum sector altitude. The lowest altitude which may be used which will provide a minimum clearance of 300 m (1 000 ft) above all objects located in an area contained within a sector of a circle of 46 km (25 NM) radius centred on a radio aid to navigation.	Reg. (EU) 2017/373: Annex I Definitions (72)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU text defines the radius centred "on a significant point, the aerodrome reference point (ARP) or the heliport reference point	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									(HRP)". Whereas Annex 3 defi nes the radius centred "on a radio aid to navigation " only.	
1.1.53	<p>Navigation specification. A set of aircraft and flight crew requirements needed to support performance-based navigation operations within a defined airspace. There are two kinds of navigation specifications:</p> <p><i>Required navigation performance (RNP) specification.</i> A navigation specification based on area navigation that includes the requirement for performance monitoring and alerting, designated by the prefix RNP, e.g. RNP 4, RNP APCH.</p> <p><i>Area navigation (RNAV) specification.</i> A navigation specification based on area navigation that does not include the requirement for performance monitoring and alerting, designated by the prefix RNAV, e.g. RNAV 5, RNAV 1.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Navigation Specification, whilst being defined in ICAO Annex 3, is only used within Notes in the Body Text of ICAO Annex

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>Note.— The Performance-based Navigation (PBN) Manual (Doc 9613), Volume II, contains detailed guidance on navigation specifications.</i>									3, and does not form part of the Standards or Recommended Practices. There has been no requirement to transpose this into Reg. (EU) No 2017/373
1.1.54	Observation (meteorological). The evaluation of one or more meteorological elements.	Reg. (EU) 2017/373: Annex I Definitions (68)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
Annex Standard or Recommended Practice										
1.1.55	Operational control. The exercise of authority over the initiation, continuation, diversion or termination of a flight in the interest of the safety of the aircraft and the regularity and efficiency of the flight.	Reg. (EU) 965/2012: Annex I Definitions (91)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.56	Operational flight plan. The operator’s plan for the safe conduct of the flight based on considerations of aeroplane performance, other operating limitations and relevant expected conditions on the route to be followed and at the aerodromes concerned.	Reg.(EU) 965/2012: AMC3 ORO.MLR.100; CAT.OP.MP A.175(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This term is not used in Part-MET but implemented in the operational requirements.	
1.1.57	Operational planning. The planning of flight operations by an operator.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This definition is not transposed.	
1.1.58	Operator. The person, organization or enterprise engaged in or offering to engage in an aircraft operation.	Reg. (EU) 2018/1139: Art. 3 Definitions (13)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.59	Performance-based navigation (PBN). Area navigation	Reg. (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>based on performance requirements for aircraft operating along an ATS route, on an instrument approach procedure or in a designated airspace.</p> <p><i>Note.— Performance requirements are expressed in navigation specification (RNAV specification, RNP specification) in terms of accuracy, integrity, continuity, availability and functionality needed for the proposed operation in the context of a particular airspace concept.</i></p>	965/2012 Article 2(5)								
1.1.60	Pilot-in-command. The pilot designated by the operator, or in the case of general aviation, the owner, as being in command and charged with the safe conduct of a flight.	Reg. (EU) 923/2012: Art. 2 Definitions (100)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.61	Prevailing visibility. The greatest visibility value, observed in accordance with the definition of “visibility”, which is reached within at least half the horizon circle or within at least half of the surface of the aerodrome. These areas could comprise contiguous or non-contiguous sectors.	Reg. (EU) 2017/373: Annex I Definitions (78) AMC1 MET.TR.210 (b)(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<i>Note.— This value may be assessed by human observation and/or instrumented systems. When instruments are installed, they are used to obtain the best estimate of the prevailing visibility.</i>									

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigi nifi cant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
1.1.62	Prognostic chart. A forecast of a specified meteorological element(s) for a specified time or period and a specified surface or portion of airspace, depicted graphically on a chart.	Reg. (EU) 2017/373: Annex I Definitions (80)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.63	Quality assurance. Part of quality management focused on providing confidence that quality requirements will be fulfilled (ISO 9000*). ----- * ISO Standard 9000 — Quality Management Systems — Fundamentals and Vocabulary.	Reg. (EU) 2017/373: Art. 6 ATM/ANS.O R.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.64	Quality control. Part of quality management focused on fulfilling quality requirements (ISO 9000*).	Reg. (EU) 2017/373: Art. 6 ATM/ANS.O R.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.65	Quality management. Coordinated activities to direct and control an organization with regard to quality (ISO 9000*).	Reg. (EU) 2017/373: Art. 6 ATM/ANS.O R.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.66	Regional air navigation agreement. Agreement approved by the Council of ICAO normally on the advice of a regional air navigation meeting.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The Regional Air	

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks	
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence				
				Level of implementation of SARPs							
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					
	Annex Standard or Recommended Practice										
										Navigation Plan for EUR is ICAO specific and does not apply to EU rules	
1.1.67	Reporting point. A specified geographical location in relation to which the position of an aircraft can be reported.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This term is not referenced in Reg. (EU) No 2017/373 .		
1.1.68	Rescue coordination centre. A unit responsible for promoting efficient organization of search and rescue services and for coordinating the conduct of search and rescue operations within a search and rescue region.	Reg. (EU) 2017/373: Annex I Definitions (82)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
1.1.69	Runway. A defined rectangular area on a land aerodrome prepared for the landing and take-off of aircraft.	Reg. (EU) 2017/373: Annex I Definitions (86)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

1.1.70	Runway visual range (RVR). The range over which the pilot of an aircraft on the centre line of a runway can see the runway surface markings or the lights delineating the runway or identifying its centre line.	Reg. (EU) 2017/373: Annex I Definitions (87)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.71	Search and rescue services unit. A generic term meaning, as the case may be, rescue coordination centre, rescue subcentre or alerting post.	Reg. (EU) 2017/373: Annex I Definitions (90)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.72	SIGMET information. Information issued by a meteorological watch office concerning the occurrence or expected occurrence of specified en-route weather and other phenomena in the atmosphere that may affect the safety of aircraft operations.	Reg. (EU) 2017/373: Annex I Definitions (93, 94) MET.OR.245 (f)(2)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The inclusion of "and of the development of those phenomena in time and space" in Reg. (EU) No 2017/373 is

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

										consider ed enhanci ng, without changin g the cha racter
1.1.73	Space weather centre (SWXC). A centre designated to monitor and provide advisory information on space weather phenomena expected to affect high-frequency radio communications, communications via satellite, GNSS-based navigation and surveillance systems and/or pose a radiation risk to aircraft occupants. <i>Note.— A space weather centre is designated as global and/or regional.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This term is not used in EU rules .	
1.1.74	Standard isobaric surface. An isobaric surface used on a worldwide basis for representing and analysing the conditions in the atmosphere.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The term is used in GM1 MET.TR.2 15(e)(1) & (2) (a) and (b) but not	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									defined.	
1.1.75	State volcano observatory. A volcano observatory, designated by regional air navigation agreement, to monitor active or potentially active volcanoes within a State and to provide information on volcanic activity to its associated area control centre/flight information centre, meteorological watch office and volcanic ash advisory centre.	Reg. (EU) 2017/373: Annex I Definitions (91)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The term 'State' is replaced with 'Selected' . The definition is modified to refer to a separately specified list of recipients, rather than stating them in the definition itself.	
1.1.76	Threshold. The beginning of that portion of the runway usable for landing.	Reg. (EU) 2017/373: Annex I Definitions (102)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
1.1.77	Touchdown zone. The portion of a runway, beyond the threshold, where it is intended landing aeroplanes first contact the runway.	Reg. (EU) 2017/373: Annex I Definitions (103)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.78	Tropical cyclone. Generic term for a non-frontal synoptic-scale cyclone originating over tropical or sub-tropical waters with organized convection and definite cyclonic surface wind circulation.	Reg. (EU) 2017/373: Annex I Definitions (104)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.79	Tropical cyclone advisory centre (TCAC). A meteorological centre designated by regional air navigation agreement to provide advisory information to meteorological watch offices, world area forecast centres and international OPMET databanks regarding the position, forecast direction and speed of movement, central pressure and maximum surface wind of tropical cyclones.	Reg. (EU) 2017/373: Annex I Definitions (105)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.80	Upper-air chart. A meteorological chart relating to a specified upper-air surface or layer of the atmosphere.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reg. (EU) No 2017/373 uses the term 'upper-air' in the	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									context of specific phenomen on. The form, digital or chart, is n ot specified.	
1.1.81	Visibility. Visibility for aeronautical purposes is the greater of: <p>a) the greatest distance at which a black object of suitable dimensions, situated near the ground, can be seen and recognized when observed against a bright background;</p> <p>b) the greatest distance at which lights in the vicinity of 1 000 candelas can be seen and identified against an unlit background.</p> <p><i>Note.— The two distances have different values in air of a given extinction coefficient, and the latter b) varies with the background illumination. The former a) is represented by the meteorological optical range (MOR).</i></p>	Reg. (EU) 2017/373: Annex I Definitions (106) Reg. (EU) 923/2012: Art. 2 Definitions (141)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.82	Volcanic ash advisory centre (VAAC). A meteorological centre designated by regional air navigation	Reg. (EU) 2017/373:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In EU Rules, the	Amend ment to

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	agreement to provide advisory information to meteorological watch offices, area control centres, flight information centres, world area forecast centres and international OPMET databanks regarding the lateral and vertical extent and forecast movement of volcanic ash in the atmosphere.	Annex I Definitions (107)							definition of 'volcanic ash advisory centre (VAAC)' includes the text 'following volcanic eruptions'.	Regulation (EU) 2017/373 is planned to be adopted by Q3 2021, at which point the text 'following volcanic eruptions' is anticipated to be deleted and the definition of 'volcanic ash advisory centre (VAAC)' will be consistent with
--	---	---------------------------------	--	--	--	--	--	--	---	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

										ICAO Amendment 79.
1.1.83	<p>VOLMET. Meteorological information for aircraft in flight.</p> <p><i>Data link-VOLMET (D-VOLMET).</i> Provision of current aerodrome routine meteorological reports (METAR) and aerodrome special meteorological reports (SPECI), aerodrome forecasts (TAF), SIGMET, special air-reports not covered by a SIGMET and, where available, AIRMET via data link.</p> <p><i>VOLMET broadcast.</i> Provision, as appropriate, of current METAR, SPECI, TAF and SIGMET by means of continuous and repetitive voice broadcasts.</p>	Reg. (EU) 2017/373: Annex I Definitions (168, 257 and 258)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.84	<p>World area forecast centre (WAFc). A meteorological centre designated to prepare and issue significant weather forecasts and upper-air forecasts in digital form on a global basis direct to States using the aeronautical fixed service Internet-based services.</p>	Reg. (EU) 2017/373: Annex I Definitions (108)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.85	<p>World area forecast system (WAFS). A worldwide system by which world area forecast centres provide</p>	Reg. (EU) 2017/373:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	aeronautical meteorological en-route forecasts in uniform standardized formats.	Annex I Definitions (109)								
1.2	<p>1.2 Terms used with a limited meaning</p> <p>For the purpose of this Annex, the following terms are used with a limited meaning as indicated below:</p> <p>a) to avoid confusion in respect of the term “service” between the meteorological service considered as an administrative entity and the service which is provided, “meteorological authority” is used for the former and “service” for the latter;</p> <p>b) “provide” is used solely in connection with the provision of service;</p> <p>c) “issue” is used solely in connection with cases where the obligation specifically extends to sending out the information to a user;</p> <p>d) “make available” is used solely in connection with cases where the obligation ends with making the information accessible to a user; and</p> <p>e) “supply” is used solely in connection with cases where either c) or d) applies.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		This provision is explanatory material used in the context of ICAO SARPs. Such explanation is not considered necessary in the context of EU regulations.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

2.1.1	<p>CHAPTER 2. GENERAL PROVISIONS</p> <p><i>Introductory Note 1.— It is recognized that the provisions of this Annex with respect to meteorological information are subject to the understanding that the obligation of a Contracting State is for the supply, under Article 28 of the Convention on International Civil Aviation, of meteorological information and that the responsibility for the use made of such information is that of the user.</i></p> <p><i>Introductory Note 2.— Although the Convention allocates to the State of Registry certain functions which that State is entitled to discharge, or obligated to discharge, as the case may be, the Assembly recognized, in Resolution A23-13, that the State of Registry may be unable to fulfil its responsibilities adequately in instances where aircraft are leased, chartered or interchanged — in particular without crew — by an operator of another State and that the Convention may not adequately specify the rights and obligations of the State of an operator in such instances until such time as Article 83 bis of the Convention enters into force. Accordingly, the Council urged that if, in the above-mentioned instances, the State of Registry finds itself unable to discharge adequately the functions allocated to it by the Convention, it delegate to the State of the Operator, subject to acceptance by the</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		This provision is explanatory material used in the context of ICAO SARPs. Such explanation is not considered necessary in the context of EU regulations

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p><i>latter State, those functions of the State of Registry that can more adequately be discharged by the State of the Operator. It was understood that pending entry into force of Article 83 bis of the Convention the foregoing action would only be a matter of practical convenience and would not affect either the provisions of the Convention prescribing the duties of the State of Registry or any third State. However, as Article 83 bis of the Convention entered into force on 20 June 1997, such transfer agreements will have effect in respect of Contracting States that have ratified the related Protocol (Doc 9318) upon fulfilment of the conditions established in Article 83 bis.</i></p> <p><i>Introductory Note 3.— In the case of international operations effected jointly with aeroplanes not all of which are registered in the same Contracting State, nothing in this Annex prevents the States concerned entering into an agreement for the joint exercise of the functions placed upon the State of Registry by the provisions of this Annex.</i></p> <p>2.1 Objective, determination and provision of meteorological service</p> <p>2.1.1 The objective of meteorological service for international air navigation shall be to contribute</p>								
--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	towards the safety, regularity and efficiency of international air navigation.									
2.1.2	2.1.2 This objective shall be achieved by supplying the following users: operators, flight crew members, air traffic services units, search and rescue services units, airport managements and others concerned with the conduct or development of international air navigation, with the meteorological information necessary for the performance of their respective functions.	Reg. (EU) 2017/373: MET.OR.100	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This objective is reformulated to identify all the relevant users that need to be provided with MET information.
2.1.3	2.1.3 Each Contracting State shall determine the meteorological service which it will provide to meet the needs of international air navigation. This determination shall be made in accordance with the provisions of this Annex and in accordance with regional air navigation agreement; it shall include the determination of the meteorological service to be		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not transposed as not necessary in the context of EU	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	provided for international air navigation over international waters and other areas which lie outside the territory of the State concerned.									regulations	
2.1.4	<p>2.1.4 Each Contracting State shall designate the authority, hereinafter referred to as the meteorological authority, to provide or to arrange for the provision of meteorological service for international air navigation on its behalf. Details of the meteorological authority so designated shall be included in the State aeronautical information publication, in accordance with Annex 15, Chapter 5.</p> <p><i>Note.— Detailed specifications concerning presentation and contents of the aeronautical information publication is provided in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066), Appendix 2.</i></p>	Re g. (EU) 2017/373: Art. 3(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		In this case, the meteorological authority is considered to be the MET provider in the EU rules
2.1.5	<p>2.1.5 Each Contracting State shall ensure that the designated meteorological authority complies with the requirements of the World Meteorological Organization (WMO) in respect of qualifications, competencies, education and training of meteorological personnel providing service for international air navigation.</p> <p><i>Note.— Requirements concerning the qualifications, competencies, education and training of meteorological personnel in aeronautical meteorology</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>are given in the Technical Regulations (WMO-No. 49), Volume I — General Meteorological Standards and Recommended Practices, Part V — Qualifications and Competencies of Personnel Involved in the Provision of Meteorological (Weather and Climate) and Hydrological Services, Part VI — Education and Training of Meteorological Personnel, and Appendix A — Basic Instruction Packages.</i>									
2.2.1	<p>2.2 Supply, use, quality management and interpretation of meteorological information</p> <p>2.2.1 Close liaison shall be maintained between those concerned with the supply and those concerned with the use of meteorological information on matters which affect the provision of meteorological service for international air navigation.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
2.2.2	2.2.2 Each Contracting State shall ensure that the designated meteorological authority referred to in 2.1.4 establishes and implements a properly organized quality system comprising procedures, processes and resources necessary to provide for the quality management of the meteorological information to be supplied to the users listed in 2.1.2.	Reg. (EU) 2017/ 373: ATM/ANS.O R.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

2.2.3	<p>2.2.3 Recommendation.— <i>The quality system established in accordance with 2.2.2 should be in conformity with the International Organization for Standardization (ISO) 9000 series of quality assurance standards and should be certified by an approved organization.</i></p> <p><i>Note.</i>— <i>The ISO 9000 series of quality assurance standards provide a basic framework for the development of a quality assurance programme. The details of a successful programme are to be formulated by each State and in most cases are unique to the State organization. Guidance on the establishment and implementation of quality management systems is given in the Guide to the Implementation of Quality Management Systems for National Meteorological and Hydrological Services and Other Relevant Service Providers (WMO-No. 1100).</i></p>	Reg. (EU) 2017/373: ATM/ANS.O R.B. 005 AMC 1 ATM/ANS.O R. B. 005(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.2.4	<p>2.2.4 Recommendation.— <i>The quality system should provide the users with assurance that the meteorological information supplied complies with the stated requirements in terms of the geographical and spatial coverage, format and content, time and frequency of issuance and period of validity, as well as the accuracy of measurements, observations and forecasts. When the quality system indicates that meteorological information to be supplied to the users does not comply with the stated requirements, and automatic error correction</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p><i>procedures are not appropriate, such information should not be supplied to the users unless it is validated with the originator.</i></p> <p><i>Note.— Requirements concerning the geographical and spatial coverage, format and content, time and frequency of issuance and period of validity of meteorological information to be supplied to aeronautical users are given in Chapters 3, 4, 6, 7, 8, 9 and 10 and Appendices 2, 3, 5, 6, 7, 8 and 9 of this Annex and the relevant regional air navigation plans. Guidance concerning the accuracy of measurement and observation, and accuracy of forecasts is given in Attachments A and B, respectively, to this Annex.</i></p>									
2.2.5	<p>2.2.5 Recommendation.— <i>In regard to the exchange of meteorological information for operational purposes, the quality system should include verification and validation procedures and resources for monitoring adherence to the prescribed transmission schedules for individual messages and/or bulletins required to be exchanged, and the times of their filing for transmission. The quality system should be capable of detecting excessive transit times of messages and bulletins received.</i></p> <p><i>Note.— Requirements concerning the exchange of operational meteorological information are given in Chapter 11 and Appendix 10 of this Annex.</i></p>	Reg. (EU) 2017/ 373: ATM/ANS.O R.B.005(a)(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.2.6	2.2.6 Demonstration of compliance of the	Reg. (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	quality system applied shall be by audit. If non-conformity of the system is identified, action shall be initiated to determine and correct the cause. All audit observations shall be evidenced and properly documented.	2017/ 373: ATM/ANS.O R.B.005(c).								
2.2.7	<p>2.2.7 Owing to the variability of meteorological elements in space and time, to limitations of observing techniques and to limitations caused by the definitions of some of the elements, the specific value of any of the elements given in a report shall be understood by the recipient to be the best approximation of the actual conditions at the time of observation.</p> <p><i>Note.— Guidance on the operationally desirable accuracy of measurement or observation is given in Attachment A.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is reflected in Reg. (EU) 2017/373 but only at the level of guidance material: GM1 MET.OR.100 GM2 MET.OR.210	
2.2.8	<p>2.2.8 Owing to the variability of meteorological elements in space and time, to limitations of forecasting techniques and to limitations caused by the definitions of some of the elements, the specific value of any of the elements given in a forecast shall be understood by the recipient to be the most probable value which the element is likely to assume during the period of the forecast. Similarly, when the time of occurrence or</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is reflected in Reg. (EU) 2017/373 but only at the level of guidance	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	change of an element is given in a forecast, this time shall be understood to be the most probable time. <i>Note.— Guidance on the operationally desirable accuracy of forecasts is given in Attachment B.</i>								material: GM1 MET.OR.1 00 GM3 MET.TR.2 20	
2.2.9	2.2.9 The meteorological information supplied to the users listed in 2.1.2 shall be consistent with Human Factors principles and shall be in forms which require a minimum of interpretation by these users, as specified in the following chapters. <i>Note.— Guidance material on the application of Human Factors principles can be found in the Human Factors Training Manual (Doc 9683).</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
2.2.10	2.2.10 Recommendation. — Contracting States should ensure that the meteorological information supplied to the users listed in 2.1.2 is provided through information services. <i>Note 1.— In the context of system-wide information management (SWIM), the notion of information service addresses machine-to-machine interaction in a service-oriented architecture.</i> <i>Note 2.— Procedures on information services are contained in the Procedures for Air Navigation Services — Information Management (PANS-IM, Doc</i>	Reg. (EU) 2017/373, Annex V MET.OR.110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	10199).									
	<i>Note 3.— Guidance material on information services can be found in the Manual on System-wide Information Management Implementation (Doc 10203).</i>									
2.3.1	<p>2.3 Notifications required from operators</p> <p>2.3.1 An operator requiring meteorological service or changes in existing meteorological service shall notify, sufficiently in advance, the meteorological authority or the aerodrome meteorological office concerned. The minimum amount of advance notice required shall be as agreed between the meteorological authority or aerodrome meteorological office and the operator concerned.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This parag raph is not transposed.	
2.3.2	<p>2.3.2 The meteorological authority shall be notified by the operator requiring service when:</p> <p>a) new routes or new types of operations are planned;</p> <p>b) changes of a lasting character are to be made in scheduled operations; and</p> <p>c) other changes, affecting the provision</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	of meteorological service, are planned. Such information shall contain all details necessary for the planning of appropriate arrangements by the meteorological authority.									
2.3.3	<p>2.3.3 The operator or a flight crew member shall ensure that, where required by the meteorological authority in consultation with users, the aerodrome meteorological office concerned is notified:</p> <p>a) of flight schedules;</p> <p>b) when non-scheduled flights are to be operated; and</p> <p>c) when flights are delayed, advanced or cancelled.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
2.3.4	<p>2.3.4 Recommendation.— <i>The notification to the aerodrome meteorological office of individual flights should contain the following information except that, in the case of scheduled flights, the requirement for some or all of this information may be waived as agreed between the aerodrome meteorological office and the operator concerned:</i></p> <p>a) aerodrome of departure and estimated time of departure;</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>b) destination and estimated time of arrival;</p> <p>c) route to be flown and estimated times of arrival at, and departure from, any intermediate aerodrome(s);</p> <p>d) alternate aerodromes needed to complete the operational flight plan and taken from the relevant list contained in the regional air navigation plan;</p> <p>e) cruising level;</p> <p>f) type of flight, whether under visual or instrument flight rules;</p> <p>g) type of meteorological information requested for a flight crew member, whether flight documentation and/or briefing or consultation; and</p> <p>h) time(s) at which briefing, consultation and/or flight documentation are required.</p>									
3.1	CHAPTER 3. GLOBAL SYSTEMS, SUPPORTING	Reg. (EU)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Amendme	The

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>CENTRES AND METEOROLOGICAL OFFICES</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 2.</i></p> <p>3.1 World area forecast system</p> <p>The objective of the world area forecast system (WAFS) shall be to supply meteorological authorities and other users with global aeronautical meteorological en-route forecasts in digital form. This objective shall be achieved through a comprehensive, integrated, worldwide and, as far as practicable, uniform system, and in a cost-effective manner, taking full advantage of evolving technologies.</p>	<p>2017/373: Annex I Definitions (108 & 109) MET.OR.275 MET.TR.275</p>							<p>nt 79, Appendix 2 not implement ed. In detail: Amendme nt 79, App 2; 1.2 'Upper-air gridded forecasts', provision 1.2.1 : In EU rules, the following differences exist for this provision: 1) The reference to 'clear air' and 'in-cloud' (in the context of turbulence) is included;</p>	<p>intent is encomp assed in Annex I Definiti nos (108) and (109) to Reg. (EU) No 2017/37 3. The detail is expresse d in MET.O R.275 and MET.T R.275 Reg. (EU) No 2017/37 3 . Amend ment 79, App 2 changes (with the</p>
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									2) The order of dissemination of forecasts is that of the order of production ; and, 3) The time by which the dissemination shall be completed is 6 hours after stand ard time of observation. Amendme nt 79, App 2; 1.2 'Upper-air gridded forecasts', to provision 1.2.2 g) : In EU rules, new	exceptions detailed below): Amendment to Regulation (EU) No 2017/373 is planned to be adopted by Q3 2021, at which point; the provisions are anticipated to be included and will be consistent with ICAO Amendment 79.
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									turbulence layers centred at flight levels 100 (700 hPa), 140 (600 hPa), 180 (500 hPa), are not included. Amendme nt 79, App 2; 1.3 ‘ Significant weather (SIGWX) forecasts’, to provision 1.3.1.1 : In EU rules, the time by which the disseminati on of the significant weather (SIGWX) forecasts	Amend ment 79, A pp 2; 2.1 ‘Use of world area forecast system (WAFS) products , provisio n 2.1.2 : MET.T R.215 of Commis sion Impleme nting Regulati on (EU) 2017/37 3 is not explicit with regard to the use of WAFS products used in
--	--	--	--	--	--	--	--	--	---	--

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									shall be completed, is not later than 9 hours after standard time of observation. Amendment 79, App 2; 1.3 'Significant weather (SIGWX) forecasts', to provision 1.3.1.3 : In EU rules, and noting the deferred applicability of the ICAO Amendment (4 Nov 2021), there are no	the preparation of meteorological information provided for flight documentation. No change to Regulation (EU) No 2017/373 in this regard is foreseen. Amendment 79, App 2; Table A2-3 'Template for advisory
--	--	--	--	--	--	--	--	--	--	--

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									requiremen ts for World Area Forecast Centres to issue SIGWX forecasts in IWXXM c ode form. Amendme nt 79, App 2; 2.1 ‘Use of world area forecast system (WAFS) products’, provision 2.1.2 : In EU rules, this provision is not transposed. Accordingl y, and noting the deferred	message for space weather informat ion’ : EASA will continue to monitor the develop ments of sp ace weather provisio n. At the current time, there is no anticipat ed timescal e for inclusio n of the function of space weather
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									applicabilit y of the ICAO Amendme nt (4 Nov 2021), there are no r equirement s for aerodrome meteorolog ical offices to decode IWXXM data received from the WAFCS into standard WAFS charts. Amendme nt 79, App 2; 2.2 'Notificati on of WAFS concerning significant	centres in EU rules.
--	--	--	--	--	--	--	--	--	---	----------------------------

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									discrepancies', provision 2.2 : In EU rules, and noting the deferred applicability of the ICAO Amendment (4 Nov 2021), there are no requirements for aerodrome meteorological offices using IWXXM data received from the WAFC concerned to notify of significant discrepancies	
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									es. Amendme nt 79, App 2; Table A2-1 'Template for advisory message for volcanic ash' : In EU rules, the template does not include provisions for references to 'UNKNO WN' in the case of 'State/Regi on' section of the advisory. The references to; 'SFC'	
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

								(surface) elevation and 'UNKNO WN' in the 'Summit eleva tion' section are not included. Examples and footnotes relating to 'RE- SUSPEND ED' volcanic ash are not included. Amendme nt 79, App 2; Example A2-1 'Template for advisory message for volcanic ash' : In	
--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									EU rules, the change to the 'volcano number' in the example is not included. Amendment 79, App 2; Table A2-2 'Template for advisory message for tropical cyclone' : In EU rules, the template does not include: 1) provisions for including the change of intensity at time of observatio	
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									n of the tropical cyclon e; 2) inclusion of the option 'NIL' with regard to observed cumulonim bus (CB) cloud. Amendme nt 79, App 2; Example A2-2 'Advisory message for tropical cyclone' : In EU rules, the updated example does not include the item noting the change of intensity at time of	
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									observatio n of the tropical cyclone. Amendme nt 79, App 2; Table A2-3 'Template for advisory message for space weather informatio n' : In EU rules, the function of space weather centres – and therefore Table A2-3 – is not currently included.	
3.2.1	3.2 World area forecast centres	Reg. (EU) 2017/373	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU transpositi	The EU transpos

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>3.2.1 A Contracting State, having accepted the responsibility for providing a world area forecast centre (WAFC) within the framework of the WAFS, shall arrange for that centre:</p> <p>a) to prepare gridded global forecasts of:</p> <p>1) upper wind;</p> <p>2) upper-air temperature and humidity;</p> <p>3) geopotential altitude of flight levels;</p> <p>4) flight level and temperature of tropopause;</p> <p>5) direction, speed and flight level of maximum wind;</p> <p>6) cumulonimbus clouds;</p> <p>7) icing; and</p> <p>8) turbulence;</p> <p>b) to prepare global forecasts of significant weather (SIGWX) phenomena;</p>	MET.OR.275 (a)							on does not specify how or from where the WAFC obtains information concerning radioactive release.	ition includes explicit reference to WAFC providing SIGWX which includes volcanic activity & release of radioactive material.
--	--	-------------------	--	--	--	--	--	--	--	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>c) to issue the forecasts referred to in a) and b) in digital form to meteorological authorities and other users, as approved by the Contracting State on advice from the meteorological authority;</p> <p>d) to receive information concerning the release of radioactive materials into the atmosphere from its associated World Meteorological Organization (WMO) regional specialized meteorological centre (RSMC) for the provision of transport model products for radiological environmental emergency response, in order to include the information in SIGWX forecasts; and</p> <p>e) to establish and maintain contact with volcanic ash advisory centres (VAACs) for the exchange of information on volcanic activity in order to coordinate the inclusion of information on volcanic eruptions in SIGWX forecasts.</p>									
3.2.2	<p>3.2.2 In case of interruption of the operation of a WAFC, its functions shall be carried out by the other WAFC.</p> <p><i>Note.— Back-up procedures to be used in case of interruption of the operation of a WAFC are updated by the Meteorology Panel (METP) as necessary; the latest revision can be found on the ICAO METP website.</i></p>	Reg. (EU) 2017/373 ATM/ANS.OR.A.070	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ATM/ANS .OR.A.070 Reg. (EU) No 2017/373 requires contingency obligations .	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

3.3.1	<p>3.3 Aerodrome meteorological offices</p> <p>3.3.1 Each Contracting State shall establish one or more aerodrome and/or other meteorological offices which shall be adequate for the provision of the meteorological service required to satisfy the needs of international air navigation.</p>	Reg. (EU) 2017/373 Article 3(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.3.2	<p>3.3.2 An aerodrome meteorological office shall carry out all or some of the following functions as necessary to meet the needs of flight operations at the aerodrome:</p> <p>a) prepare and/or obtain forecasts and other relevant information for flights with which it is concerned; the extent of its responsibilities to prepare forecasts shall be related to the local availability and use of en-route and aerodrome forecast material received from other offices;</p> <p>b) prepare and/or obtain forecasts of local meteorological conditions;</p> <p>c) maintain a continuous survey of meteorological conditions over the aerodromes for which it is designated to prepare forecasts;</p> <p>d) provide briefing, consultation and flight documentation to flight crew members and/or other flight</p>	Reg. (EU) 2017/373 MET.OR.215 MET.OR.110	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MET.OR.215 text includes specified climate information. Annex 3 does not link climate information to an aerodrome MET office (it is the MET Authority). MET.OR.215(j) puts the responsibil	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>operations personnel;</p> <p>e) supply other meteorological information to aeronautical users;</p> <p>f) display the available meteorological information;</p> <p>g) exchange meteorological information with other aerodrome meteorological offices; and</p> <p>h) supply information received on pre-eruption volcanic activity, a volcanic eruption or volcanic ash cloud, to its associated air traffic services unit, aeronautical information service unit and meteorological watch office (MWO) as agreed between the meteorological, aeronautical information service and ATS authorities concerned.</p>								ity on the aerodrome MET office for disseminating information on radioactive release. MET.OR.2 15(j) does not give any information on where the METSP will obtain information on radioactive release (this is a separate non-aviation function of the State and should be	
--	---	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									referenced in the same manner as a volcano observator y). Annex 3 item (g) relates to exchange between aerodrome MET Offices, whereas MET.OR.1 10 is more generic exchange between MET service providers.	
3.3.3	3.3.3 The aerodromes for which landing forecasts are required shall be determined by regional air navigation agreement.	Reg. (EU) 2017/ 373 MET.OR.225 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
3.3.4	<p>3.3.4 For an aerodrome without an aerodrome meteorological office located at the aerodrome:</p> <p>a) the meteorological authority concerned shall designate one or more aerodrome meteorological office(s) to supply meteorological information as required; and</p> <p>b) the competent authorities shall establish means by which such information can be supplied to the aerodromes concerned.</p>	Reg. (EC) 550/2004 Art. 9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Art. 9 Reg. (EC) No 550/2004 covers point a) but does not fully cover b)	
3.4.1	<p>3.4 Meteorological watch offices</p> <p>3.4.1 A Contracting State, having accepted the responsibility for providing air traffic services within a flight information region (FIR) or a control area (CTA), shall establish, in accordance with regional air navigation agreement, one or more MWOs, or arrange for another Contracting State to do so.</p> <p><i>Note.— Guidance on the bilateral or multilateral arrangements between Contracting States for the provision of MWO services, including for cooperation and delegation, can be found in the Manual of Aeronautical Meteorological Practice (Doc 8896).</i></p>	Reg. (EU) 2017/373 Art. 3(1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The objective remains but Art. 3 Reg. (EU) No 20 17/373 contains a generic provision to cover all MET providers.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

3.4.2	<p>3.4.2 An MWO shall:</p> <p>a) maintain continuous watch over meteorological conditions affecting flight operations within its area of responsibility;</p> <p>b) prepare SIGMET and other information relating to its area of responsibility;</p> <p>c) supply SIGMET information and, as required, other meteorological information to associated air traffic services units;</p> <p>d) disseminate SIGMET information;</p> <p>e) when required by regional air navigation agreement, in accordance with 7.2.1:</p> <p>1) prepare AIRMET information related to its area of responsibility;</p> <p>2) supply AIRMET information to associated air traffic services units; and</p> <p>3) disseminate AIRMET information;</p> <p>f) supply information received on pre-eruption volcanic activity, a volcanic eruption and volcanic ash cloud for which a SIGMET has not already</p>	<p>Reg. (EU) No 2017/373</p> <p>MET.OR.245</p> <p>MET.OR.250</p> <p>MET.OR.255</p> <p>MET.OR.245 (f)(2)</p> <p>MET.OR.245 (f)(3) GM1</p> <p>MET.OR.250 (a).</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<p>MET.OR.242(a)(1) states that SIGMET is provided by an aerodrome MET office, however Annex 3 specifies (7.1.1) SIGMET information shall be issued by a MWO - there is no reference to an aerodrome MET office and SIGMET. MET.OR.245 (f)(2) specifies the MWO only sends</p>	
-------	---	---	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>been issued, to its associated area control centre (ACC)/flight information centre (FIC), as agreed between the meteorological and ATS authorities concerned, and to its associated VAAC as determined by regional air navigation agreement; and</p> <p>g) supply information received concerning the release of radioactive materials into the atmosphere, in the area for which it maintains watch or adjacent areas, to its associated ACC/FIC, as agreed between the meteorological and ATS authorities concerned, and to aeronautical information service units, as agreed between the meteorological and appropriate civil aviation authorities concerned. The information shall comprise location, date and time of the release, and forecast trajectories of the radioactive materials.</p> <p><i>Note.— The information is provided by RSMCs for the provision of transport model products for radiological environmental emergency response, at the request of the delegated authority of the State in which the radioactive material was released into the atmosphere, or the International Atomic Energy Agency (IAEA). The information is sent by the RSMC to a single contact point of the national meteorological service in each State. This contact point has the responsibility of redistributing the RSMC products within the State concerned. Furthermore, the information is provided by IAEA to RSMC co-located with VAAC London (designated as the focal point) which in turn notifies the ACCs/FICs concerned about the release.</i></p>								SIGMET to ACC/FIC MET.OR.2 45(f)(2) specifies AIRMET is only disseminated by the MWO to ACC and FIC. MET.OR.2 45(e) restricts the MWO dissemination of information on radioactive release to instances where there is no SIGMET MET.OR.2 45(b) adds additional tasks for	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									MWO to ensure consistency between VA products and NOTAM/ASHTAM	
3.4.3	3.4.3 Recommendation. — <i>The boundaries of the area over which meteorological watch is to be maintained by an MWO should be coincident with the boundaries of an FIR or a CTA or a combination of FIRs and/or CTAs.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.
3.4.4	3.4.4 Recommendation. — <i>An MWO should coordinate SIGMET with neighbouring MWO(s), especially when the en-route weather phenomenon extends or is expected to extend beyond the MWO's specified area of responsibility, in order to ensure the provision of harmonized SIGMET.</i> <i>Note.— Guidance on the bilateral or multilateral coordination between MWOs of Contracting States for the provision of SIGMET can be found in the Manual of Aeronautical Meteorological Practice (Doc 8896).</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		In EU rules, the recommendation that meteorological watch offices (MWO) should

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									coordina te SIGME T with neighbo urin g MWO is not included . Amend ment to Regulati on (EU) No 2017/37 3 is planned to be adopted by Q3 2021, at which point an equivale nt require ment to that of ICAO Amend
--	--	--	--	--	--	--	--	--	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

										ment 79 is anticipat ed to be included and will be consiste nt with ICAO Amend ment 79.
3.5.1	<p>3.5 Volcanic ash advisory centres</p> <p>3.5.1 A Contracting State, having accepted the responsibility for providing a VAAC within the framework of the international airways volcano watch, shall arrange for that centre to respond to a notification that a volcano has erupted or is expected to erupt, or that volcanic ash is reported in its area of responsibility, by:</p> <p>a) monitoring relevant geostationary and polar-orbiting satellite data and, where available, relevant ground-based and airborne data, to detect the existence and extent of volcanic ash in the atmosphere in the area concerned;</p>	Reg. (EU) 2017/373 MET.OR.265	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The means (via monitoring informatio n from satellites) are an internal function of the VAAC. The outputs and coordinatio n are reflected as	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p><i>Note.— Relevant ground-based and airborne data include data derived from Doppler weather radar, ceilometers, lidar and passive infrared sensors.</i></p> <p>b) activating the volcanic ash numerical trajectory/dispersion model in order to forecast the movement of any ash “cloud” which has been detected or reported;</p> <p><i>Note.— The numerical model may be its own or, by agreement, that of another VAAC.</i></p> <p>c) issuing advisory information regarding the extent and forecast movement of the volcanic ash “cloud” to:</p> <p>1) MWOs, ACCs and FICs serving FIRs in its area of responsibility which may be affected;</p> <p>2) other VAACs whose areas of responsibility may be affected;</p> <p>3) WAFCs, international OPMET databanks, international NOTAM offices, and centres designated by regional air navigation agreement for the operation of aeronautical fixed service Internet-based services; and</p> <p>4) operators requiring the advisory information through the AFTN address provided</p>								in 3.5.1 of Chapter 3.	
--	--	--	--	--	--	--	--	--	------------------------	--

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	<p>specifically for this purpose; and</p> <p style="text-align: center;"><i>Note.— The AFTN address to be used by the VAACs is given in the Handbook on the International Airways Volcano Watch (IAVW) — Operational Procedures and Contact List (Doc 9766) which is available on the ICAO website.</i></p> <p>d) issuing updated advisory information to the MWOs, ACCs, FICs and VAACs referred to in c), as necessary, but at least every six hours until such time as:</p> <p style="padding-left: 40px;">1) the volcanic ash “cloud” is no longer identifiable from satellite data and, where available, ground-based and airborne data;</p> <p style="padding-left: 40px;">2) no further reports of volcanic ash are received from the area; and</p> <p style="padding-left: 40px;">3) no further eruptions of the volcano are reported.</p>									
3.5.2	3.5.2 VAACs shall maintain a 24-hour watch.	Reg. (EU) 2017/373 MET.OR.265 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
3.5.3	<p>3.5.3 In case of interruption of the operation of a VAAC, its functions shall be carried out by another VAAC or another meteorological centre, as designated by the VAAC Provider State concerned.</p> <p><i>Note.— Back-up procedures to be used in case of interruption of the operation of a VAAC are included in Doc 9766.</i></p>	Reg. (EU) 2017/373 ATM/ANS.O R.A.070	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.6	<p>3.6 State volcano observatories</p> <p>Contracting States with active or potentially active volcanoes shall arrange that State volcano observatories monitor these volcanoes and when observing:</p> <p>a) significant pre-eruption volcanic activity, or a cessation thereof;</p> <p>b) a volcanic eruption, or a cessation thereof; and/or</p> <p>c) volcanic ash in the atmosphere</p> <p>shall send this information as quickly as practicable to their associated ACC/FIC, MWO and VAAC.</p> <p><i>Note 1.— Pre-eruption volcanic activity in this context means unusual and/or increasing volcanic activity which could presage a volcanic eruption.</i></p> <p><i>Note 2.— Doc 9766 contains guidance material</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>about active or potentially active volcanoes.</i>									
3.7	<p>3.7 Tropical cyclone advisory centres</p> <p>A Contracting State having accepted the responsibility for providing a tropical cyclone advisory centre (TCAC) shall arrange for that centre to:</p> <p>a) monitor the development of tropical cyclones in its area of responsibility, using geostationary and polar-orbiting satellite data, radar data and other meteorological information;</p> <p>b) issue advisory information concerning the position of the cyclone centre, changes in intensity at time of observation, its direction and speed of movement, central pressure and maximum surface wind near the centre, in abbreviated plain language to:</p> <p>1) MWOs in its area of responsibility;</p> <p>2) other TCACs whose areas of responsibility may be affected; and</p> <p>3) WAFCs, international OPMET databanks, and centres designated by regional air navigation agreement for the operation of aeronautical</p>	Reg. (EU) 2017/373 MET.OR.270	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	item b) In EU rules, the requirement to include changes in the intensity at time of observation (of tropical cyclone) is not included.	Amendment to Regulation (EU) No 2017/373 is planned to be adopted by Q3 2021, at which point the requirement to include changes in the intensity at time of observation (of tropical cyclone)

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	fixed service Internet-based services; and c) issue updated advisory information to MWOs for each tropical cyclone, as necessary, but at least every six hours.									is anticipat ed to be included and will be consiste nt with ICAO Amend ment 79.
3.8.1	<p>3.8 Space weather centres</p> <p>3.8.1 A Contracting State, having accepted the responsibility for providing a space weather centre (SWXC), shall arrange for that centre to monitor and provide advisory information on space weather phenomena in its area of responsibility by arranging for that centre to:</p> <p>a) monitor relevant ground-based, airborne and space-based observations to detect, and predict when possible, the existence of space weather phenomena that have an impact in the following areas:</p> <p>1) high frequency (HF) radio communications;</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin- g or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>2) communications via satellite;</p> <p>3) GNSS-based navigation and surveillance; and</p> <p>4) radiation exposure at flight levels;</p> <p>b) issue advisory information regarding the extent, severity and duration of the space weather phenomena that have an impact referred to in a);</p> <p>c) supply the advisory information referred to in b) to:</p> <p>1) area control centres, flight information centres and aerodrome meteorological offices in its area of responsibility which may be affected;</p> <p>2) other SWXCs; and</p> <p>3) international OPMET databanks, international NOTAM offices and aeronautical fixed service Internet-based services.</p>									
3.8.2	3.8.2 SWXC shall maintain a 24-hour watch.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

3.8.3	<p>3.8.3 In case of interruption of the operation of a SWXC, its functions shall be carried out by another SWXC or another centre, as designated by the SWXC Provider State concerned.</p> <p><i>Note.— Guidance on the provision of space weather advisory information, including the ICAO-designated provider(s) of space weather advisory information, is provided in the Manual on Space Weather Information in Support of International Air Navigation (Doc 10100).</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
4.1.1	<p>CHAPTER 4. METEOROLOGICAL OBSERVATIONS AND REPORTS</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 3.</i></p> <p>4.1 Aeronautical meteorological stations and</p>	Reg. (EU) 2017/373 Art. 3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Article 3 of Reg. 2017/373 is more generic. Amendment 79, App 3; Table A3-2 'Template for advisory message	Amendment to Regulation (EU) 2017/373 is planned to be adopted by Q3 2021, at which point the

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>observations</p> <p>4.1.1 Each Contracting State shall establish, at aerodromes in its territory, such aeronautical meteorological stations as it determines to be necessary. An aeronautical meteorological station may be a separate station or may be combined with a synoptic station.</p> <p><i>Note.— Aeronautical meteorological stations may include sensors installed outside the aerodrome, where considered justified, by the meteorological authority to ensure the compliance of meteorological service for international air navigation with the provisions of this Annex.</i></p>								for METAR and SPECI : In EU rules, the use of the solidi (‘/’) as a ‘missing data’ indicator is not included explicitly.	use of the solidi (‘/’) as a ‘missing data’ indicator in the EU context will have been considered for inclusion in EU rules .
4.1.2	4.1.2 Recommendation. — <i>Each Contracting State should establish, or arrange for the establishment of, aero- nautical meteorological stations on offshore structures or at other points of significance in support of helicopter operations to offshore structures, if required by regional air navigation agreement.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.
4.1.3	4.1.3 Aeronautical meteorological stations shall make routine observations at fixed intervals. At	Reg. (EU) 2017/373:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	aerodromes, the routine observations shall be supplemented by special observations whenever specified changes occur in respect of surface wind, visibility, runway visual range, present weather, clouds and/or air temperature.	MET.OR.200 MET.OR.205 AMC1 MET.OR.200 (a)(1)								
4.1.4	<p>4.1.4 Each Contracting State shall arrange for its aeronautical meteorological stations to be inspected at sufficiently frequent intervals to ensure that a high standard of observation is maintained, that instruments and all their indicators are functioning correctly, and that the exposure of the instruments has not changed significantly.</p> <p><i>Note.— Guidance on the inspection of aeronautical meteorological stations including the frequency of inspections is given in the Manual on Automatic Meteorological Observing Systems at Aerodromes (Doc 9837).</i></p>	R eg. (EU) 2017/373: ATM/ANS.A R.C.005; ATM/ANS.A R.C.010; ATM/ANS.O R.B.005(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.1.5	4.1.5 At aerodromes with runways intended for Category II and III instrument approach and landing operations, automated equipment for measuring or assessing, as appropriate, and for monitoring and remote indicating of surface wind, visibility, runway visual range, height of cloud base, air and dew-point temperatures and atmospheric pressure shall be installed to support approach and landing and take-off operations. These devices shall be integrated automatic systems for		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin- g or Exceed- s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>acquisition, processing, dissemination and display in real time of the meteorological parameters affecting landing and take-off operations. The design of integrated automatic systems shall observe Human Factors principles and include back-up procedures.</p> <p><i>Note 1.— Categories of precision approach and landing operations are defined in Annex 6, Part I.</i></p> <p><i>Note 2.— Guidance material on the application of Human Factors principles can be found in the Human Factors Training Manual (Doc 9683).</i></p>									
4.1.6	<p>4.1.6 Recommendation.— <i>At aerodromes with runways intended for Category I instrument approach and landing operations, automated equipment for measuring or assessing, as appropriate, and for monitoring and remote indicating of surface wind, visibility, runway visual range, height of cloud base, air and dew-point temperatures and atmospheric pressure should be installed to support approach and landing and take-off operations. These devices should be integrated automatic systems for acquisition, processing, dissemination and display in real time of the meteorological parameters affecting landing and take-off operations. The design of integrated automatic systems should observe Human Factors principles and include back-up procedures.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.1.7	4.1.7 Recommendation. — <i>Where an integrated semi-automatic system is used for the dissemination/display of meteorological information, it should be capable of accepting the manual insertion of data covering those meteorological elements which cannot be observed by automatic means.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Althoug h not transpos ed as such, some elements of it can be found in definitio n (92) of Annex I .
4.1.8	4.1.8 The observations shall form the basis for the preparation of reports to be disseminated at the aerodrome of origin and of reports to be disseminated beyond the aerodrome of origin.	Reg. (EU) 2017/ 373: MET.OR.200 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		T
4.2.1	4.2 Agreement between meteorological authorities and air traffic services authorities Recommendation. — <i>An agreement between the meteorological authority and the appropriate ATS authority should be established to cover, among other</i>	Reg. (EU) 2017/373: Art. 4(4) AMC1 MET.OR.100 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
	Annex Standard or Recommended Practice		A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					

	<p><i>things:</i></p> <p>a) <i>the provision in air traffic services units of displays related to integrated automatic systems;</i></p> <p>b) <i>the calibration and maintenance of these displays/instruments;</i></p> <p>c) <i>the use to be made of these displays/instruments by air traffic services personnel;</i></p> <p>d) <i>as and where necessary, supplementary visual observations (for example, of meteorological phenomena of operational significance in the climb-out and approach areas) if and when made by air traffic services personnel to update or supplement the information supplied by the meteorological station;</i></p> <p>e) <i>meteorological information obtained from aircraft taking off or landing (for example, on wind shear); and</i></p> <p>f) <i>if available, meteorological information obtained from ground weather radar.</i></p> <p><i>Note.— Guidance on the subject of coordination between ATS and aeronautical meteorological services is contained in the Manual on Coordination between Air Traffic Services, Aeronautical Information Services and Aeronautical Meteorological Services (Doc 9377).</i></p>								
--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.3.1	<p>4.3 Routine observations and reports</p> <p>4.3.1 At aerodromes, routine observations shall be made throughout the 24 hours of each day, unless otherwise agreed between the meteorological authority, the appropriate ATS authority and the operator concerned. Such observations shall be made at intervals of one hour or, if so determined by regional air navigation agreement, at intervals of one half-hour. At other aeronautical meteorological stations, such observations shall be made as determined by the meteorological authority taking into account the requirements of air traffic services units and aircraft operations.</p>	Reg. (EU) 2017/ 373: MET.OR.200 (a)(1) MET.OR.200 (a)(3)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MET.OR.200 (a)(3) specifies half-hourly METAR by default for aerodromes serving scheduled international CAT.	
4.3.2	<p>4.3.2 Reports of routine observations shall be issued as:</p> <p>a) local routine reports, only for dissemination at the aerodrome of origin (intended for arriving and departing aircraft); and</p> <p>b) METAR for dissemination beyond the aerodrome of origin (mainly intended for flight planning, VOLMET broadcasts and D-VOLMET).</p> <p><i>Note.— Meteorological information used in</i></p>	Reg. (EU) 2017/ 37: MET.OR.200 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EU rules include special reports. for METAR, the references to VOLMET and D-VOLMET are	

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						
	<i>ATIS (voice-ATIS and D-ATIS) is to be extracted from the local routine report, in accordance with Annex 11, 4.3.6.1 g).</i>								removed .	
4.3.3	4.3.3 At aerodromes that are not operational throughout 24 hours in accordance with 4.3.1, METAR shall be issued prior to the aerodrome resuming operations in accordance with regional air navigation agreement.	Reg. (EU) 2017/ 373: MET.OR.200 AMC1 MET.OR.200 (a)(3)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Expresses that METARs should commence 3 hours prior to the aerodrome resuming operations (Annex 3 does not express a time).	
4.4.1	4.4 Special observations and reports 4.4.1 A list of criteria for special observations shall be established by the meteorological authority, in consultation with the appropriate ATS authority, operators and others concerned.	Reg. (EU) 2017/ 373: MET.OR.200 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.4.2	<p>4.4.2 Reports of special observations shall be issued as:</p> <p>a) local special reports, only for dissemination at the aerodrome of origin (intended for arriving and departing aircraft); and</p> <p>b) SPECI for dissemination beyond the aerodrome of origin (mainly intended for flight planning, VOLMET broadcasts and D-VOLMET) unless METAR are issued at half-hourly intervals.</p> <p><i>Note.— Meteorological information used in ATIS (voice-ATIS and D-ATIS) is to be extracted from the local special report, in accordance with Annex 11, 4.3.6.1 g).</i></p>	Reg. (EU) 2017/ 373: MET.OR.200 (a)(2)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SPECI are not normally required by EU MS since METAR are issued half-hourly (MET.OR. 200(a)(3) Reg. (EU) No 2017/373) at aerodromes serving scheduled international CAT operations.	
4.4.3	4.4.3 At aerodromes that are not operational throughout 24 hours in accordance with 4.3.1, following the resumption of the issuance of METAR, SPECI shall be issued, as necessary.	Reg. (EU) 2017/373 : MET.OR.200 AMC2 MET.OR.200 (a)(3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Annex V Part-MET requires METAR to be issued half-hourly , therefore SPECI is	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									not needed . However, at aerodrome s not serving scheduled internation al CAT operations, , SPECI may be disseminat ed.	
4.5.1	<p>4.5 Contents of reports</p> <p>4.5.1 Local routine reports, local special reports, METAR and SPECI shall contain the following elements in the order indicated:</p> <p>a) identification of the type of report;</p> <p>b) location indicator;</p> <p>c) time of the observation;</p> <p>d) identification of an automated or missing report, when applicable;</p>	Reg. (EU) 2017/ 373: MET.TR.200 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR are required to be disseminated at half-hourly intervals at aerodrome s serving scheduled international CAT operations and SPECI would not	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>e) surface wind direction and speed;</p> <p>f) visibility;</p> <p>g) runway visual range, when applicable;</p> <p>h) present weather;</p> <p>i) cloud amount, cloud type (only for cumulonimbus and towering cumulus clouds) and height of cloud base or, where measured, vertical visibility;</p> <p>j) air temperature and dew-point temperature; and</p> <p>k) QNH and, when applicable, QFE (QFE included only in local routine and special reports).</p> <p><i>Note.— The location indicators referred to under b) and their significations are published in Location Indicators (Doc 7910).</i></p>								be issued (or required to be issued).	
4.5.2	<p>4.5.2 Recommendation.— <i>In addition to elements listed under 4.5.1 a) to k), local routine reports, local special reports, METAR and SPECI should contain supplementary information to be placed after element k).</i></p>	<p>Reg. (EU) 2017/373: MET.OR.205 (h) MET.OR.210 (h) MET.TR.200 (a)(12)</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		METAR are required to be disseminated at half-hourly

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

										intervals at aerodro mes serving schedule d internati onal CAT operatio ns and SPECI would not be issued (or required to be issued)
4.5.3	4.5.3 Optional elements included under supplementary information shall be included in METAR and SPECI in accordance with regional air navigation agreement.	Reg. (EU) 2017/ 373: MET.TR.200 AMC2 MET.TR.200 (a)(12) AMC3 MET.TR.200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR are required to be disseminat ed at half- hourly intervals at	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

		(a)(12). AMC4 MET.TR.200 (a)(12) AMC5 MET.TR.200 (a)(12)							aerodrome s serving scheduled international CAT operations, and SPECI would not be issued (or required to be issued).	
4.6.1.1	4.6 Observing and reporting meteorological elements 4.6.1 Surface wind 4.6.1.1 The mean direction and the mean speed of the surface wind shall be measured, as well as significant variations of the wind direction and speed, and reported in degrees true and metres per second (or knots), respectively.	Reg. (EU) 2017/ 373: MET.TR.200 (b)(3) MET.TR.200 (b)(4) MET.TR.200 (a)(5). MET.TR.205 (a)(1) MET.TR.200 (a)(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.1.2	4.6.1.2 Recommendation. — <i>When local routine and special reports are used for departing</i>	Reg. (EU) 2017/373:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>aircraft, the surface wind observations for these reports should be representative of conditions along the runway; when local routine and special reports are used for arriving aircraft, the surface wind observations for these reports should be representative of the touchdown zone.</i>	MET.TR.210 (a)(1) Point (a) to AMC1 MET.TR.210 (a) GM1 MET.TR.210								
4.6.1.3	4.6.1.3 Recommendation. — <i>For METAR and SPECI, the surface wind observations should be representative of conditions above the whole runway where there is only one runway and the whole runway complex where there is more than one runway.</i>	Reg. (EU) 2017/373: MET.OR.200 (a)(3) Point (b) to AMC1 MET.TR.210 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		METAR are required to be disseminated at half-hourly intervals at aerodromes serving scheduled international CAT operations and SPECI would not be

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks	
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence				
				Level of implementation of SARPs							
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					
Annex Standard or Recommended Practice											
											issued (or required to be issued).
4.6.2.1	4.6.2 Visibility 4.6.2.1 The visibility as defined in Chapter 1 shall be measured or observed, and reported in metres or kilometres. <i>Note.— Guidance on the conversion of instrument readings into visibility is given in Attachment D.</i>	Reg. (EU) 2017/373 MET.TR.210 (b)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
4.6.2.2	4.6.2.2 Recommendation. — <i>When local routine and special reports are used for departing aircraft, the visibility observations for these reports should be representative of conditions along the runway; when local routine and special reports are used for arriving aircraft, the visibility observations for these reports should be representative of the touchdown zone of the runway.</i>	Reg. (EU) 2017/373: MET.TR.210 (b)(1) Points (c) and (d) to AMC1 MET.TR.210 (b)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.6.2.3	4.6.2.3 Recommendation. — <i>For METAR and SPECI, the visibility observations should be representative of the aerodrome.</i>	Reg. (EU) 2017/373: MET.TR.210 (b)(1) Point (e) to AMC1 MET.TR.210 (b)(1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		METAR are required to be disseminated at half-hourly intervals at aerodromes serving scheduled international CAT operations and SPECI would not be issued (or required to be issued).
---------	---	--	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.6.3.1	<p>4.6.3 Runway visual range</p> <p><i>Note.— Guidance on the subject of runway visual range is contained in the Manual of Runway Visual Range Observing and Reporting Practices (Doc 9328).</i></p> <p>4.6.3.1 Runway visual range as defined in Chapter 1 shall be assessed on all runways intended for Category II and III instrument approach and landing operations.</p>	Reg. (EU) 2017/ 373: MET.TR.210 (c)(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.3.2	<p>4.6.3.2 Recommendation.— <i>Runway visual range as defined in Chapter 1 should be assessed on all runways intended for use during periods of reduced visibility, including:</i></p> <p><i>a) precision approach runways intended for Category I instrument approach and landing operations; and</i></p> <p><i>b) runways used for take-off and having high-intensity edge lights and/or centre line lights.</i></p> <p><i>Note.— Precision approach runways are defined in Annex 14, Volume I, Chapter 1, under “Instrument runway”.</i></p>	Reg. (EU) 2017 /373 : AMC MET.TR.205 (c)(4)(iii) MET.TR.210 (c)(2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		(b) is not included in EU rules.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.6.3.3	4.6.3.3 The runway visual range, assessed in accordance with 4.6.3.1 and 4.6.3.2, shall be reported in metres throughout periods when either the visibility or the runway visual range is less than 1 500 m.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
4.6.3.4	4.6.3.4 Runway visual range assessments shall be representative of: a) the touchdown zone of the runway intended for non-precision or Category I instrument approach and landing operations; b) the touchdown zone and the mid-point of the runway intended for Category II instrument approach and landing operations; and c) the touchdown zone, the mid-point and stop-end of the runway intended for Category III instrument approach and landing operations.	Reg. (EU) 2017 /373: MET.TR.205 (c)(4)(iii) Point (a) AMC1 MET.TR.205 (c)(4)(iii)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.3.5	4.6.3.5 The units providing air traffic service and aeronautical information service for an aerodrome shall be kept informed without delay of changes in the serviceability status of the automated equipment used for assessing runway visual range.	Reg. (EU) 2017 /373 : MET.OR.200 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

4.6.4.1	4.6.4 Present weather 4.6.4.1 The present weather occurring at the aerodrome shall be observed and reported as necessary. The following present weather phenomena shall be identified, as a minimum: rain, drizzle, snow and freezing precipitation (including intensity thereof), haze, mist, fog, freezing fog and thunderstorms (including thunderstorms in the vicinity).	Reg. (EU) 2017 /373: MET.TR.210 (d)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.4.2	4.6.4.2 Recommendation. — <i>For local routine and special reports, the present weather information should be representative of conditions at the aerodrome.</i>	Reg. (EU) 2017/373: MET.TR.210 (d)(1) Point (a) to AMC1 MET.TR.210 (d)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.4.3	4.6.4.3 Recommendation. — <i>For METAR and SPECI, the present weather information should be representative of conditions at the aerodrome and, for certain specified present weather phenomena, in its vicinity.</i>	Reg. (EU) 2017/373: MET.TR.210 (d)(1) Point (b) to AMC1 MET.TR.210 (d)(1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR are required to be disseminated at half-hourly intervals at aerodromes serving scheduled	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									international CAT operations and SPECI would not be issued (or required to be issued) .	
4.6.5.1	4.6.5 Clouds 4.6.5.1 Cloud amount, cloud type and height of cloud base shall be observed and reported as necessary to describe the clouds of operational significance. When the sky is obscured, vertical visibility shall be observed and reported, where measured, in lieu of cloud amount, cloud type and height of cloud base. The height of cloud base and vertical visibility shall be reported in metres (or feet).	Reg. (EU) 2017 /373: MET.TR.210 (e)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.5.2	4.6.5.2 Recommendation. — <i>Cloud observations for local routine and special reports should be representative of the runway threshold(s) in use.</i>	Reg. (EU) 2017/373: MET.TR.210 (e) Point (a) to AMC1 MET.TR.210 (e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

4.6.5.3	4.6.5.3 Recommendation. — <i>Cloud observations for METAR and SPECI should be representative of the aerodrome and its vicinity.</i>	Reg. (EU) 2017/373: MET.TR.210 (e) Point (b) to AMC1 MET.TR.210 (e)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR are required to be disseminated at half-hourly intervals at aerodromes serving scheduled international CAT operations and SPECI would not be issued (or required to be issued) .	
4.6.6.1	4.6.6 Air temperature and dew-point temperature 4.6.6.1 The air temperature and the dew-point temperature shall be measured and reported in degrees Celsius.	Reg. (EU) 2017 /373: MET.TR.210 (f)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.6.2	4.6.6.2 Recommendation. — <i>Observations of</i>	Reg. (EU)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	<i>air temperature and dew-point temperature for local routine reports, local special reports, METAR and SPECI should be representative of the whole runway complex.</i>	2017 /373: MET.TR.210 (f) AMC1 MET.TR.210 (f)							are required to be disseminat ed at half- hourly intervals at aerodrome s serving scheduled internation al CAT operations and SPECI would not be issued (or r equired to be issued) .	
4.6.7	4.6.7 Atmospheric pressure The atmospheric pressure shall be measured, and QNH and QFE values shall be computed and reported in hectopascals.	Reg. (EU) 2017 /373: MET.TR.210 (g)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.6.8.1	4.6.8 Supplementary information	Reg. (EU) 2017 /373:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	Recommendation. — <i>Observations made at aerodromes should include the available supplementary information concerning significant meteorological conditions, particularly those in the approach and climb-out areas. Where practicable, the information should identify the location of the meteorological condition.</i>	MET.TR.200 (a)(12) AMC5 MET.TR.200 (a)(12)								
4.7.1	<p>4.7 Reporting meteorological information from automatic observing systems</p> <p>4.7.1 Recommendation.— <i>METAR and SPECI from automatic observing systems should be used by States in a position to do so during non-operational hours of the aerodrome, and during operational hours of the aerodrome as determined by the meteorological authority in consultation with users based on the availability and efficient use of personnel.</i></p> <p><i>Note.</i>— <i>Guidance on the use of automatic meteorological observing systems is given in Doc 9837.</i></p>	Reg. (EU) 2017 /373: ATM/ANS.O R.B.005	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Automatic observing systems may be used as agreed between the aeronautical meteorological stations and the users. ATM/ANS .OR.B.005 requires that the service	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									provision meets the necessary standards (whether human or automatic), and item (f) is particularly relevant with regard to use of automatic systems.	
4.7.2	4.7.2 Recommendation. — <i>Local routine and special reports from automatic observing systems should be used by States in a position to do so during operational hours of the aerodrome as determined by the meteorological authority in consultation with users based on the availability and efficient use of personnel.</i>	Reg. (EU) 2017 /373: MET.TR.200 (a)(4) GM1 MET.TR.200 (a)(4)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Automatic observing systems may be used as agreed between the aeronautical meteorological

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s						
				B) Different in character or Other means of compliance						
Annex Standard or Recommended Practice			C) Less protective or partially implemented or not implemented							
										stations and the users. ATM/ANS.OR. B.005 requires that the service provision meets the necessary standards (whether human or automatic), and item (f) is particularly relevant with regard to use of automatic

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

										systems.
4.7.3	4.7.3 Local routine reports, local special reports, METAR and SPECI from automatic observing systems shall be identified with the word “AUTO”.	Reg. (EU) 2017 /373: MET.TR.200 (a)(4) AMC1 MET.TR.200 (a)(4)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	METAR are required to be disseminated at half-hourly intervals at aerodromes serving scheduled international CAT operations and SPECI would not be issued (or required to be issued).	
4.8.1	4.8 Observations and reports of volcanic activity Recommendation. — <i>The occurrence of pre-eruption</i>	Reg. (EU) 2017/373: MET.OR.200 (c) AMC1 MET.OR.200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	<p><i>volcanic activity, volcanic eruptions and volcanic ash cloud should be reported without delay to the associated air traffic services unit, aeronautical information services unit and meteorological watch office. The report should be made in the form of a volcanic activity report comprising the following information in the order indicated:</i></p> <p><i>a) message type, VOLCANIC ACTIVITY REPORT;</i></p> <p><i>b) station identifier, location indicator or name of station;</i></p> <p><i>c) date/time of message;</i></p> <p><i>d) location of volcano and name if known; and</i></p> <p><i>e) concise description of event including, as appropriate, level of intensity of volcanic activity, occurrence of an eruption and its date and time, and the existence of a volcanic ash cloud in the area together with direction of ash cloud movement and height.</i></p> <p><i>Note.— Pre-eruption volcanic activity in this context means unusual and/or increasing volcanic activity which could presage a volcanic eruption.</i></p>	(c)							
--	---	-----	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

5.1	<p>CHAPTER 5. AIRCRAFT OBSERVATIONS AND REPORTS</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 4.</i></p> <p>5.1 Obligations of States</p> <p>Each Contracting State shall arrange, according to the provisions of this chapter, for observations to be made by aircraft of its registry operating on international air routes and for the recording and reporting of these observations.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chapter 5 and Appendix 4 to ICAO Annex 3 are not transposed into EU regulation.	Amd. 79 Appendix x 4 changes: The provisions regarding reporting of turbulence in regard to ‘eddy dissipation rate’ (EDR) and heavy dust storms will be covered by Commission Impleme

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks		
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence					
				Level of implementation of SARPs								
				A) More Exactin g or Exceed s							B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented
				Annex Standard or Recommended Practice								
										nti ng Regulati on (EU) No 923/201 2 (SERA) which addresse s aircraft observat ions and reports by voice commun ication under Rulema king task 0476, Regular Update of SERA. The provisio ns related to data link		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

										commun ication will be also consider ed in the framewo rk o f the future task related to data link operatio ns.
5.2	<p>5.2 Types of aircraft observations</p> <p>The following aircraft observations shall be made:</p> <p>a) routine aircraft observations during en-route and climb-out phases of the flight; and</p> <p>b) special and other non-routine aircraft observations during any phase of the flight.</p>	Reg. (EU) No 923/2012 SERA. 12001(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Routine aircraft observations are not transposed yet.

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	Yes									
	No		Level of implementation of SARPs			Sigini ficant Differ ence				
			A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					
METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		Annex Standard or Recommended Practice								
5.3.1	5.3 Routine aircraft observations — designation 5.3.1 Recommendation. — <i>When air-ground data link is used and automatic dependent surveillance — contract (ADS-C) or secondary surveillance radar (SSR) Mode S is being applied, automated routine observations should be made every 15 minutes during the en-route phase and every 30 seconds during the climb-out phase for the first 10 minutes of the flight.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.
5.3.2	5.3.2 Recommendation. — <i>For helicopter operations to and from aerodromes on offshore structures, routine observations should be made from helicopters at points and times as agreed between the meteorological authorities and the helicopter operators concerned.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.
5.3.3	5.3.3 In the case of air routes with high-density air traffic (e.g. organized tracks), an aircraft from among the aircraft operating at each flight level shall be designated, at approximately hourly intervals, to make routine observations in accordance with 5.3.1. The designation procedures shall be in accordance with regional air navigation agreement.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T his paragraph is not transposed.	
5.3.4	5.3.4 In the case of the requirement to report		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	during the climb-out phase, an aircraft shall be designated, at approximately hourly intervals, at each aerodrome to make routine observations in accordance with 5.3.1.									paragraph is not transposed.	
5.4	5.4 Routine aircraft observations — exemptions Aircraft not equipped with air-ground data link shall be exempted from making routine aircraft observations.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed.	
5.5	5.5 Special aircraft observations Special observations shall be made by all aircraft whenever the following conditions are encountered or observed: a) moderate or severe turbulence; or b) moderate or severe icing; or c) severe mountain wave; or d) thunderstorms, without hail, that are obscured, embedded, widespread or in squall lines; or e) thunderstorms, with hail, that are	Reg. (EU) 923/2012 SERA.12005(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>obscured, embedded, widespread or in squall lines; or</p> <p>f) heavy duststorm or heavy sandstorm; or</p> <p>g) volcanic ash cloud; or</p> <p>h) pre-eruption volcanic activity or a volcanic eruption; or</p> <p><i>Note.— Pre-eruption volcanic activity in this context means unusual and/or increasing volcanic activity which could presage a volcanic eruption.</i></p> <p>i) runway braking action encountered is not as good as reported.</p>									
5.6	<p>5.6 Other non-routine aircraft observations</p> <p>When other meteorological conditions not listed under 5.5, e.g. wind shear, are encountered and which, in the opinion of the pilot-in-command, may affect the safety or markedly affect the efficiency of other aircraft operations, the pilot-in-command shall advise the appropriate air traffic services unit as soon as practicable.</p> <p><i>Note.— Icing, turbulence and, to a large extent, wind shear are elements which, for the time being, cannot be satisfactorily observed from the ground and for which</i></p>	Reg. (EU) 923/2012 SERA.12010	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	<i>in most cases aircraft observations represent the only available evidence.</i>									
5.7.1	5.7 Reporting of aircraft observations during flight 5.7.1 Aircraft observations shall be reported by air-ground data link. Where air-ground data link is not available or appropriate, special and other non-routine aircraft observations during flight shall be reported by voice communications.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not transposed as data link is still under study to regulate it.	
5.7.2	5.7.2 Aircraft observations shall be reported during flight at the time the observation is made or as soon thereafter as is practicable.	Reg. (EU) 923/2012 SERA.12015(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.7.3	5.7.3 Aircraft observations shall be reported as air-reports.	Reg. (EU) 923/2012 SERA.12015(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.8	5.8 Relay of air-reports by air traffic services units	Reg. (EU)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SERA.120	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>The meteorological authority concerned shall make arrangements with the appropriate ATS authority to ensure that, on receipt by the air traffic services units of:</p> <p>a) special air-reports by voice communications, the air traffic services units relay them without delay to their associated meteorological watch office; and</p> <p>b) routine and special air-reports by data link communications, the air traffic services units relay them without delay to their associated meteorological watch office, the WAFCs and the centres designated by regional air navigation agreement for the operation of aeronautical fixed service Internet-based services.</p>	923/2012 SERA.12 020(a)							20 does not reference “routine air-reports”, only “non-routine and special”.	
5.9	<p>5.9 Recording and post-flight reporting of aircraft observations of volcanic activity</p> <p>Special aircraft observations of pre-eruption volcanic activity, a volcanic eruption or volcanic ash cloud shall be recorded on the special air-report of volcanic activity form. A copy of the form shall be included with the flight documentation provided to flights operating on routes which, in the opinion of the meteorological authority concerned, could be affected by volcanic ash clouds.</p>	Reg. (EU) 923/2012 SERA.12005(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

6.1	<p>CHAPTER 6. FORECASTS</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 5.</i></p> <p>6.1 Use of forecasts</p> <p>The issue of a new forecast by an aerodrome meteorological office, such as a routine aerodrome forecast, shall be understood to cancel automatically any forecast of the same type previously issued for the same place and for the same period of validity or part thereof.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<p>This standard has been considered to provide guidance only and there was transferred at GM level in Regulation 2017//373, GM1 MET.OR.2 15(c) . Amendment 79, App 5; 4.4 'Exchange' and dissemination of area forecasts for low-level flights', new provision 4.4.2 : Amendment to Regulation (EU) 2017/373 is planned to be adopted</p>	Amendment 79, App 5; 4.4 'Exchange' and dissemination of area forecasts for low-level flights', new provision 4.4.2 : Amendment to Regulation (EU) 2017/373 is planned to be adopted

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									level flights', new provision 4.4.2 : In EU rules, there is no reference to the dissemination of area forecasts for low-level flight to the aeronautical fixed service Internet-based services.	by Q3 2021, at which point the dissemination of area forecasts for low-level flight to the aeronautical fixed service Internet-based services is anticipated to be included and will be consistent with ICAO Amendment 79.
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

6.2.1	<p>6.2 Aerodrome forecasts</p> <p>6.2.1 An aerodrome forecast shall be prepared, in accordance with regional air navigation agreement, by the aerodrome meteorological office designated by the meteorological authority concerned.</p> <p><i>Note.— The aerodromes for which aerodrome forecasts are to be prepared and the period of validity of these forecasts are listed in the relevant facilities and services implementation document (FASID).</i></p>	Reg. (EU) 2017 /373: MET.OR.215 (a) MET.OR.215 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.2	<p>6.2.2 An aerodrome forecast shall be issued at a specified time not earlier than one hour prior to the beginning of its validity period and consist of a concise statement of the expected meteorological conditions at an aerodrome for a specified period.</p>	Reg. (EU) 2017 /373: MET.OR.220 MET.TR.220 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.3	<p>6.2.3 Aerodrome forecasts and amendments thereto shall be issued as TAF and include the following information in the order indicated:</p> <p>a) identification of the type of forecast;</p> <p>b) location indicator;</p>	Reg. (EU) 2017 /373: MET.TR.220 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Optional elements in TAF are identified in Appendi

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>c) time of issue of forecast;</p> <p>d) identification of a missing forecast, when applicable;</p> <p>e) date and period of validity of forecast;</p> <p>f) identification of a cancelled forecast, when applicable;</p> <p>g) surface wind;</p> <p>h) visibility;</p> <p>i) weather;</p> <p>j) cloud; and</p> <p>k) expected significant changes to one or more of these elements during the period of validity.</p> <p>Optional elements shall be included in TAF in accordance with regional air navigation agreement.</p> <p><i>Note.— The visibility included in TAF refers to the forecast prevailing visibility.</i></p>									x 3 , Part- MET.
6.2.4	6.2.4 Aerodrome meteorological offices	Reg. (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM1

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>preparing TAF shall keep the forecasts under continuous review and, when necessary, shall issue amendments promptly. The length of the forecast messages and the number of changes indicated in the forecast shall be kept to a minimum.</p> <p><i>Note.— Guidance on methods to keep TAF under continuous review is given in Chapter 3 of the Manual of Aeronautical Meteorological Practice (Doc 8896).</i></p>	2017/373: MET.OR.215 (c) AMC1 MET.OR.215 (c) Point (a) to AMC1 MET.TR.220 (g)								MET.O R.215 (c) to be consider ed as well.
6.2.5	6.2.5 TAF that cannot be kept under continuous review shall be cancelled.	Reg. (EU) 2017 /373: MET.OR.215 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.6	6.2.6 Recommendation. — <i>The period of validity of a routine TAF should be not less than 6 hours and not more than 30 hours; the period of validity should be determined by regional air navigation agreement. Routine TAF valid for less than 12 hours should be issued every 3 hours and those valid for 12 to 30 hours should be issued every 6 hours.</i>	Reg. (EU) 2017 /373: MET.TR.220 (c) AMC1 MET.TR.220 (c)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recommen dation modified to transpose the period of validity in accordance with the EUR A NP. Part- MET	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									permits, TAF shorter than 9 hour where aerodrome operational hours are less than 9 hours, when agreed with the competent authority.	
6.2.7	6.2.7 When issuing TAF, aerodrome meteorological offices shall ensure that not more than one TAF is valid at an aerodrome at any given time.	Reg. (EU) 2017 /373: MET.OR.220 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.1	6.3 Landing forecasts 6.3.1 A landing forecast shall be prepared by the aerodrome meteorological office designated by the meteorological authority concerned as determined by regional air navigation agreement; such forecasts are	Reg. (EU) 2017 /37 3: MET.OR.225 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM1 MET.O R.225 (b) to be consider ed as well.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	intended to meet the requirements of local users and of aircraft within about one hour's flying time from the aerodrome.									
6.3.2	6.3.2 Landing forecasts shall be prepared in the form of a trend forecast.	Reg. (EU) 2017 /373: MET.OR.225 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.3	6.3.3 A trend forecast shall consist of a concise statement of the expected significant changes in the meteorological conditions at that aerodrome to be appended to a local routine report, local special report, METAR or SPECI. The period of validity of a trend forecast shall be 2 hours from the time of the report which forms part of the landing forecast.	Reg. (EU) 2017 /373: MET.OR.225 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM1 MET.O R.225 (b) to be consider ed as we ll.
6.4.1	6.4 Forecasts for take-off 6.4.1 A forecast for take-off shall be prepared by the aerodrome meteorological office designated by the meteorological authority concerned as agreed between the meteorological authority and the operators concerned.	Reg. (EU) 2017 /373: MET.OR.230 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

6.4.2	6.4.2 Recommendation. — <i>A forecast for take-off should refer to a specified period of time and should contain information on expected conditions over the runway complex in regard to surface wind direction and speed and any variations thereof, temperature, pressure (QNH), and any other elements as agreed locally.</i>	Reg. (EU) 2017 /373: MET.TR.230 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.4.3	6.4.3 Recommendation. — <i>A forecast for take-off should be supplied to operators and flight crew members on request within the 3 hours before the expected time of departure.</i>	Reg. (EU) 2017 /373: MET.OR.230 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.4.4	6.4.4 Recommendation. — <i>Aerodrome meteorological offices preparing forecasts for take-off should keep the forecasts under continuous review and, when necessary, should issue amendments promptly.</i>	Reg. (EU) 2017/373: MET.OR.215 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.5.1	6.5 Area forecasts for low-level flights 6.5.1 When the density of traffic operating	Reg. (EU) 2017/373: MET.OR.260	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In MET.OR.2 60 the frequency	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	below flight level 100 (or up to flight level 150 in mountainous areas, or higher, where necessary) warrants the routine issue and dissemination of area forecasts for such operations, the frequency of issue, the form and the fixed time or period of validity of those forecasts and the criteria for amendments thereto shall be determined by the meteorological authority in consultation with the users.								of issue, the form and the fixed time or period of validity of those forecasts and the criteria for amendments thereto are determined by the Competent Authority.	
6.5.2	6.5.2 When the density of traffic operating below flight level 100 warrants the issuance of AIRMET information in accordance with 7.2.1, area forecasts for such operations shall be prepared in a format as agreed between the meteorological authorities in the States concerned. When abbreviated plain language is used, the forecast shall be prepared as a GAMET area forecast, employing approved ICAO abbreviations and numerical values; when chart form is used, the forecast shall be prepared as a combination of forecasts of upper wind and upper-air temperature, and of SIGWX phenomena. The area forecasts shall be issued to cover the layer between the ground and flight level 100 (or up to flight level 150	Reg. (EU) 2017/373: MET.OR.255 MET.OR.260 MET.TR.260 (a) MET.TR.260 (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GAMET is not transposed	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	in mountainous areas, or higher, where necessary) and shall contain information on en-route weather phenomena hazardous to low-level flights, in support of the issuance of AIRMET information, and additional information required by low-level flights.									
6.5.3	6.5.3 Area forecasts for low-level flights prepared in support of the issuance of AIRMET information shall be issued every 6 hours for a period of validity of 6 hours and transmitted to meteorological watch offices and/or aerodrome meteorological offices concerned not later than one hour prior to the beginning of their validity period.	Reg. (EU) 2017 /373: MET.OR.260 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.1.1	CHAPTER 7. SIGMET AND AIRMET INFORMATION, AERODROME WARNINGS AND WIND SHEAR WARNINGS AND ALERTS <i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 6.</i>	Reg. (EU) 2017/373: Annex I D efinitions (93, 94)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1) Amendme nt 79, App 6; 4.2 ‘Criteria related to phenomen on including in SIGMET	1) Amend ment to Regulati on (EU) 2017/37 3 is planned to be adopted by Q3

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>7.1 SIGMET information</p> <p>7.1.1 SIGMET information shall be issued by a meteorological watch office and shall give a concise description in abbreviated plain language concerning the occurrence or expected occurrence of specified en-route weather and other phenomena in the atmosphere that may affect the safety of aircraft operations, and of the development of those phenomena in time and space.</p>							and AIRMET messages and special air-r eports (uplink)', new provision 4.2.6 : In EU rules, the lower thresholds for severe and moderate turbulence are 0.7 and 0.4 respectivel y. 2) Amendme nt 79, App 6; Table A6-1A : In EU rules provision for: a) identifying cumulonim bus cloud (CB) in	2021, at which point the lower threshol ds for severe and moderat e turbulen ce respecti vely are anticipat ed to be cha nged to 0.45 and 0.20 respecti vely and will be consiste nt with ICAO Amend ment 79. 2) Amend ment to
--	--	--	--	--	--	--	--	---	---

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									<p>association with forecast tropical cyclone position and related footnotes, is not included; and, b) revision of footnotes relating to SIGMET for radioactive cloud is not included. 3) Amendme nt 79, App 6; Table A6-1B : In EU rules: a) 'heavy dust storm' (HVY D S) is not included;</p>	<p>Regulation (EU) 2017/373 is planned to be adopted by Q3 2021, at which point the provisions are anticipated to be included and will be consistent with ICAO Amendment 79. 3) Amendment to Regulation (EU) 2017/373 is planned</p>
--	--	--	--	--	--	--	--	--	--	---

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									and, b) the insertion of 'Observed' with regard to 'Location' and 'Level' is not included. 4) Amendment 79, App 6; Example A6-4 : In EU rules, the ICAO formulation of SIGMET message for radioactive cloud is not adopted.	to be adopted by Q3 2021, at which point the relevance of special air-reports (uplink) in the context of EU operations will have been considered for inclusion in Regulation (EU) 2017/373 . 4) Amendment to Regulation (EU)
--	--	--	--	--	--	--	--	--	--	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									2017/373 is planned to be adopted by Q3 2021, at which point the ICAO formulation of SIGMET message for radioactive cloud is anticipated to be included and will be consistent with ICAO Amendment 79.
--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi- ficant Differ- ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

7.1.2	7.1.2 SIGMET information shall be cancelled when the phenomena are no longer occurring or are no longer expected to occur in the area.	Reg. (EU) 2017 /373: MET.OR.250 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.1.3	7.1.3 The period of validity of a SIGMET message shall be not more than 4 hours. In the special case of SIGMET messages for volcanic ash cloud and tropical cyclones, the period of validity shall be extended up to 6 hours.	Reg. (EU) 2017 /373: MET.OR.250 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.1.4	7.1.4 Recommendation. — <i>SIGMET messages concerning volcanic ash cloud and tropical cyclones should be based on advisory information provided by VAACs and TCACs, respectively, designated by regional air navigation agreement.</i>	Reg. (EU) 2017/373: MET.OR.250 (c) AMC1 MET.OR.250 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.1.5	7.1.5 Close coordination shall be maintained between the meteorological watch office and the associated area control centre/flight information centre to ensure that information on volcanic ash included in SIGMET and NOTAM messages is consistent.	Reg. (EU) 2017/ 373: MET.OR.245 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
7.1.6	7.1.6 SIGMET messages shall be issued not more than 4 hours before the commencement of the period of validity. In the special case of SIGMET messages for volcanic ash cloud and tropical cyclones, these messages shall be issued as soon as practicable but not more than 12 hours before the commencement of the period of validity. SIGMET messages for volcanic ash and tropical cyclones shall be updated at least every 6 hours.	Reg. (EU) 2017 /373: MET.OR.250 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.2.1	7.2 AIRMET information 7.2.1 AIRMET information shall be issued by a meteorological watch office in accordance with regional air navigation agreement, taking into account the density of air traffic operating below flight level 100. AIRMET information shall give a concise description in abbreviated plain language concerning the occurrence and/or expected occurrence of specified en-route weather phenomena, which have not been included in Section I of the area forecast for low-level flights issued in accordance with Chapter 6, 6.5 and which may affect the safety of low-level flights, and of the development of those phenomena in time and space.	Reg. (EU) 2017/373: Annex I Definitions (19) MET.OR.255 (a) MET.TR.260 (c)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EU rules do not make referenc to the regional air navigation agreement. Since GAMET is not transposed into EU rules, the reference to ‘Section I of the area fo	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									recast is not relevant in EU rules.	
7.2.2	7.2.2 AIRMET information shall be cancelled when the phenomena are no longer occurring or are no longer expected to occur in the area.	Reg. (EU) 2017 /373: MET.OR.255 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.2.3	7.2.3 The period of validity of an AIRMET message shall be not more than 4 hours.	Reg. (EU) 2017 /373: MET.OR.255 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.3.1	7.3 Aerodrome warnings 7.3.1 Aerodrome warnings shall be issued by the aerodrome meteorological office designated by the meteorological authority concerned and shall give concise information of meteorological conditions which could adversely affect aircraft on the ground, including parked aircraft, and the aerodrome facilities and services.	Reg. (EU) 2017/373: MET.OR.235 AMC1 MET.TR.235 Point (a) to AMC2 MET.TR.235 (a) Annex I Definitions (8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

7.3.2	7.3.2 Recommendation. — <i>Aerodrome warnings should be cancelled when the conditions are no longer occurring and/or no longer expected to occur at the aerodrome.</i>	Reg. (EU) 2017/373: MET.OR.235 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.4.1	7.4 Wind shear warnings and alerts <i>Note.— Guidance on the subject is contained in the Manual on Low-level Wind Shear (Doc 9817). Wind shear alerts are expected to complement wind shear warnings and together are intended to enhance situational awareness of wind shear.</i> 7.4.1 Wind shear warnings shall be prepared by the aerodrome meteorological office designated by the meteorological authority concerned for aerodromes where wind shear is considered a factor, in accordance with local arrangements with the appropriate air traffic services unit and the operators concerned. Wind shear warnings shall give concise information on the observed or expected existence of wind shear which could adversely affect aircraft on the approach path or take-off path or during circling approach between runway level and 500 m (1 600 ft) above that level and aircraft on the runway during the landing roll or take-off run. Where local topography has been shown to produce significant	Reg. (EU) 2017 /373: ME T.OR.235(b) MET.TR.235 (c)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU rules do not have limitations regarding height above runway level.	GM1 MET.O R .235(d) to be considered as well

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	wind shears at heights in excess of 500 m (1 600 ft) above runway level, then 500 m (1 600 ft) shall not be considered restrictive.									
7.4.2	7.4.2 Recommendation. — <i>Wind shear warnings for arriving aircraft and/or departing aircraft should be cancelled when aircraft reports indicate that wind shear no longer exists or, alternatively, after an agreed elapsed time. The criteria for the cancellation of a wind shear warning should be defined locally for each aerodrome, as agreed between the meteorological authority, the appropriate ATS authority and the operators concerned.</i>	Reg. (EU) 2017 /373: MET.OR.235 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM2 MET.O R.235(d) to be consider ed as well
7.4.3	7.4.3 At aerodromes where wind shear is detected by automated, ground-based, wind shear remote-sensing or detection equipment, wind shear alerts generated by these systems shall be issued. Wind shear alerts shall give concise, up-to-date information related to the observed existence of wind shear involving a headwind/tailwind change of 7.5 m/s (15 kt) or more which could adversely affect aircraft on the final approach path or initial take-off path and aircraft on the runway during the landing roll or take-off run.	Reg. (EU) 2017 /373: MET.TR.235 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7.4.4	7.4.4 Recommendation. — <i>Wind shear alerts should be updated at least every minute. The wind shear</i>	Reg. (EU) 2017/373:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>alert should be cancelled as soon as the headwind/tailwind change falls below 7.5 m/s (15 kt).</i>	MET.OR.235 (b) AMC1 MET.OR.235 (b)								
8.1.1	<p>CHAPTER 8. AERONAUTICAL CLIMATOLOGICAL INFORMATION</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 7.</i></p> <p>8.1 General provisions</p> <p><i>Note.— In cases where it is impracticable to meet the requirements for aeronautical climatological information on a national basis, the collection, processing and storage of observational data may be effected through computer facilities available for international use, and the responsibility for the preparation of the required aeronautical climatological information may be delegated as agreed between the meteorological authorities concerned.</i></p>	Reg. (EU) 2017/373: MET.TR.215 (i) AMC1 MET.TR.215 (i) AMC2 MET.TR.215 (i). AMC3 MET.TR.215 (i) AMC4 MET.TR.215 (i) AMC5 MET.TR.215 (i) AMC6 MET.TR.215 (i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM1 MET.T R.215(i) GM2 MET.T R.215(i) GM3 MET.T R.215(i) to be consider ed as well.

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	8.1.1 Aeronautical climatological information required for the planning of flight operations shall be prepared in the form of aerodrome climatological tables and aerodrome climatological summaries. Such information shall be supplied to aeronautical users as agreed between the meteorological authority and the user concerned. Note.— Climatological data required for aerodrome planning purposes are set out in Annex 14, Volume I, 3.1.4 and Attachment A.									
8.1.2	8.1.2 Recommendation.— Aeronautical climatological information should normally be based on observations made over a period of at least five years and the period should be indicated in the information supplied.	Reg. (EU) 2017/373: MET.TR.215 (i) AMC1 MET.TR.215 (i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
8.1.3	8.1.3 Recommendation.— Climatological data related to sites for new aerodromes and to additional runways at existing aerodromes should be collected starting as early as possible before the commissioning of those aerodromes or runways.	Reg. (EU) 2017/373: MET.TR.2 15(i) AMC2 MET.TR.215 (i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

8.2.1	<p>8.2 Aerodrome climatological tables</p> <p>Recommendation.— <i>Each Contracting State should make arrangements for collecting and retaining the necessary observational data and have the capability:</i></p> <p style="padding-left: 40px;">a) <i>to prepare aerodrome climatological tables for each regular and alternate international aerodrome within its territory; and</i></p> <p style="padding-left: 40px;">b) <i>to make available such climatological tables to an aeronautical user within a time period as agreed between the meteorological authority and the user concerned.</i></p>	Reg. (EU) 2017/373: MET.TR.215 (i) AMC2 MET.OR.210 AMC1 MET.OR.21 5(e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
8.3.1	<p>8.3 Aerodrome climatological summaries</p> <p>Recommendation.— <i>Aerodrome climatological summaries should follow the procedures prescribed by the World Meteorological Organization (WMO). Where computer facilities are available to store, process and retrieve the information, the summaries should be published or otherwise made available to aeronautical users on request. Where such computer facilities are not available, the summaries should be prepared using the</i></p>	Reg. (EU) 2017/373: MET.TR.215 (i) AMC3 MET.TR.215 (i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		GM2 MET.T R.215(i) to be consider ed as well

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>models specified by WMO and should be published and kept up to date as necessary.</i>									
8.4	8.4 Copies of meteorological observational data Each meteorological authority, on request and to the extent practicable, shall make available to any other meteorological authority, to operators and to others concerned with the application of meteorology to international air navigation, meteorological observational data required for research, investigation or operational analysis.	Reg. (EU) 2017 /373: MET.OR.110 (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU reference only describes exchange with other METSPs, not all entities on the Annex 3 list .	
9.1.1	CHAPTER 9. SERVICE FOR OPERATORS AND FLIGHT CREW MEMBERS <i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 8.</i>	Reg. (EU) 2017 /373: MET.OR.100 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[CAT B] MET.OR.100(a) does not specify the use each stakeholder will make of the MET	Amendment 79, App 1 . ‘Model charts and forms’; MODEL VAG and

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>9.1 General provisions</p> <p>9.1.1 Meteorological information shall be supplied to operators and flight crew members for:</p> <ul style="list-style-type: none"> a) pre-flight planning by operators; b) in-flight replanning by operators using centralized operational control of flight operations; c) use by flight crew members before departure; and d) aircraft in flight. 								<p>information. [CAT C] Amendment 79, App 1. 'Model charts and forms'; MODEL VAG and MODEL SVA : In EU rules, the updated model (example) charts depicting Mercator and Polar Stereographic projections for volcanic ash advisory in graphical format, and for SIGMET</p>	<p>MODE L SVA : Amendment to Regulation (EU) No 2017/373 is planned to be adopted by Q3 2021, at which point updated model (example) charts depicting Mercator and Polar Stereographic projections are anticipated to be</p>
--	---	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									in graphical format are not included. [CAT B] Amendme nt 79, App 8; 2.2 'Format of informatio n on significant weather', provision 2.2.1 : T he EU rules do not differentiat e between pre-flight planning and in- flight replanning in this regard. [CAT C] Amendme nt 79, App	include d and will be consiste nt with ICAO Amend ment 79. Amend ment 79, App 8; 2.2 'Format of informat ion on significa nt weather' , provisio n 2.2.1 : No change to Regulati on (EU) No 2017/37 3 in this regard is
--	--	--	--	--	--	--	--	--	---	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

									8; 2.2 'Format of informatio n on significant weather', provision and 2.2.2 : In EU rules, and noting the deferred applicabilit y (4 November 2021) of the recommen dation that informatio n on significant weather supplied by the WAFCS should be in IWXXM code form is not	foreseen . Amend ment 79, App 8; 2.2 'Format of informat i on on significa nt weather' , provisio n and 2.2.2 : Amend ment to Regulati on (EU) 2017/37 3 is planned to be adopted by Q3 2021, at which point, recognis
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
									included.	ing the deferred applicab ility (4 Novemb er 2021), the recomm endation that informat ion on significa nt weath er supplied by the WAFCs should be in IWXX M code form is anticipat ed to be included and will be consiste nt with

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

										ICAO Amend ment 79.
9.1.2	9.1.2 Meteorological information supplied to operators and flight crew members shall cover the flight in respect of time, altitude and geographical extent. Accordingly, the information shall relate to appropriate fixed times, or periods of time, and shall extend to the aerodrome of intended landing, also covering the meteorological conditions expected between the aerodrome of intended landing and alternate aerodromes designated by the operator.	Reg. (EU) 2017 /373: MET.TR.215 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9.1.3	9.1.3 Meteorological information supplied to operators and flight crew members shall be up to date and include the following information, as agreed between the meteorological authority and the operators concerned: a) forecasts of: temperature; 1) upper wind and upper-air 2) upper-air humidity; 3) geopotential altitude of flight levels;	Reg. (EU) 2017 /373: MET.TR.215 (a)(4) MET.OR.275 (a) MET.OR.240 (a) (2) MET.OR.240 (a)(3) MET.OR.240 (a)(4) . MET.OR.240 (a)(5)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GAMET, as stated in Item g) of the provision, is not transposed into EU rules. Item k) of the provision is not transposed into EU	Rulema king task 0719 is anticipat ed to include item k of this provsion in Q3 2021. It is not anticipat

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>4) flight level and temperature of tropopause;</p> <p>5) direction, speed and flight level of maximum wind;</p> <p>6) SIGWX phenomena; and</p> <p>7) cumulonimbus clouds, icing and turbulence;</p> <p><i>Note 1.— Forecasts of upper-air humidity and geopotential altitude of flight levels are used only in automatic flight planning and need not be displayed.</i></p> <p><i>Note 2.— Forecasts of cumulonimbus clouds, icing and turbulence are intended to be processed and, if necessary, visualized according to the specific thresholds relevant to user operations.</i></p> <p>b) METAR or SPECI (including trend forecasts as issued in accordance with regional air navigation agreement) for the aerodromes of departure and intended landing, and for take-off, en-route and destination alternate aerodromes;</p> <p>c) TAF or amended TAF for the aerodromes of departure and intended landing, and for take-off, en-route and destination alternate aerodromes;</p>	<p>MET.OR.240 (a)(6)</p> <p>MET.OR.240 (a)(7)</p> <p>MET.OR.240 (a)(8)</p> <p>MET.OR.240 (a)(9).</p>							rules.	ed to transpos e GAME T into EU rules.
--	--	--	--	--	--	--	--	--	--------	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Sigini ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p>d) forecasts for take-off;</p> <p>e) SIGMET information and appropriate special air-reports relevant to the whole route;</p> <p><i>Note.— Appropriate special air-reports will be those not already used in the preparation of SIGMET.</i></p> <p>f) volcanic ash and tropical cyclone advisory information relevant to the whole route;</p> <p>g) as determined by regional air navigation agreement, GAMET area forecasts and/or area forecasts for low-level flights in chart form prepared in support of the issuance of AIRMET information, and AIRMET information for low-level flights relevant to the whole route;</p> <p>h) aerodrome warnings for the local aerodrome;</p> <p>i) meteorological satellite images;</p> <p>j) ground-based weather radar information; and</p> <p>k) space weather advisory information relevant to the whole route.</p>								
--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

9.1.4	9.1.4 Forecasts listed under 9.1.3 a) shall be generated from the digital forecasts provided by the WAFCs whenever these forecasts cover the intended flight path in respect of time, altitude and geographical extent, unless otherwise agreed between the meteorological authority and the operator concerned.	Reg. (EU) 2017 /373: MET.OR.275 (a) MET.TR.275 (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provision of digital forecasts by the WAFCs is specified in MET.OR.275 and MET.TR.275. The use of the data for the intended flight path, time, and altitude is implicit .	
9.1.5	9.1.5 When forecasts are identified as being originated by the WAFCs, no modifications shall be made to their meteorological content.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This paragraph is not transposed.	
9.1.6	9.1.6 Charts generated from the digital	Reg. (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		MET.T

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	forecasts provided by the WAFCs shall be made available, as required by operators, for fixed areas of coverage as shown in Appendix 8, Figures A8-1, A8-2 and A8-3.	2017 /373: MET.TR.215 (f)								R.215(f) with removal of reference to WAFCs .
9.1.7	9.1.7 When forecasts of upper wind and upper-air temperature listed under 9.1.3 a) 1) are supplied in chart form, they shall be fixed time prognostic charts for flight levels as specified in Appendix 2, 1.2.2 a). When forecasts of SIGWX phenomena listed under 9.1.3 a) 6) are supplied in chart form, they shall be fixed time prognostic charts for an atmospheric layer limited by flight levels as specified in Appendix 2, 1.3.2 and Appendix 5, 4.3.2.	Reg. (EU) 2017 /373: MET.TR.215 (g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9.1.8	9.1.8 The forecasts of upper wind and upper-air temperature and of SIGWX phenomena above flight level 100 requested for pre-flight planning and in-flight replanning by the operator shall be supplied as soon as they become available, but not later than 3 hours before departure. Other meteorological information requested for pre-flight planning and in-flight replanning by the operator shall be supplied as soon as is practicable.	Reg. (EU) 2017 /373: MET.TR.215 (h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

9.1.9	9.1.9 When necessary, the meteorological authority of the State providing service for operators and flight crew members shall initiate coordinating action with the meteorological authorities of other States with a view to obtaining from them the reports and/or forecasts required.	Reg. (EU) 2017/373: MET.OR. 110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9.1.10	9.1.10 Meteorological information shall be supplied to operators and flight crew members at the location to be determined by the meteorological authority, after consultation with the operators concerned and at the time agreed between the aerodrome meteorological office and the operator concerned. The service for pre-flight planning shall be confined to flights originating within the territory of the State concerned. At an aerodrome without an aerodrome meteorological office at the aerodrome, arrangements for the supply of meteorological information shall be as agreed between the meteorological authority and the operator concerned.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU rules do not contain any references to agreeing (or determining) the location or time for the supply of meteorological information. The EU rules do not specify any agreements to be made for supply	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									of meteorolog ical informatio n for aerodrome s without an aerodrome meteorolog i c al office.	
9.2.1	<p>9.2 Briefing, consultation and display</p> <p><i>Note.— The requirements for the use of automated pre-flight information systems in providing briefing, consultation and display are given in 9.4.</i></p> <p>9.2.1 Briefing and/or consultation shall be provided, on request, to flight crew members and/or other flight operations personnel. Its purpose shall be to supply the latest available information on existing and expected meteorological conditions along the route to be flown, at the aerodrome of intended landing, alternate aerodromes and other aerodromes as relevant, either to explain and amplify the information contained in the flight documentation, or as agreed between the meteorological authority and the operator concerned, in lieu of flight</p>	Reg. (EU) 2017 /373: MET.OR.215 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Point (c) to GM1 MET.O R.215(d) to be consider ed as well

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	documentation.									
9.2.2	9.2.2 Meteorological information used for briefing, consultation and display shall include any or all of the information listed in 9.1.3.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This standard is not transposed as it is applied throughout the rule text in Part-MET covering all the elements of the list referred to in 9.1.3 .	
9.2.3	9.2.3 If the aerodrome meteorological office expresses an opinion on the development of the meteorological conditions at an aerodrome which differs appreciably from the aerodrome forecast included in the flight documentation, the attention of flight crew members shall be drawn to the divergence. The portion of the briefing dealing with the divergence shall be recorded at the time of briefing and this record shall be made available to the operator.	Reg. (EU) 2017 /373: MET.OR.240 (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Whilst this ICAO text deals with a briefing, the corresponding EU reference is simply about the	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									information published and is not specific to briefing.	
9.2.4	9.2.4 The required briefing, consultation, display and/or flight documentation shall normally be provided by the aerodrome meteorological office associated with the aerodrome of departure. At an aerodrome where these services are not available, arrangements to meet the requirements of flight crew members shall be as agreed between the meteorological authority and the operator concerned. In exceptional circumstances, such as an undue delay, the aerodrome meteorological office associated with the aerodrome shall provide or, if that is not practicable, arrange for the provision of a new briefing, consultation and/or flight documentation as necessary.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	It is considered that these requirements do not reflect the current practice today.	
9.2.5	9.2.5 Recommendation. — <i>The flight crew member and/or other flight operations personnel for whom briefing, consultation and/or flight documentation has been requested should visit the aerodrome meteorological office at the time agreed between the aerodrome meteorological office and the operator concerned. Where local circumstances at an aerodrome make personal briefing or consultation impracticable, the</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This recommendation only covers administrative arrangements

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>aerodrome meteorological office should provide those services by telephone or other suitable telecommunications facilities.</i>									ments for briefing purpose s and not a safety obligati on put on MET provider s.
9.3.1	<p>9.3 Flight documentation</p> <p><i>Note.— The requirements for the use of automated pre-flight information systems in providing flight documentation are given in 9.4.</i></p> <p>9.3.1 Flight documentation to be made available shall comprise information listed under 9.1.3 a) 1) and 6), b), c), e), f) and, if appropriate, g) and k). However, flight documentation for flights of two hours' duration or less, after a short stop or turnaround, shall be limited to the information operationally needed, as agreed between the meteorological authority and the operator concerned, but in all cases it shall at least comprise information on 9.1.3 b), c), e), f) and, if appropriate, g) and k).</p>	Reg. (EU) 2017 /373: MET.TR.215 (e)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item k, space weather advisory, is not listed in MET.OR.2 15(e)	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

9.3.2	9.3.2 Whenever it becomes apparent that the meteorological information to be included in the flight documentation will differ materially from that made available for pre-flight planning and in flight replanning, the operator shall be advised immediately and, if practicable, be supplied with the revised information as agreed between the operator and the aerodrome meteorological office concerned.	Reg. (EU) 2017 /373: MET.OR.240 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9.3.3	9.3.3 Recommendation. — <i>In cases where a need for amendment arises after the flight documentation has been supplied, and before take-off of the aircraft, the aerodrome meteorological office should, as agreed locally, issue the necessary amendment or updated information to the operator or to the local air traffic services unit, for transmission to the aircraft.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The amendm ents are today automati cally fed into systems.
9.3.4	9.3.4 The meteorological authority shall retain information supplied to flight crew members, either as printed copies or in computer files, for a period of at least 30 days from the date of issue. This information shall be made available, on request, for inquiries or investigations and, for these purposes, shall be retained until the inquiry or investigation is completed.	Reg. (EU) 2017/373: MET.OR.105	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

9.4.1	<p>9.4 Automated pre-flight information systems for briefing, consultation, flight planning and flight documentation</p> <p>9.4.1 Where the meteorological authority uses automated pre-flight information systems to supply and display meteorological information to operators and flight crew members for self-briefing, flight planning and flight documentation purposes, the information supplied and displayed shall comply with the relevant provisions in 9.1 to 9.3 inclusive.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This standard is not transposed as such , however its content is scattered throughout the provisions of Part-MET.	
9.4.2	<p>9.4.2 Recommendation.— <i>Automated pre-flight information systems providing for a harmonized, common point of access to meteorological information and aeronautical information services information by operators, flight crew members and other aeronautical personnel concerned should be as agreed between the meteorological authority and the civil aviation authority or the agency to which the authority to provide service has been delegated in accordance with Annex 15, 2.1.1 c).</i></p> <p><i>Note.— The meteorological and aeronautical information services information concerned is specified in 9.1 to 9.3 and Appendix 8 and in the Procedures for Air</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		It is considered that this recommendation does not reflect the current practice today.

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	Navigation Services — Aeronautical Information Management (<i>PANS-AIM, Doc 10066</i>), 5.5, respectively.									
9.4.3	<p>9.4.3 Where automated pre-flight information systems are used to provide for a harmonized, common point of access to meteorological information and aeronautical information services information by operators, flight crew members and other aeronautical personnel concerned, the meteorological authority concerned shall remain responsible for the quality control and quality management of meteorological information provided by means of such systems in accordance with Chapter 2, 2.2.2.</p> <p><i>Note.— The responsibilities relating to aeronautical information services information and the quality assurance of the information are given in Annex 15, Chapters 1, 2 and 3.</i></p>	Reg. (EU) 2017 /373: ATM/ANS.O R.B.005	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The METSP is responsible for the QM and control in accordance with ATM.ANS .OR.B.005. However, there is no explicit mention of pre-flight information systems although this is considered to be implicit.	
9.5.1	9.5 Information for aircraft in flight		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The transmission to the	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	9.5.1 Meteorological information for use by aircraft in flight shall be supplied by an aerodrome meteorological office or meteorological watch office to its associated air traffic services unit and through D-VOLMET or VOLMET broadcasts as determined by regional air navigation agreement. Meteorological information for planning by the operator for aircraft in flight shall be supplied on request, as agreed between the meteorological authority or authorities and the operator concerned.									aircraft is not a task of the METSP .	
9.5.2	9.5.2 Meteorological information for use by aircraft in flight shall be supplied to air traffic services units in accordance with the specifications of Chapter 10.	Reg. (EU) 2017 /373: MET.OR.100 MET.OR.245 (f)(3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The objective of this paragraph is covered by the referenced Part-MET provisions, therefore it is considered to be different in character.	
9.5.3	9.5.3 Meteorological information shall be supplied through D-VOLMET or VOLMET broadcasts in		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	It is not transposed	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	accordance with the specifications of Chapter 11.								because it is not a requirement to MET providers to supply information through D-VOLMET or VOLMET broadcast in particular. The standard only requires compliance with specifications of chapter 11 but does not constitute a requirement per se .	
--	---	--	--	--	--	--	--	--	---	--

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
10.1.1	<p>CHAPTER 10. INFORMATION FOR AIR TRAFFIC SERVICES, SEARCH AND RESCUE SERVICES AND AERONAUTICAL INFORMATION SERVICES</p> <p><i>Note.— Technical specifications and detailed criteria related to this chapter are given in Appendix 9.</i></p> <p>10.1 Information for air traffic services units</p> <p>10.1.1 The meteorological authority shall designate an aerodrome meteorological office or meteorological watch office to be associated with each air traffic services unit. The associated aerodrome meteorological office or meteorological watch office shall, after coordination with the air traffic services unit, supply, or arrange for the supply of, up-to-date meteorological information to the unit as necessary for the conduct of its functions.</p>	Reg. (EU) 2017/373: Art. 3 Reg. (EC) 550/2004: Art. 9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10.1.2	<p>10.1.2 Recommendation.— <i>An aerodrome meteorological office should be associated with an aerodrome control tower or approach control unit for the provision of meteorological information.</i></p>	Reg. (EU) 2017/37 3: MET.OR.242	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

10.1.3	10.1.3 A meteorological watch office shall be associated with a flight information centre or an area control centre for the provision of meteorological information.	Reg. (EU) 2017 /373: MET.OR.245 (f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10.1.4	10.1.4 Recommendation. — <i>Where, owing to local circumstances, it is convenient for the duties of an associated aerodrome meteorological office or meteorological watch office to be shared between two or more aerodrome meteorological offices or meteorological watch offices, the division of responsibility should be determined by the meteorological authority in consultation with the appropriate ATS authority.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10.1.5	10.1.5 Any meteorological information requested by an air traffic services unit in connection with an aircraft emergency shall be supplied as rapidly as possible.	Reg. (EU) 2017 /373: MET.OR.110 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10.2	10.2 Information for search and rescue services units Aerodrome meteorological offices or meteorological watch offices designated by the meteorological authority	Reg. (EU) 2017/373: MET.OR.215 (g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	in accordance with regional air navigation agreement shall supply search and rescue services units with the meteorological information they require in a form established by mutual agreement. For that purpose, the designated aerodrome meteorological office or meteorological watch office shall maintain liaison with the search and rescue services unit throughout a search and rescue operation.	MET.TR.215 (b) AMC1 MET.OR.215 (g)								
10.3	10.3 Information for aeronautical information services units The meteorological authority, in coordination with the appropriate civil aviation authority, shall arrange for the supply of up-to-date meteorological information to relevant aeronautical information services units, as necessary, for the conduct of their functions.	Reg. (EU) 2017 /373: MET.OR.215 (h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
11.1.1	CHAPTER 11. REQUIREMENTS FOR AND USE OF COMMUNICATIONS <i>Note 1.— Technical specifications and detailed criteria related to this chapter are given in Appendix 10.</i>	Reg. (EU) 2017/373 : MET.OR.110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<p><i>Note 2.— It is recognized that it is for each Contracting State to decide upon its own internal organization and responsibility for implementing the telecommunications facilities referred to in this chapter.</i></p> <p>11.1 Requirements for communications</p> <p>11.1.1 Suitable telecommunications facilities shall be made available to permit aerodrome meteorological offices and, as necessary, aeronautical meteorological stations to supply the required meteorological information to air traffic services units on the aerodromes for which those offices and stations are responsible, and in particular to aerodrome control towers, approach control units and the aeronautical telecommunications stations serving these aerodromes.</p>									
11.1.2	<p>11.1.2 Suitable telecommunications facilities shall be made available to permit meteorological watch offices to supply the required meteorological information to air traffic services and search and rescue services units in respect of the flight information regions, control areas and search and rescue regions for which those offices are responsible, and in particular to flight information centres, area control centres and rescue coordination centres and the associated aeronautical</p>	Reg. (EU) 2017/373: MET.OR.110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exact ing or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	telecommunications stations.									
11.1.3	11.1.3 Suitable telecommunications facilities shall be made available to permit world area forecast centres to supply the required world area forecast system products to aerodrome meteorological offices, meteorological authorities and other users.	Reg. (EU) 2017/373: MET.OR.110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
11.1.4	11.1.4 Telecommunications facilities between aerodrome meteorological offices and, as necessary, aeronautical meteorological stations and aerodrome control towers or approach control units shall permit communications by direct speech, the speed with which the communications can be established being such that the required points may normally be contacted within approximately 15 seconds.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MET.OR.110 is considered sufficient to cover this aspect without the need to specifically refer to direct speech, nor a time within which communications are to be able to establish contact.	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

11.1.5	<p>11.1.5 Recommendation.— <i>Telecommunications facilities between aerodrome meteorological offices or meteorological watch offices and flight information centres, area control centres, rescue coordination centres and aeronautical telecommunications stations should permit:</i></p> <p><i>a) communications by direct speech, the speed with which the communications can be established being such that the required points may normally be contacted within approximately 15 seconds; and</i></p> <p><i>b) printed communications, when a record is required by the recipients; the message transit time should not exceed 5 minutes.</i></p> <p><i>Note.— In 11.1.4 and 11.1.5, “approximately 15 seconds” refers to telephony communications involving switchboard operation and “5 minutes” refers to printed communications involving retransmission.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		MET.O R.110 is considered sufficient to cover this aspect without the need to specifically refer to direct speech, nor a time within which communications are to be able to establish contact, nor the need to refer to
--------	--	--	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--	---

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						
				Level of implementation of SARPs			Sigini ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

										printed commun ications.
11.1.6	11.1.6 Recommendation. — <i>The telecommunications facilities required in accordance with 11.1.4 and 11.1.5 should be supplemented, as and where necessary, by other forms of visual or audio communications, for example, closed-circuit television or separate information processing systems.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		MET.O R.110 is consider ed suffician t to cover this aspect without the need to specifica lly refer to other visual and audio forms.
11.1.7	11.1.7 Recommendation. — <i>As agreed between the meteorological authority and the operators concerned, provision should be made to enable operators</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This parag raph is

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi- ficant Differ- ence			
				Level of implementation of SARPs						
				A) More Exactin- g or Exceed- s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>to establish suitable telecommunications facilities for obtaining meteorological information from aerodrome meteorological offices or other appropriate sources.</i>									not transposed.
11.1.8	11.1.8 Suitable telecommunications facilities shall be made available to permit meteorological offices to exchange operational meteorological information with other meteorological offices.	Reg. (EU) 2017 /373: MET.OR.110 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
11.1.9	<p>11.1.9 Recommendation.— <i>The telecommunications facilities used for the exchange of operational meteorological information should be the aeronautical fixed service or, for the exchange of non-time critical operational meteorological information, the public Internet, subject to availability, satisfactory operation and bilateral/multilateral and/or regional air navigation agreements.</i></p> <p><i>Note 1.— Aeronautical fixed service Internet-based services, operated by the world area forecast centres, providing for global coverage are used to support the global exchanges of operational meteorological information.</i></p> <p><i>Note 2.— Guidance material on non-time-critical operational meteorological information and relevant aspects of the public Internet is provided in the Guidelines on the Use of the Public Internet for</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		This paragraph is not transposed. The content is reflected in Part-MET to specify that the MET information are transmitted through

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
				Annex Standard or Recommended Practice						

	Aeronautical Applications (<i>Doc 9855</i>).									aeronaut ical fixed service systems.
11.2	<p>11.2 Use of aeronautical fixed service communications and the public Internet — meteorological bulletins</p> <p>Meteorological bulletins containing operational meteorological information to be transmitted via the aeronautical fixed service or the public Internet shall be originated by the appropriate meteorological office or aeronautical meteorological station.</p> <p><i>Note.— Meteorological bulletins containing operational meteorological information authorized for transmission via the aeronautical fixed service are listed in Annex 10, Volume II, Chapter 4, together with the relevant priorities and priority indicators.</i></p>	Reg. (EU) 2017/373: MET.OR.115	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
11.3.1	<p>11.3 Use of aeronautical fixed service communications — world area forecast system products</p>	Reg. (EU) 2017/373: MET.OR.275	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	Recommendation. — <i>World area forecast system products in digital form should be transmitted using binary data communications techniques. The method and channels used for the dissemination of the products should be as determined by regional air navigation agreement.</i>									
11.4	<p>11.4 Use of aeronautical mobile service communications</p> <p>The content and format of meteorological information transmitted to aircraft and by aircraft shall be consistent with the provisions of this Annex.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This parag raph is not transposed.	
11.5	<p>11.5 Use of aeronautical data link service — contents of D-VOLMET</p> <p>D-VOLMET shall contain current METAR and SPECI, together with trend forecasts where available, TAF and SIGMET, special air-reports not covered by a SIGMET and, where available, AIRMET.</p> <p><i>Note.— The requirement to provide METAR and SPECI may be met by the data link-flight information service (D-FIS) application entitled “Data link-aerodrome routine meteorological report (D-METAR) service”; the requirement to provide TAF may be met by</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This standard is not transposed .	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

	<i>the D-FIS application entitled “Data link-aerodrome forecast (D-TAF) service”; and the requirement to provide SIGMET and AIRMET messages may be met by the D-FIS application entitled “Data link-SIGMET (D-SIGMET) service”. The details of these data link services are specified in the Manual of Air Traffic Services Data Link Applications (Doc 9694).</i>									
11.6.1	<p>11.6 Use of aeronautical broadcasting service — contents of VOLMET broadcasts</p> <p>11.6.1 Continuous VOLMET broadcasts, normally on very high frequencies (VHF), shall contain current METAR and SPECI, together with trend forecasts where available.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This standard is not transposed because it is considered that D-VOLMET provisions need to be covered by the rules on ATS providers.	
11.6.2	11.6.2 Scheduled VOLMET broadcasts, normally on high frequencies (HF), shall contain current METAR and SPECI, together with trend forecasts where		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	This standard is not	

	European Union Aviation Safety Agency-Annex 3 Amendment 81	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	METEOROLOGICAL SERVICE FOR INTERNATIONAL AIR NAVIGATION - PART I - CORE SARPs		No	Yes			Sigini ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									
	available and, where so determined by regional air navigation agreement, TAF and SIGMET.								transposed because it is considered that D-VOLMET provisions need t o be covered by the rules on ATS providers.	