



ICAO ENGINE EXHAUST EMISSIONS DATA SHEET

SUBSONIC ENGINES

ENGINE IDENTIFICATION: CFM56-5B1/P BYPASS RATIO: 5.7
 UNIQUE ID NUMBER: 3CM023 PRESSURE RATIO (π_{00}): 30.5
 COMBUSTOR:
 ENGINE TYPE: TF RATED THRUST (F_{00}) (kN): 133.5

REGULATORY DATA

CHARACTERISTIC VALUE:	HC	CO	NO _x	SMOKE NUMBER
D _p /F ₀₀ (g/kN) or SN	8.2	34.4	61.9	7.0
AS % OF ORIGINAL LIMIT	41.8	29.2	61.3	32.0
AS % OF CAEP/2 LIMIT (NO _x)			76.7	
AS % OF CAEP/4 LIMIT (NO _x)			91.1	
AS % OF CAEP/6 LIMIT (NO _x)			103.3	
AS % OF CAEP/8 LIMIT (NO _x)			121.2	

DATA STATUS

- PRE-REGULATION
 x CERTIFICATION
 - REVISED (SEE REMARKS)

TEST ENGINE STATUS

x NEWLY MANUFACTURED ENGINES
 - DEDICATED ENGINES TO PRODUCTION STANDARD
 - OTHER (SEE REMARKS)

EMISSIONS STATUS

x DATA CORRECTED TO REFERENCE
 (ANNEX 16 VOLUME II)

CURRENT ENGINE STATUS

(IN PRODUCTION, IN SERVICE UNLESS OTHERWISE NOTED)
 x OUT OF PRODUCTION (DATE: -)
 - OUT OF SERVICE (DATE: -)

MEASURED DATA

MODE	POWER SETTING (%F ₀₀)	TIME (minutes)	FUEL FLOW (kg/s)	EMISSIONS INDICES (g/kg)			SMOKE NUMBER
				HC	CO	NO _x	
TAKE-OFF	100	0.7	1.295	0.10	0.90	33.00	4.9
CLIMB OUT	85	2.2	1.058	0.20	0.90	26.20	5.2
APPROACH	30	4.0	0.345	0.50	2.00	10.70	0.2
IDLE	7	26.0	0.110	3.70	19.80	4.50	0.5
LTO TOTAL FUEL (kg) or EMISSIONS (g)			448	710	3738	7112	-
NUMBER OF ENGINES				1	1	1	1
NUMBER OF TESTS				3	3	3	3
AVERAGE D _p /F ₀₀ (g/kN) or AVERAGE SN (MAX)				5.3	28.1	53.4	5.4
SIGMA (D _p /F ₀₀ in g/kN, or SN)							
RANGE (D _p /F ₀₀ in g/kN, or SN)							

ACCESSORY LOADS

POWER EXTRACTION 0 (kW) AT - POWER SETTINGS
 STAGE BLEED 0 (% CORE FLOW) AT - POWER SETTINGS

ATMOSPHERIC CONDITIONS

BAROMETER (kPa)	98.2-99.6
TEMPERATURE (K)	281.5-283.6
ABS HUMIDITY (kg/kg)	0.0065-0.0075

FUEL

SPEC	Jet A
H/C	1.92
AROM (%)	19

MANUFACTURER: CFM International
 TEST ORGANIZATION: CFM56-5B Eval Engineering
 TEST LOCATION: Techspace-Aero Facility, Liege, Belgium
 TEST DATES: 01/11/1995

REMARKS

1. FAA Certification Report CR-797/P, June 95.
2. Engine S/N 779-194/1

Compliance with Fuel Venting requirements: -

('x' if complies, 'PR' if pre-regulation, '-' if information is not available)